



## B 150 R Others + Fleet



### 1 Configurable device

- The equipment details can be selected individually.
- Perfect matching of the machine to the cleaning requirements.

### 2 Innovative KIK key system

- Greater protection from incorrect operation.
- Lower service costs.

### 3 Up-to-date fleet management with Kärcher Fleet.

- Online fleet management in real-time.
- Optimized efficiency and device lifetime.

### 4 Energy-saving eco!efficiency mode

- Reduced power consumption.
- 40 % longer run time per battery charge.



## B 150 R Others + Fleet

### Technical data

Order no.	0.300-249.0	
EAN code	4054278219134	
Brush working width	mm	750
Working width, vacuuming	mm	940
Fresh/dirty water tank	l	150 / 150
Theoretical area performance	m²/h	4500
Brush speed	rpm	180-1300
Brush contact pressure	g/cm²	34-560 /
Battery voltage	V	36
Rated input power / Amps	W	up to 2800
Weight (with accessories)	kg	227.3
Dimensions (L × W × H)	mm	1790 × 910 × 1410

### Equipment

Powerful traction drive	■
Dose	-
2-tank system	■

■ Included in the scope of supply.

# B 150 R OTHERS + FLEET

## 0.300-249.0

**KÄRCHER**


		Order no.	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	■
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	■
Fleet management module NA	3	2.644-109.0			1 piece(s)		The web-based fleet management system Kärcher Fleet allows the complete real-time monitoring of your entire fleet down to the finest detail. For USA, Canada.	■
Add-on kit ecolzero	4	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	□
Filling hose	5	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
KIK key, white	6	4.035-076.0		White	1 piece(s)		User key for using the appliance programmable	□
KIK key set, yellow	7	4.035-408.0		yellow	5 piece(s)		Key for operators. Cannot be adjusted.	□
KIK key set, white	8	4.035-064.0		White	5 piece(s)		5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms.	□
ABS brush head impact protection	9	2.034-000.0					Extremely robust and stable impact protection for protecting the brush head when driving close to walls or corners, or in the event of unexpected obstacles.	□
<b>Home Base accessories</b>								
Home Base adapter	10	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	□
Home Base Mop Holder Kit	11	4.035-514.0			1 piece(s)		Holder fits on machine for convenient mop storage.	□
Universal hook kit	12	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□
Holder handhold grey	13	6.980-078.0			1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Bottle holder	14	6.980-080.0			1 piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	□
Home Base Box Kit	15	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	□
Manual rinsing system	16	4.035-515.0			1 piece(s)		Allows the tank to be rinsed using the on-board fresh water. Includes hose, spray nozzle and hose hanger.	□
<b>Wheels/tyres</b>								
Supergrip front wheels	17	6.435-810.0		purple	1 piece(s)		The combination of the special tyre compound and the V-profile of these oil-resistant front wheel bands increases traction and ensures very good adhesion properties on slippery floors.	□

■ Included in the scope of supply. □ Available accessories.

# B 150 R OTHERS + FLEET

## 0.300-249.0




		Order no.	Length	Colour	Quantity	Price	Description	
<b>Dosing aids</b>								
DS 3 Cleaning Agent Dosing Station	18	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717).	<input type="checkbox"/>

■ Included in the scope of supply.
 ☐ Available accessories.

# B 150 R OTHERS + FLEET

## 0.300-249.0

**KÄRCHER**



		Order no.	Hardness / Brush type	Length	Colour	Quan- tity	Price	Description	
<b>Roller brushes</b>									
Roller brush	1	6.906-989.0	soft	800 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 800 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	<input type="checkbox"/>
	2	6.907-377.0	medium	800 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 800 mm. For all common cleaning tasks. Also suitable for sensitive floors. Bristles made from polypropylene; 0.4 mm thick, 20 mm long.	<input type="checkbox"/>
	3	6.906-990.0	high / low	800 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	<input type="checkbox"/>
	4	6.906-991.0	hard	800 mm	green	1 piece(s)		Roller brush, hard, green. Length: 800 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	<input type="checkbox"/>
	5	6.906-992.0	very hard	800 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only.	<input type="checkbox"/>
	6	6.906-985.0	soft	700 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 700 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	<input type="checkbox"/>
	7	4.035-190.0	medium	700 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 638 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	<input type="checkbox"/>
	8	6.906-986.0	high / low	700 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 700 mm. With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	<input type="checkbox"/>
	9	6.906-987.0	hard	700 mm	green	1 piece(s)		Roller brush, hard, green. Length: 700 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	<input type="checkbox"/>
	10	6.906-988.0	very hard	700 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 150 R OTHERS + FLEET

## 0.300-249.0

**KÄRCHER**



		Order no.	Hardness / Brush type	Length	Diam- eter	Colour	Price	Description	
<b>Pad roller shaft</b>									
Pad roller shaft	1	4.762-435.0		800 mm				Pad roller shaft suitable for holding roller pads or microfibre rollers.	<input type="checkbox"/>
	2	4.762-434.0		700 mm				fits R 75	<input type="checkbox"/>
<b>Roller pads</b>									
Roller pad	3	6.369-454.0	soft		105 mm	yellow		Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
	4	6.369-456.0	medium		105 mm	red		Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	<input type="checkbox"/>
	5	6.369-455.0	hard		105 mm	green		Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
<b>Microfibre shaft</b>									
Microfibre roller	6	4.114-008.0	microfibre	800 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-435.0. Fits on R 90.	<input type="checkbox"/>
	7	4.114-007.0	microfibre	700 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 150 R OTHERS + FLEET

## 0.300-249.0

**KÄRCHER**




		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Disc brushes</b>									
Disc brush	1	4.905-005.0	very soft	450 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing.	<input type="checkbox"/>
	2	4.905-004.0	soft	450 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.	<input type="checkbox"/>
	3	4.905-003.0	medium	450 mm	red	1 piece(s)		Disc brush, medium-hard, red, 450 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.	<input type="checkbox"/>
	4	4.905-006.0	hard	450 mm	black	1 piece(s)		Disc brush, hard, black, 450 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	<input type="checkbox"/>
	5	4.905-019.0	very soft	385 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing.	<input type="checkbox"/>
	6	4.905-020.0	soft	385 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.	<input type="checkbox"/>
	7	4.905-018.0	medium	385 mm	red	1 piece(s)		Medium-hard disc brush (385 mm) in red version for all conventional cleaning applications. Also suitable for sensitive floors.	<input type="checkbox"/>
	8	4.905-021.0	hard	385 mm	black	1 piece(s)		Disc brush, hard, black, 385 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	<input type="checkbox"/>

■ Included in the scope of supply. ☐ Available accessories.



# B 150 R OTHERS + FLEET

## 0.300-249.0

**KÄRCHER**



		Order no.	Hardness / Brush type	Diameter	Colour	Quan- tity	Price	Description	
<b>Microfibre pad</b>									
Microfibre pad	1	6.369-960.0	microfibre	457 mm	White	5 piece(s)		5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	<input type="checkbox"/>
	2	6.371-078.0	microfibre	381 mm	White	5 piece(s)			<input type="checkbox"/>
<b>Pads</b>									
Pad	3	6.369-024.0	medium-soft	457 mm	red	5 piece(s)		5 pads, medium-soft, red, 457 mm diameter. For cleaning all floors. Suitable for, e.g. D 90.	<input type="checkbox"/>
	4	6.369-023.0	medium-hard	457 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	<input type="checkbox"/>
	5	6.369-022.0	hard	457 mm	black	5 piece(s)		5 pads, hard, black, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	<input type="checkbox"/>
	6	6.369-791.0	medium-soft	381 mm	red	5 piece(s)		5 pads, medium-soft, red, 381 mm diameter. For cleaning all floors. Suitable for, e.g. D 75.	<input type="checkbox"/>
	7	6.369-790.0	medium-hard	381 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	<input type="checkbox"/>
	8	6.369-789.0	hard	381 mm	black	5 piece(s)		5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	<input type="checkbox"/>
<b>Pad drive board</b>									
Pad drive board	9	4.762-493.0		445 mm		1 piece(s)		Fits on D 90. For cleaning with pads. With quick-changing coupling and center lock.	<input type="checkbox"/>
	10	4.762-447.0		375 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	<input type="checkbox"/>
<b>Diamond pad</b>									
Diamond pad	11	6.371-258.0	coarse	457 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	12	6.371-259.0	medium	457 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	13	6.371-239.0	fine	457 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	14	6.371-252.0	coarse	385 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	15	6.371-253.0	medium	385 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	16	6.371-236.0	fine	385 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.



# B 150 R OTHERS + FLEET

## 0.300-249.0

**KÄRCHER**



		Order no.	Length	Colour	Quantity		Price	Description	
Squeegee, complete									
V-squeegee	1	4.777-078.0	1200 mm	transparent	1 piece(s)			V-shaped squeegee with length of 1,200 mm and adjustable support rollers. Oil-resistant, fluted suction lips made from robust polyurethane for all conventional floors. Special sliding properties on crevices.	<input type="checkbox"/>
Squeegee, straight	2	4.777-403.0	1060 mm	transparent	1 piece(s)			Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
V-squeegee	3	4.777-081.0	1100 mm	transparent	1 piece(s)			With adjustable support rollers and spirit level for precise adjustment: V-shaped squeegee, 1,100 mm long. Suction lips made from robust, oil-resistant and transparent polyurethane.	<input type="checkbox"/>
Squeegee, straight	4	4.777-402.0	940 mm	transparent	1 piece(s)			Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
Squeegee, curved	5	4.777-413.0	1060 mm	transparent	1 piece(s)			Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
	6	4.777-412.0	940 mm	transparent	1 piece(s)				<input type="checkbox"/>
Squeegees for suction bars									
Suction lips for V-squeegee	7	6.273-016.0	1334 mm	transparent	2 -part			Fluted suction lip set for all conventional floors. Made from oil-resistant, transparent polyurethane with a long lifetime and specially developed for V-shaped, 1,200 mm-long squeegees.	<input type="checkbox"/>
	8	6.273-025.0	1222 mm	transparent	2 -part			Suction lip set made from robust, transparent polyurethane with fluted structure for V-shaped squeegees with length of 1,100 mm. Impressive sliding properties on all floors.	<input type="checkbox"/>
Suction lips	9	6.273-209.0	1080 mm	transparent	2 -part			Standard, grooved, oil-resistant.	<input type="checkbox"/>
	10	6.273-206.0	1080 mm	transparent	2 -part			Slotted, oil-resistant.	<input type="checkbox"/>
	11	6.273-293.0	1080 mm	transparent	2 -part			Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
	12	6.273-215.0	1080 mm	blue	2 -part			Grooved, natural rubber.	<input type="checkbox"/>
	13	6.273-208.0	960 mm	transparent	2 -part			Standard, grooved, oil-resistant.	<input type="checkbox"/>
	14	6.273-205.0	960 mm	transparent	2 -part			Slotted, oil-resistant, for sensitive floors.	<input type="checkbox"/>
	15	6.273-291.0	960 mm	transparent	2 -part			Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
	16	6.273-214.0	960 mm	blue	2 -part			Grooved, natural rubber.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 150 R OTHERS + FLEET

## 0.300-249.0

**KÄRCHER**



		Order no.					Price	Description	
<b>Brush heads</b>									
Brush head R 90 S	1	2.763-007.0						Brush head with two roller brushes and 90 cm working width. Brush replacement without tools. The side skirts are height-adjustable and hold the water under the brush head. This allows the cleaning fleet to be fed into the vacuum bar at an optimum rate, even when negotiating curves. Brush head supplied separately.	<input type="checkbox"/>
Brush head R 75 S	2	2.763-006.0						Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	<input type="checkbox"/>
Brush head D 90 S	3	2.763-008.0						Brush head with 2 disc brushes, brush quick changeover system, 90 cm working width and height adjustable side guards.	<input type="checkbox"/>
D 75 S brush head	4	2.763-005.0						Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 150 R OTHERS + FLEET

## 0.300-249.0

**KÄRCHER**



		Order no.	Length	Diameter	Quantity	Price	Description	
<b>Spray extraction mounting kit</b>								
Spray suction attachment kit	1	2.642-058.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>
<b>Other attachment kits</b>								
Working light (manufactured from 8/2018 onwards)	2	2.034-001.0					Working light for improving safety when working. With front and side lighting on the brush head.	<input type="checkbox"/>
Flashing beacon	3	4.035-516.0			1 piece(s)		Increases safety at work.	<input type="checkbox"/>
Auto-Fill	4	4.035-345.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	<input type="checkbox"/>
Suction hose accessories	5	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 150 R OTHERS + FLEET 0.300-249.0

**KÄRCHER**



		Order no.	Quantity	Battery volt- age	Battery cap- acity	Battery type	Price	Description	
<b>Batteries</b>									
Battery kit	1	4.035-988.0	1 piece(s)	36 V	180 Ah			Wet cell battery, with central filling system.	<input type="checkbox"/>
	2	4.654-307.0	6 -part	36 V	180 Ah	Mainten- ance- free		Fits B 150 R; B 150 R Bp.	<input type="checkbox"/>
	3	4.654-306.0	6 -part	36 V	240 Ah	Mainten- ance- free			<input type="checkbox"/>
	4	4.035-987.0	1 piece(s)	36 V	240 Ah			Wet cell battery, with central filling system.	<input type="checkbox"/>
<b>Accessories for batteries</b>									
Box with wall holder	5	2.641-243.0	1 piece(s)					Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	<input type="checkbox"/>
Box	6	2.641-244.0	1 piece(s)						<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

**B 150 R OTHERS + FLEET**  
**0.300-249.0**



		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	<input type="checkbox"/>

■ Included in the scope of supply.    ☐ Available accessories.

**B 150 R OTHERS + FLEET**  
**0.300-249.0**



		Order no.	Installation ex works	Length / width	Diam- eter		Price	Description	
Standard side brushes									
Standard side brushes	1	6.951-073.0			390 mm			Standard side brush with moisture-proof universal bristles and long service life. Suitable for all surfaces.	<input type="checkbox"/>

■ Included in the scope of supply.    ☐ Available accessories.