



WALLENSTEIN FX SKIDDING WINCH

Managing the full potential of your forest is easy with the pulling strength of Wallenstein's FX Skidding Winch. You can now reach the trees you need to cut, even on steep hills or swampland without the need for large heavy equipment. The FX Skidding Winch is the ideal tractor attachment for gathering firewood, clearing dead trees and harvesting premium lumber all while preserving your woodlot.

With pulling power up to 12,000 lbs* and cable length of 165 feet, the FX Skidding Winch is designed for your woodlot. The entire winch system is easy-to-use with many features built for rugged durability and practical operation.

Using a skidding winch is also easier on your tractor by transferring the pulling strain onto the ground with the large blade that anchors the winch.

The Wallenstein FX Skidding Winch comes in three sizes to suit your tractor. Get more out of your woodlot with the Wallenstein FX Skidding Winch without the wear and tear on you, your woodlot or your tractor.





STANDARD FEATURES



WINCH CABLE END

The FX Skidding Winch now only requires 2 Choker Chains. The crimped plug end fastens in the key hole slider allowing it to be used as the third choker chain.



KEYHOLE SLIDERS

At the end of the winch cable are two keyhole sliders that slide along the cable. Keyhole sliders and choker chains are ideal for winching multiple logs together, saving you time and energy.



SAFETY SCREEN

All FX skidding winches come standard with a safety screen for optimal operator and tractor protection.



SNATCHBLOCK PULLEY SYSTEM

The winch cable runs through an upper and lower snatchblock for a more efficient and safer pull. The top pulley provides a high entry point, forcing downpressure onto the blade and lifting the logs.

WALLENSTEIN FX SKIDDING WINCH



60 - 100 Recommended HP

Category 1 & 2 3PH Mount

540 RPM Max PTO Input Speed

75-175 ft./min. Cable Speed at 540 RPM

165' of 1/2" Cable

Mechanical, Dry Disk Clutch

Weight: 898 lbs

Height: 67"

Width: 58.5"

Optional Bolt-On Remote Control Kit

(Part# F200)

FX120R

Includes Factory Installed Remote Control Kit *

** Remote kit requires 12V from tractor, 1-2 GPM hydraulic flow from tractor. The winch is pre-set at 700 psi

30 - 80 Recommended HP

Category 1 & 2 3PH Mount

540 RPM Max PTO Input Speed

75-175 ft./min. Cable Speed at 540 RPM

165' of 7/16" Cable

Mechanical, Dry Disk Clutch

Weight: 795 lbs

Height: 63"

Width: 50.5"

Optional Bolt-On Remote Control Kit

(Part# F200)

Includes Factory Installed Remote Control Kit *

17 - 45 Recommended HP

Category 1 3PH Mount

540 RPM Max PTO Input Speed

75-175 ft./min. Cable Speed at 540 RPM

165' of 3/8" Cable

Mechanical, Dry Disk Clutch

Weight: 470 lbs

Height: 53"

Width: 40"

Optional Bolt-On Remote Control Kit

(Part# F200)

FX65R

Includes Factory Installed Remote Control Kit*

*30 HP required to pull 6,500 lbs

REMOVABLE CLUTCH ASSEMBLY

The clutch assembly transfers power

from your tractor's PTO into powerful

winching action that's ready to pull

12,000 lbs* up the steepest hill. The

entire clutch assembly is also easily

SKIDDING

The sturdy towing bar secures multiple chained logs for safe traveling out of the forest.



COLORS AVAILABLE

All models of the FX Skidding Winch are available in your choice of 4 colors.

*Colors may not be exactly as shown


OPTIONAL FEATURES



REMOTE CONTROL

For easy, efficient operation, all FX Skidding Winch models are available with a remote control option. Get full functionality from where ever you're standing.

removable for servicing. *FX120 model only










Removable Hitch



Colors Available



Log Tongs



Choker Chains

Capable of handling multiple logs at one time, the FXP reduces the drag surface by lifting the front end of the logs. This gives you better control when turning, as the log acts like a trailer. The optional Choker Chains and Log Tongs are both ideal tools for quick hookup.





- Cat. 1 & 2, 3 PH Mounting
- 2 Saddle Grab Hooks
- 2" Receiver for Ball Mount Towbar
- Weight 216 lbs. (Uncrated)
- Dimensions:
 Uncrated (LxWxH) 44" x 25" x 44"
 Crated (LxWxH) 44" x 25" x 44"
- Up to 80 hp Recommended Range



- Cat. 1, 3 PH Mounting
- 1 Saddle Grab Hooks
- 2" Receiver for Ball Mount Towbar
- Weight 98 lbs. (Uncrated)
- Dimensions:
 Uncrated (LxWxH) 35" x 12" x 32"
 Crated (LxWxH) 38" x 32" x 18"
- Up to 40 hp Recommended Range

AUTHORIZED DEALER:

WALLENSTEIN

Manufactured by EMB MFG Inc. Tel: (519) 699-9283 Fax: (519) 699-4146 4144 Boomer Line, St. Clements, ON N0B 2M0 Email: sales@embmfg.com www.embmfg.com