

SIDE DUMP BUCKET

GLD SERIES



PROS

A dump angle up to 70°

Hydraulic cylinder with integrated stroke absorber

Oversized rod for intensive work

Sequential hydraulic distributor

TECHNICAL SPECIFICATIONS

GENERAL OVERVIEW

SIDE DUMP BUCKET

This bucket simplifies loading trucks in places where access is too small for a conventional loader. These are equipped with a security system as well as a sequential automatic release distributor for the locking device when dumping and locking back up therefore ensuring a safe work environment at all times.

FEATURES

Dump angle
Maximum dump angle is 70°.

HD Hydraulic cylinder
Integrated travel damper.
Oversized rod for intensive work.

Bolted blade
Optional bolted blade

Hydraulic sequential distributor
This block can do a sequential job between the hydraulic cylinder and the security system.

TECHNICAL SPECIFICATIONS

CLASS	WIDTH (IN)	CAPACITY (VC)	WEIGHT (LB) ¹
Backhoe loader	92	1.25	1 870
10	100	1.75	1 930
20	100	2.00	2 050
30	100	2.25	2 250
40	100	2.75	2 500
50	118	4.00	3 600
60	125	5.00	-



** Other models and sizes available on request.
(1) The weights quoted do not include the quick hitches.*

COMPATIBILITY

- | | | |
|-----------|---------------|---------------|
| ✓ Bobcat | ✓ Case | ✓ Caterpillar |
| ✓ Doosan | ✓ Ford | ✓ Hyundai |
| ✓ JCB | ✓ John Deere | ✓ Kawasaki |
| ✓ Komatsu | ✓ Kubota | ✓ Liebherr |
| ✓ Manitou | ✓ New Holland | ✓ Terex |
| ✓ Volvo | | |

OPTIONS

- Bolted and interchangeable blade optional

