



[bearcatproducts.com](http://bearcatproducts.com)

**PRODUCT CATALOG**

**2015**



## REDUCE, REUSE, RECYCLE



ECHO Bear Cat proudly manufactures a vast selection of outdoor power equipment that can handle a variety of wood material and take care of leaf and grass debris with ease. Whether you are a home owner, a hobby farmer, a commercial landscaper or just looking for an environmentally friendly way to dispose of wood and yard debris, ECHO Bear Cat machines will be able to fit your exact needs and get the job done.

Burning yard waste releases high amounts of carbon dioxide and releases heat into the air contributing to pollution. ECHO Bear Cat is aware that providing a clean air option is not only necessary, but is a regulatory requirement in many communities. Municipalities, park and recreation boards and city regulations ban the use of burning yard waste. By utilizing an ECHO Bear Cat machine, biodegradable material is produced and used for mulch and compost, adding vital nutrients and minerals back to the earth.

## TABLE OF CONTENTS

Chipper/Shredders.....	3-5
Chipper/Shredder/Blower.....	6
Chippers.....	7-11
PTO Machines.....	12-16
Skid Steer Chippers.....	17
Log Splitters.....	18-19
Wheeled Trimmers.....	20-21
Stump Grinder.....	22
Wheeled Vacuums.....	23
Debris Loaders.....	24-25
FAQ.....	26
ECHO Bear Cat Gear.....	27
Specs.....	28-30
Parts & Accessories.....	31

### Stay connected:



Indicates machines that are available with CE compliant configurations

## ECHO BEAR CAT WARRANTY WE'VE GOT YOU COVERED!

**3 YEAR CONSUMER\*, 1 YEAR COMMERCIAL, 6 MONTH RENTAL**

NOTE: "Consumer" defined as: complete unit for residential or non-income producing use.

"Commercial" defined as: complete unit for commercial, institutional, agricultural, horticultural or income producing use.

"Rental" defined as: complete unit for rental purposes to produce income.

\*Models SC2170, SC2206 & SC3206 are classified as Consumer grade products and will not qualify for warranty coverage if used for Commercial or Rental purposes.

ENGINE WARRANTY: For Engine Warranty information or service needs regarding the engine of your machine, record the serial number of the engine and refer to the Engine Owners Manual for terms and conditions of the manufacturer or see your nearest dealer.

\*U.S. and Canada only.



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

## THESE MACHINES ARE BUILT TO LAST

ECHO Bear Cat manufactures high quality, reliable Chipper/Shredders that will efficiently reduce yard debris, all while helping you be kind to the environment. ECHO Bear Cat Chippers/Shredders work well for brush and tree pruning, yard clean up, brush and hedge up-keep and creating compost and mulch.

- **Up to 3" Chipping Capacity**
- **Easy Maneuverability**
- **Up to 3/4" Shredding Capacity**
- **Easy Serviceability**
- **Large Shredder Chute Designs**
- **Optional Equipment Available**
- **Choose Your Chip Size With Optional Size Discharge Screens**

**3 year\***  
**Consumer Warranty**  
\*U.S. & Canada Only



New 2-bushel debris bag fits all Chipper/Shredders no matter year of manufacture



Diamond-shaped chipping chute accommodates irregular-shaped branches



CE Compliant machines available

**VIDEO ONLINE**  
**SEE IT IN ACTION!**



Break down plant matter for perfect natural fertilizer



# CHIPPER/SHREDDERS



## SC2170

- Subaru SP 170cc
- 2" Chipping Capacity
- 3/4" Shredding Capacity
- 2 Reversible Chipping Blades
- 4 Reversible Shredding Knives
- 4 Additional Knives Optional
- Direct Drive Rotor
- 15 lb. Rotor Assembly Operates at 3,800 rpm



**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty

### 2" DEBRIS SCREENS


Wet  
Debris



1.13"  
Standard



.75"  
Fine



## SC3206

- Briggs & Stratton OHV 206cc
- 3" Chipping Capacity
- 3/4" Shredding Capacity
- 2 Reversible Chipping Blades
- 8 Reversible Shredding Knives
- Single Belt Driven Rotor
- 21 lb. Rotor Assembly Operates at 3,600 rpm



### 3" DEBRIS SCREENS

Fine  
.375"



Medium  
.75"



Standard  
Coarse  
1.375"



Wet  
Debris



## SC3306 SC3306E\*

- Briggs & Stratton OHV 306cc
- 3" Chipping Capacity
- 3/4" Shredding Capacity
- 2 Reversible Chipping Blades
- 12 Reversible Shredding Knives
- Single Belt Driven Rotor
- 27 lb. Rotor Assembly Operates at 3,600 rpm



Model  
SC3306E  
shown with  
Debris Bag

\*SC3306E is  
electric start and  
non-CE compliant



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

# CHIPPER/SHREDDERS



## SC3265

- Subaru EX 265cc
- 3" Chipping Capacity
- 3/4" Shredding Capacity
- 2 Reversible Chipping Blades
- 12 Reversible Shredding Knives
- Dual Belt Driven Rotor
- 27 lb. Rotor Assembly Operates at 3,600 rpm



## SC3342

- Briggs & Stratton OHV 342cc
- 3" Chipping Capacity
- 3/4" Shredding Capacity
- 2 Reversible Chipping Blades
- 12 Reversible Shredding Knives
- Dual Belt Driven Rotor
- 27 lb. Rotor Assembly Weight Operates at 3,600 rpm



**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty

Model SC3342 shown with  
Optional Road Towable  
Trailer Kit and Optional Blower.  
Trailer Kit is non-CE compliant



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

# CHIPPER/SHREDDER/BLOWER

## ONE MACHINE THREE GREAT FUNCTIONS

The SC5720B has integrated discharge paddles on the rotor assembly for overhead discharge power. It also features a unique screenless shredder system allowing complete control over end product size.

- **Choose Your Chip Size with 5 Screenless Shredder Settings**
- **36 Shredding Knives**

- **4 Reversible Chipping Blades**

For a complete list of parts & accessories, see page 31.



### SC5720B

- Subaru EH 720cc
- 5" Chipping Capacity
- 3/4" Shredding Capacity
- 4 Reversible Chipping Blades
- 36 Shredding Knives
- Double-Banded Belt Driven Rotor
- 360° Rotating Discharge Chute
- 121 lb. Rotor Assembly Operates at 2,200 rpm

#### FEATURING:



**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

## TOUGH BLADES!



All ECHO Bear Cat chipping blades are made from heat-treated steel to ensure the sharpest, longest lasting edge possible!



### VIDEO ONLINE SEE IT IN ACTION!



## MATCH THE MACHINE TO THE JOB AT HAND

Designed and equipped to handle any job. ECHO Bear Cat provides the broadest selection of chippers in the industry.

- **Up to 9" Chipping Capacity**
- **Hydraulic & Gravity Feed Designs**
- **Solid Welded Steel Construction**
- **Powerful Gas & Diesel Engine Options**
- **Models with Cantilevered Rotor Design**

For a complete list of parts & accessories, see page 31.

**3 year\***  
**Consumer Warranty**  
\*U.S. & Canada Only



User-friendly design for ease of operation



Complete control over discharged material



CE Compliant machines available

**VIDEO ONLINE**  
**SEE IT IN ACTION!**

QR code and video player icon for online video content.



Rotors are easily accessible for quick blade service



# CHIPPERS

UP TO 4"  




## CH4400

- Subaru EX 404cc
- Recoil Start
- 4" Chipping Capacity
- 2 Reversible Chipping Blades
- Gravity Feed
- Double-Banded Belt Driven Rotor
- 14" Cantilever Rotor, 49 lbs.
- 4-Sided Adjustable Anvil
- Collapsible Hitch for Convenient Storage



Optional truck loading discharge tube available for CH4400



44" wheel base provides smooth towing capability



**3** year\*  
Consumer  
Warranty

\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty



UP TO 5"  




## CH5653

- Subaru EH 653cc
- 5" Chipping Capacity
- 4 Reversible Chipping Blades
- Gravity Feed
- Double-Banded Belt Driven Rotor
- 20" Rotor, 140 lbs.
- 4-Sided Adjustable Anvil



Making your own mulch has never been easier



### FEATURING:



A complete list of  
**PARTS AND ACCESSORIES**  
 is on page 31





**UP TO 6"**

## CH6720H

- Subaru EH 720cc
- 6" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 26" Rotor, 165 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:

**Electric Start**

**HYDRAULIC FEED**

**Auto-Feed**

**WIDE FEED OPENING**



Optional Engine Guard assures protection in the toughest environments



**13" WIDE FEED OPENING**



**UP TO 6"**



## CH611DH

- Kubota Diesel 1.1 Liter
- 6" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 26" Rotor, 165 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:

**Electric Start**

**HYDRAULIC FEED**

**Auto-Feed**

**WIDE FEED OPENING**



Monitor system controls with one easy-to-read panel



A complete list of **PARTS AND ACCESSORIES** is on page 31

\*Batteries are not shipped with Chippers and need to be purchased separately.



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

# CHIPPERS



## CH8720iH

- EFI Subaru EH 720cc
- 8" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil
- Base rotation features 15 lockable positions

### FEATURING:



Easy pull discharge chute pin



New two-door design for ease of accessing the drive system



Tach/hour meter is standard on Model CH8720iH

**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty



## CH8993H

- Briggs & Stratton Vanguard 993cc
- 8" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil
- Base rotation features 15 lockable positions

### FEATURING:



360° feeding and discharge options



Turntable features 15 lockable positions



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31

\*Batteries are not shipped with Chippers and will need to be purchased separately.





## CH911DH

- Kubota Diesel 1.1 Liter
- 9" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:



Convenient foot pedal easily engages belt



**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty



## CH922DH

- Kubota Diesel 2.2 Liter
- 9" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:



C-Channel frame construction for extra strength



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

# PTO MACHINES

## TRACTOR VERSATILITY IS NOW YOURS

Enhance the usage of your tractor by investing in an ECHO Bear Cat PTO Chipper or Chipper/Shredder. You will benefit from the same rugged, reliable features on the engine powered chippers and chipper/shredders.

- **Chippers - up to 9" Chipping Capacity**
- **Shredders - up to 3/4" Shredding Capacity**
- **Both Chippers and Chipper/Shredders Available**
- **Hydraulic & Gravity Feed Designs**
- **Solid Welded Steel Construction**
- **Models Designed with Professional Grade Standard Features**

For a complete list of parts & accessories, see page 31.

**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only



Cat. 1, 3-point connection from 15-60 hp models



Chip and Shred with this powerful unit



CE Compliant machines available



**VIDEO ONLINE**  
**SEE IT IN ACTION!**





## SC5540

- 5" Chipping Capacity
- 3/4" Shredding Capacity
- 36 Reversible Shredding Knives
- 4 Reversible Chipping Blades
- Double-Banded Belt Driven Rotor
- Optional Discharge Screens Available
- 19" Rotor, 112 lbs.
- Recommended 25-45 hp at the PTO



Shown with optional Two-Speed Blower & Vacuum Kit



## CHIPPER/SHREDDER



**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty



## SC5540B


- 5" Chipping Capacity
- 3/4" Shredding Capacity
- 36 Shredding Knives
- 4 Reversible Chipping Blades
- Double-Banded Belt Driven Rotor
- Screenless Shredder System
- 20.6" Rotor, 145 lbs.
- Recommended 25-45 hp at the PTO



36 powerful shredding knives get the job done



## CHIPPER/SHREDDER/BLOWER



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

# PTO MACHINES



## CH45540

- 4.5" Chipping Capacity
- 2 Reversible Chipping Blades
- Double-Banded Belt Driven Rotor
- Gravity Feed
- 14" Rotor, 49 lbs.
- 4-Sided Adjustable Anvil
- Optional Discharge Chute For Truck Loading
- Recommended 15-28 hp at the PTO



Optional truck loading discharge chute available for CH45540



## CH5540

- 5" Chipping Capacity
- 4 Reversible Chipping Blades
- Double-Banded Belt Driven Rotor
- Gravity Feed
- 20" Rotor, 140 lbs.
- 4-Sided Adjustable Anvil
- Recommended 25-45 hp at the PTO



Double-banded belt drive



**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

**UP TO 5"**



## CH5540H

- 5" Chipping Capacity
- 4 Reversible Chipping Blades
- Double-Banded Belt Driven Rotor
- 20" Rotor, 140 lbs.
- 4-Sided Adjustable Anvil
- Recommended 25-45 hp at the PTO

### FEATURING:

HYDRAULIC FEED

Auto → Feed



360° rotating discharge chute is easily adjustable

**3 year\***  
Consumer  
Warranty

\*U.S. & Canada Only

**1 year**  
Commercial  
Warranty

**6 month**  
Rental  
Warranty



**UP TO 8"**



## CH8540

- 8" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- Gravity Feed
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil
- Recommended 35-60 hp at the PTO



Take the power where you need it



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

# PTO MACHINES



## CH9540H

- 9" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil
- Recommended 35-60 hp at the PTO

### FEATURING:

HYDRAULIC FEED

Auto-Feed



3-point hitch mount hook up



**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty



## CHF9540H

- 9" Chipping Capacity
- 16 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil
- Recommended 35-60 hp at the PTO

### FEATURING:

HYDRAULIC FEED

Auto-Feed



Low profile discharge chute

## The Orchard Chipper

The CHF9540H has 16 blades and is specially designed to produce the smallest end product possible from a large scale chipper.



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



# SKID STEER CHIPPERS

UP TO 4.5"



## CH450H

- 4.5" Chipping Capacity
- 2 Reversible Chipping Blades
- Gravity Feed
- 14" Cantilever Rotor, 49 lbs.
- 4-Sided Adjustable Anvil
- Min. 11 gpm, Max. 15 gpm



UP TO 5"

## CH500H

- 5" Chipping Capacity
- 4 Reversible Chipping Blades
- 20" Rotor, 140 lbs.
- 4-Sided Adjustable Anvil
- Universal Attach. Plate
- Min. 15 gpm, Max. 22 gpm

### FEATURING:

HYDRAULIC FEED



Dual positioning attachment points



UP TO 8"

## CH800H

- 8" Chipping Capacity
- 4 Reversible Chipping Blades
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil
- Universal Attach. Plate
- Min. 25 gpm, Max. 38 gpm

### FEATURING:

HYDRAULIC FEED



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

# LOG SPLITTERS

## GET THE JOB DONE QUICKLY AND EASILY!

Hard working machines that make quick work of any log up to 24" in length.

Redesigned for easier conversion from the horizontal to vertical position.

- **30" Bed Height for Comfort**
- **Vertical or Horizontal Position**
- **Commercial Grade Components**
- **Solid Welded Steel Construction**
- **Industrial Strength I-Beam Design**
- **Road Towable**
- **Fold Up Hitch for Convenient Storage**

For a complete list of parts & accessories, see page 31.

**3 year\***  
**Consumer Warranty**  
\*U.S. & Canada Only



Log stripper plates standard



Storage is quick and easy



**VIDEO ONLINE**  
**SEE IT IN ACTION!**



Shown with optional Log Cradle Kit



# LOG SPLITTERS

## LS22

- Subaru SP170
- Up to 22 Tons of Splitting Force
- Horizontal or Vertical Operation
- Log Stripper Plate Standard
- Engine Guard Plate Standard
- 2-Stage, 14 gpm pump
- 12 sec. Cycle Time, 4 gal. Hyd. System



Unique wide-wedge design for quick splitting



**ECHO Bear Cat Log Splitters use ATF (Dexron III) in the hydraulic system for top performance in all weather conditions**

## LS27

- Subaru SP210
- Up to 27 Tons of Splitting Force
- Horizontal or Vertical Operation
- Log Stripper Plate Standard
- Engine Guard Plate Standard
- 2-Stage, 14 gpm pump
- 14 sec. Cycle Time, 4.5 gal. Hyd. System



Horizontal or vertical splitting positions



**3 year\***  
Consumer  
Warranty  
\*U.S. & Canada Only

A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

# WHEELED TRIMMERS

## YOU CAN DEPEND ON THE POWER & PERFORMANCE!

This user-friendly family of wheeled trimmers are customizable to your most demanding trimming needs.

- **Solid Steel Body Construction**
- **Adjustable Height Handlebar**
- **24" Cutting Width**
- **Sealed Bearing Wheels For Easy Operation**
- **Foam Padded Handlebar For Comfort**

For a complete list of parts & accessories, see page 31.

**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only




Shown with optional  
14" Sabre Tooth Blade



Shown with optional  
14" Triple Blade Brush Cutter



**VIDEO ONLINE**  
**SEE IT IN ACTION!**




Easy conversion to Triple Blade  
Brush Cutter or Sabre Blade

# WHEELED TRIMMERS

## WT189

- Subaru EA190V, 189cc
- Push Model

**FEATURING:**



Off-Set Trim  
13 degrees of off-set to the left



## WT190

- Briggs & Stratton 190cc
- Push Model

**FEATURING:**



Heavy-duty sealed  
bearing wheels



## WT190T

- Briggs & Stratton 190cc
- Push Model
- Tilt Body/Cutting Head

**FEATURING:**



Tilt – 3 positions, 5 degrees,  
10 degrees & 13 degrees



## WT190S

- Briggs & Stratton 190cc
- 3 Variable Speeds

**FEATURING:**



Heavy-duty transmission with  
chain driven wheels



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

# STUMP GRINDER

## DON'T GET CAUGHT BETWEEN A STUMP & A HARD PLACE

The SG340 utilizes 12 hardened carbide tipped cutting teeth rotating at 3,600 rpm for fast grinding, smooth cutting and smaller chips and debris.

With the wheel base width at only 23", getting close to buildings or fitting through gate openings to access stumps is quick and easy.

- **Double-Banded Belt Driven Cutting Head**
- **Fully Enclosed Housing**
- **16" Flat-Free Tires**

For a complete list of parts & accessories, see page 31.

**3 year\***  
**Consumer Warranty**  
\*U.S. & Canada Only

### SG340

- Honda GXV 340cc
- Double-Banded Belt Driven Cutting Head
- Only 195 lbs.
- 23" Wheel Base



Grind down stubborn tree stumps in minutes



12 hardened carbide tipped cutting teeth



**VIDEO ONLINE**  
**SEE IT IN ACTION!**



# WHEELED VACUUMS



## CLEANS UP LARGE AREAS QUICKLY

An ECHO Bear Cat Wheeled Vacuum is a great way for homeowners, commercial crews or municipalities to quickly and efficiently pick up leaves, grass or other light debris.

**3 year\***  
Consumer  
Warranty  
\*U.S. & Canada Only

- **27" Intake Width**
- **5 Height Settings**
- **Serrated Fan Blades**
- **6-Bushel Capacity Bag**
- **Optional Vacuum Hose Kit**
- **Optional Steel Housing Wear Liners**

For a complete list of parts & accessories, see page 31.



New hard-bottom vented felt bag



Shown with optional Caster Wheels and Vacuum Hose Kit



New serrated fan blades for increased material reduction



**WV160**



**WV160S**



**WV190**



**WV190S**

### WV160

- Honda GCV 160cc
- Push Drive


### WV160S

- Honda GCV 160cc
- 3 Variable Speeds

#### FEATURING:



### WV190

- Briggs & Stratton Professional Series 190cc 
- Push Drive

### WV190S

- Briggs & Stratton Professional Series 190cc
- 3 Variable Speeds

#### FEATURING:



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

# DEBRIS LOADERS

## CLEAN UP ON-THE-GO

An ECHO Bear Cat Debris Loader allows commercial operators and municipalities to quickly pick up leaves, grass or other light debris as efficiently as possible.

The large hose allows for large amounts of leaves and debris to be reduced in a short span of time while covering a large area. New handle placements make maneuvering easier than ever.

- **Solid Welded Steel Fan Housings**
- **360° Discharge Tubes**
- **Serrated Fan**
- **Receiver & Skid Mount Designs**
- **Commercial-Grade Steel Ribbed Hoses**
- **Optional Trailer for 12" Models With Storage Deck**

For a complete list of parts & accessories, see page 31.

**3 year\***  
**Consumer Warranty**  
\*U.S. & Canada Only



Great for fence line clean up



Shown with optional Light Kit



Oversized lightweight aluminum handles



CE Compliant machines available



**VIDEO ONLINE**  
**SEE IT IN ACTION!**





# DEBRIS LOADERS

## DL8



- Subaru EX 404cc
- Direct Drive
- Recoil Start
- 8" Intake Capacity
- 4-Blade/16" Fan
- 2,300 CFM
- Receiver Mountable



New serrated fan blades



Easy lift handle access



## DL10



- Briggs & Stratton Vanguard 570cc
- Direct Drive
- 10" Intake Capacity
- 4-Blade/16" Fan
- 2,500 CFM
- Receiver Mountable

### FEATURING:



New 360° discharge rotation for DL8 & DL10 models



Easy lift handle access



Shown with optional Light Kit

## DL12653



- Subaru EH 653cc
- Direct Drive
- 12" Intake Capacity
- 4-Blade/20" Fan
- 3,400 CFM
- Skid Mount

### FEATURING:



\*Batteries are not shipped with Debris Loaders and need to be purchased separately.

## DL12720



- Subaru EH 720cc
- Double Banded Belt
- 12" Intake Capacity
- 4-Blade/20" Fan
- 3,400 CFM
- Skid Mount

### FEATURING:



Shown with optional trailer



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

## CHIPPER/SHREDDERS

### What are these machines designed for?

ECHO Bear Cat chipper/shredders are designed to effectively reduce the volume of wood, leaves and other organic material.

### When should I chip?

If you don't plan on composting the material, material is green and stringy or larger than 3/4" in capacity.

### When should I shred?

If you plan on composting or if the material is smaller than 3/4", use the shredder. Shredding is also an efficient way to reduce the volume of leaves or prunings.

### How long will the blades last between sharpenings?

Depending on the type of wood, age and cleanliness, chipper blades will work well for between 5-15 hours. Dry, dirty wood will dull the blades faster. Alternate dry and wet material to extend blade life.

### What size material will these machines chip or shred?

#### SC2170

- Max. chipping material size up to 2" capacity
- Max. shredding material size up to 3/4" capacity

#### 3" Chipper/Shredders

- Max. chipping material size up to 3" capacity
- Max. shredding material size up to 3/4" capacity

#### 5" Chipper/Shredders

- Max. chipping material size up to 5" capacity
- Max. shredding material size up to 3/4" capacity

**Do not attempt to put material larger than 3/4" capacity into the shredder hopper. Doing so may cause machine failure and will void the warranty.**

### How many debris screens are available?

#### SC2170 - 3

- .75", 1.13" (standard) and a wet debris.

#### 3" Chipper/Shredders - 4

- .375", .75", 1.375" (standard) and a wet debris.

#### SC5540 - 4

- .375", .75", 1.5" (standard) and a wet debris.

### Are these screens for all chipper/shredder models?

No. The SC5540B and SC5720B have five shredder settings that are regulated by an adjustable gate, which controls output.

## CHIPPERS

### What are these machines designed for?

ECHO Bear Cat chippers are designed to effectively reduce the volume of wood, branches, and other organic material.

### What type of chippers are available?

ECHO Bear Cat makes chippers with gravity or hydraulic feed, powered by an engine package, a tractor PTO or a skid steer loader. A hydraulic feed machine has a hydraulic driven feed roller to efficiently feed branches to the chipper rotor maximizing efficiency of the machine.

### When should I buy a gravity feed machine?

If you have an infrequent need for a chipper and time is not a factor, a gravity feed machine will fit your needs well.

### When should I buy a hydraulic feed machine?

If time or efficiency is an issue, a hydraulic feed chipper allows you to be more productive.

### How long will the blades last between sharpenings?

Depending on the type of wood, age and cleanliness, chipper blades will work well for between 5-15 hours. Dry, dirty wood will dull the blades faster. Alternate dry and wet material to extend blade life. Hydraulic feed chippers will have longer blade life.

### How difficult is it to perform maintenance on the machine?

ECHO Bear Cat products are designed with ease of maintenance in mind. Proper maintenance is vital and should be performed routinely with blades, belts and bearings being most important.

### Online Information

For more information on ECHO Bear Cat products or to locate your nearest dealer, scan this QR code with your smartphone's QR code app.



### Online Support

For more information on ECHO Bear Cat support and the latest manuals, scan this QR code with your smartphone's QR code app.



## REUSABLE VINYL EARPLUGS WITH CASE

The handy carrying case can be worn on your belt when not in use. Cleanup is easy with just warm water. ANSI and OSHA approved.

P/N: 31539-00



## EAR MUFFS

These light-weight ear muffs have an NRR of 29 dB(A) when used as directed and meet ANSI standard 3.19.

P/N: 36775-00



## SAFETY GLASSES

Lightweight and impact resistant. Hard-coated optical-grade, abrasion resistant lenses. Polycarbonate lenses offer 99.9% protection from the most intense UV rays.



Tech Glasses

P/N: 36773-00



Zone II Glasses

P/N: 36774-00

## HELMET SYSTEM

Includes helmet, mesh face visor and ear protection.

P/N: 36776-00



## PREMIUM SAFETY VEST

Highly visible vest features 5-point tear away panels for safety.

P/N: 36777-00 (large)

P/N: 36778-00 (xlarge)

P/N: 36779-00 (xxlarge)



## VIBRATION-REDUCING SPORT/LANDSCAPE GLOVES

Premium, padded-leather-palm gloves help reduce vibration. Also feature formfitting fingers and Velcro®-type wrist band for tight fit.

P/N: 31299-00 (large)

P/N: 31300-00 (xlarge)



TO FIND A DEALER IN YOUR AREA FOR PURCHASING, SIMPLY LOG ON TO  
[www.bearcatproducts.com](http://www.bearcatproducts.com)



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

CHIPPER/SHREDDERS							
	SC2170	SC3206	SC3265	SC3306	SC3306E	SC3342	SC5720B
Engine	Subaru SP 170cc	B&S OHV 206cc	Subaru EX 265cc	B&S OHV 306cc	B&S OHV 306cc	B&S OHV 342cc	Subaru EH 720cc
Starter Type	Recoil	Recoil	Recoil	Recoil	Electric	Recoil	Electric
Max. Chipping Capacity	2"	3"	3"	3"	3"	3"	5
Max. Shredding Capacity	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
Chip. Chute Throat	2" x 2"	3" x 3"	3" x 3"	3" x 3"	3" x 3"	3" x 3"	5.25" x 5.25"
Shred. Hopper Opening	16" x 20"	12" x 25"	12" x 25"	12" x 25"	12" x 25"	12" x 25"	13" x 18"
Chipping Blades	2 Reversible	2 Reversible	2 Reversible	2 Reversible	2 Reversible	2 Reversible	4 Reversible
Shredding Knives	4 Standard (4 Optional)	8	12	12	12	12	36
Drive Type	Direct	Single Belt	Dual Wrapped Belts	Single Belt	Single Belt	Dual Wrapped Belts	Double-Banded Belt
Rotor Size/Weight	12.8"/15 lbs.	12"/21 lbs.	12"/27 lbs.	12"/27 lbs.	12"/27 lbs.	12"/27 lbs.	20.6"x.75"/121 lbs.
Dimensions (LxWxH)	29 x 23 x 50 in.	40 x 25 x 46 in.	40 x 25 x 46 in.	40 x 25 x 46 in.	40 x 25 x 46 in.	40 x 25 x 46 in.	92" x 52" x 92"
Weight	120	195	250	228	241	263	930

CHIPPERS				
	CH4400	CH5653	CH611DH	CH6720H
Engine	Subaru EX 404cc	Subaru EH 653cc	Kubota Diesel 1.1 Liter	Subaru EH 720cc
Starter Type	Recoil	Electric	Electric	Electric
Max. Chipping Capacity	4"	5"	6"	6"
Chute Opening	13" x 15"	27" x 28"	33" x 37"	33" x 37"
Chute Throat	5" x 5"	5.5" x 6"	6.5" x 13"	6.5" x 13"
Rotor Size/Weight	Cantilever 14" x 1"/49 lbs.	20" x 1.25"/140 lbs.	Cantilever 26" x 1"/165 lbs.	Cantilever 26" x 1"/165 lbs.
Chipping Blades	2 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated
Drive Belt	Double-Banded	Double-Banded	Triple-Banded	Triple-Banded
Feed System	Gravity/Self Feed	Gravity/Self Feed	Hydraulic	Hydraulic
Hydraulic Controller	N/A	N/A	Plus+1 <sup>®</sup> Controller w/Auto Feed	Plus+1 <sup>®</sup> Controller w/Auto Feed
Machine Dimensions (LxWxH)	75" x 51" x 45"	80" x 57" x 95"	143" x 59" x 93"	126" x 57" x 104"
Wheels/Tires	4.8-8	5.3-12	P215-75R15	P205-75R14
Wheel Base	44"	44"	50"	50"
Weight	536 lbs.	950 lbs.	2,300 lbs.	1,656 lbs.
	CH8720iH	CH8993H	CH911DH	CH922DH
Engine	EFI Subaru EH 720cc	B&S Vanguard 993cc	Kubota Diesel 1.1 Liter	Kubota Diesel 2.2 Liter
Starter Type	Electric	Electric	Electric	Electric
Max. Chipping Capacity	8"	8"	9"	9"
Feed Chute Opening	30" x 31"	30" x 31"	30" x 31"	30" x 31"
Feed Chute Throat	9" x 9"	9" x 9"	9" x 9"	9" x 9"
Rotor Size/Weight	30" x 1.25"/275 lbs.	30" x 1.25"/275 lbs.	30" x 1.25"/275 lbs.	30" x 1.25"/275 lbs.
Chipping Blades	4 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated
Drive Belt	Triple-Banded	Triple-Banded	Triple-Banded	Triple-Banded
Feed System	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Hydraulic Controller	Plus+1 <sup>®</sup> Controller w/Auto Feed	Plus+1 <sup>®</sup> Controller w/Auto Feed	Plus+1 <sup>®</sup> Controller w/Auto Feed	Plus+1 <sup>®</sup> Controller w/Auto Feed
Machine Dimensions (LxWxH)	136" x 79" x 95"	136" x 79" x 95"	119" x 79" x 96"	119" x 79" x 96"
Wheels/Tires	P215-75R15	P215-75R15	P215-75R15	P215-75R15
Wheel Base	69"	69"	69"	69"
Weight	2,225 lbs.	2,350 lbs.	2,480 lbs.	2,700 lbs.



## PTO CHIPPERS AND CHIPPER/SHREDDERS

	SC5540	SC5540B	CH45540	CH5540
PTO Input Power Range	25-45 hp	25-45 hp	15-28 hp	25-45 hp
Max. Chipping Capacity	5"	5"	4.5"	5"
Max. Shredding Capacity	3/4"	3/4"	N/A	N/A
Chipper Chute Opening	9" x 9"	9" x 9"	13" x 14.5"	28" x 28"
Chipper Chute Throat	5.25" x 5.25"	5.25" x 5.25"	4.5" x 5"	5.5" x 7.5"
Shredder Chute Opening	20" x 30"	13" x 20"	N/A	N/A
Rotor Size/Weight	19" x .75"/112 lbs.	20.6" x .75/145 lbs.	Cantilever 14" x 1"/49 lbs.	20" x 1.25"/140 lbs.
Chipping Blades	4 Reversible Heat-treated	4 Reversible Heat-treated	2 Reversible Heat-treated	4 Reversible Heat-treated
Shredding Knives	36	36	N/A	N/A
Drive Belt	Double-Banded	Double-Banded	Double-Banded	Double-Banded
Feed System	Gravity/Self Feed	Gravity/Self Feed	Gravity/Self Feed	Gravity/Self Feed
Machine Dimensions (LxWxH)	44" x 43" x 48"	49" x 50" x 87"	40" x 41" x 44"	50" x 45" x 90"
Weight	450 lbs.	720 lbs.	361 lbs.	600 lbs.

	CH5540H	CH8540	CH9540H	CHF9540H
PTO Input Power Range	25-45 hp	35-60 hp	35-60 hp	35-60 hp
Max. Chipping Capacity	5"	8"	9"	9"
Max. Shredding Capacity	N/A	N/A	N/A	N/A
Chipper Chute Opening	28" x 28"	30" x 31"	30" x 31"	30" x 31"
Chipper Chute Throat	5.5" x 7.5"	9" x 9"	9" x 9"	9" x 9"
Shredder Chute Opening	N/A	N/A	N/A	N/A
Rotor Size/Weight	20" x 1.25"/140 lbs.	30" x 1.25"/275 lbs.	30" x 1.25"/275 lbs.	30" x 1.25"/275 lbs.
Chipping Blades	4 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated
Drive Belt	Dual Belts	Triple-Banded	Triple-Banded	Triple-Banded
Feed System	Hydraulic	Gravity/Self Feed	Hydraulic	Hydraulic
Hydraulic Controller	N/A	Plus+1® Controller w/Auto Feed	Plus+1® Controller w/Auto Feed	Plus+1® Controller w/Auto Feed
Machine Dimensions (LxWxH)	68" x 49" x 90"	54" x 47" x 93"	70" x 50" x 93"	70" x 61" x 63"
Weight	980	886	1,300	1,300

## SKID STEER MOUNT CHIPPERS

	CH450H	CH500H	CH800H
Max. Chipping Capacity	4.5"	5"	8"
Power Source	Mini Skid Steer 11-15 gpm	15-22 gpm	25-38 gpm
Rotor Size/Weight	Cantilever, 14" x 1"/49 lbs. rotates at: 2,700 rpm at 11 gpm, 3,700 at 15 gpm	20" x 1.25"/140 lbs., rotates at: 2,700 rpm at 15 gpm, 4,000 rpm at 22 gpm	30" x 1.25"/275 lbs., rotates at: 1,600 rpm at 25 gpm, 2,500 rpm at 38 gpm
Machine Dimensions (LxWxH)	41" x 28" x 40"	73" x 53" x 93"	74" x 60" x 88"
Chipping Blades	2 reversible steel blades with 4-sided adjustable anvil	4 reversible steel blades with 4-sided adjustable anvil	4 reversible steel blades with 4-sided adjustable anvil
Feed System	Gravity/Self Feed	Hydraulic Feed	Hydraulic Feed
Chipper Chute Opening	12" x 13"	27" x 28"	30" x 31"
Chipper Chute Throat	4.5" X 4.5"	5.5" x 7"	9" X 9"
Weight	286 lbs.	1,145 lbs.	1,525 lbs.

Specs will slightly vary for CE compliant models.



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

Log Splitters		
	LS22	LS27
Engine	Subaru SP 170cc	Subaru SP 210cc
Starter Type	Recoil	Recoil
Tonnage	22	27
Cylinder (Bore x Stroke)	4" x 24"	4.5" x 24"
Max. Log Length	24"	24"
Dimensions (LxWxH)	84" x 39" x 40"	84" x 39" x 40"
Weight	450 lbs.	455 lbs.
Cycle Time	12 Seconds	14 Seconds
Hyd. Tank Capacity	4 gal.	4.5 gal.
Hyd. Pump	2-stage/14 gpm	2-stage/14 gpm

Wheeled Trimmers				
	WT189	WT190	WT190T	WT190S
Engine	Subaru EA190V 189cc	Briggs & Stratton Quantum 190cc	Briggs & Stratton Quantum 190cc	Briggs & Stratton Quantum 190cc
Starter Type	Recoil	Recoil	Recoil	Recoil
Drive	Push	Push	Push	3 Sp. Self-Propelled
Cutting Height	1-7/8" & 2-3/4"	1-7/8" & 2-3/4"	1-7/8" & 2-3/4"	1-7/8" & 2-3/4"
Trimming Features	Off-Set Trim	Off-Set Trim	Tilt-n-Trim	N/A
Dimensions (LxWxH)	50" x 21" x 38"	50" x 21" x 38"	50" x 21" x 38"	50" x 21" x 38"
Weight	84 lbs.	77 lbs.	77 lbs.	82 lbs.

Stump Grinder	
	SG340
Engine	Honda GXV 340 cc
Starter Type	Recoil
Drive Type	Double-banded Belt
Cutting Teeth	12 - Carbide Tipped
Cutter Head	7" Dia.
Cutter Head RPM	3,600
Dimensions (LxWxH)	52" x 23" x 44"
Weight	195 lbs.
Wheels	16" Flat Free

Wheeled Vacuums				
	WV160	WV160S	WV190	WV190S
Engine	Honda GCV 160cc	Honda GCV 160cc	Briggs & Stratton Pro Series 190cc	Briggs & Stratton Pro Series 190cc
Starter Type	Recoil	Recoil	Recoil	Recoil
Drive	Push	3 Sp. Self-Propelled	Push	3 Sp. Self-Propelled
Vacuum Height	.25" - 4.5"	.25" - 4.5"	.25" - 4.5"	.25" - 4.5"
Fan Rotor	5 blade steel	5 blade steel	5 blade steel	5 blade steel
Intake Width	27"	27"	27"	27"
Bag Capacity	6 bushel	6 bushel	6 bushel	6 bushel
Dimensions (LxWxH)	61" x 27" x 46"	61" x 27" x 46"	61" x 27" x 46"	61" x 27" x 46"
Weight	108 lbs.	121 lbs.	113 lbs.	126 lbs.

Debris Loaders				
	DL8	DL10	DL12653	DL12720
Engine	Subaru EX 404cc	B&S Vanguard 570cc	Subaru EH 653cc	Subaru EH 720cc
Starter Type	Recoil	Electric	Electric	Electric
Drive	Direct	Direct	Direct	Double-Banded Belt
Intake Dia.	8"	10"	12"	12"
Hose Length	12'	12'	12'	12'
Fan Size	Serrated 4-Blade/16"	Serrated 4-Blade/16"	Serrated 4-Blade/20"	Serrated 4-Blade/20"
CFM	2300	2500	3400	3400
Dimensions (LxWxH)	35" x 25" x 58"	35" x 25" x 58"	30" x 50" x 86"	30" x 50" x 86"
Weight	300 lbs.	340 lbs.	595 lbs.	675 lbs.
Mount Type	Receiver Mount	Receiver Mount	Skid Mount	Skid Mount

Specs will slightly vary for CE compliant models.

## STAY CONNECTED!



Keep up with the latest in ECHO Bear Cat News, Demonstrations and Equipment!



## CHIPPER/SHREDDERS

### SC2170

Standard Screen 1.13"  
P/N: 76758-35

Fine Screen .75"  
P/N: 76893-35

Wet Debris Screen  
P/N: 77639-35

Shredder Knives Kit  
P/N: 77616-00

Additional Shredder  
Knives Kit  
P/N: 77618-00

Chipper Blade Kit  
P/N: 70738

### All 3"

## CHIPPER/SHREDDERS

Two-Wheel Tow Kit  
P/N: 77000-00

Leaf Tamper  
P/N: 70089

Debris Bag with Handles  
P/N: 17854

All Weather Cover  
P/N: 70093

Chipper Blade Kit  
P/N: 70738

Road Towable  
Chipper/Shredder Trailer  
P/N: 77353-00

Supplemental Adapter Kit for  
Wide Body models  
Serial C03477 & below  
P/N: 77700-00

Supplemental Adapter Kit  
for model SC3206 Serial  
C03477 and below  
P/N: 77701-00

Attachable Debris Bag  
P/N: 70355-00

### SC3206

Screen - Fine .375"  
P/N: 77382-12

Screen - Medium .75"  
77383-12

Screen - Coarse (Standard)  
1.375"  
P/N: 77384-12

Screen - Wet Debris  
P/N: 77385-12

Shredder Knives Kit  
P/N: 77589-00

### SC3265, SC3306, SC3306E, SC3342

Screen - Fine .375"  
P/N: 77386-12

Screen - Medium .75"  
P/N: 77387-12

Screen - Coarse (Standard)  
1.375"  
P/N: 77388-12

Screen - Wet Debris  
P/N: 77389-12

Blower Attachment  
P/N: 70251

Shredder Knives Kit  
P/N: 70973

### SC5720B

Chipper Blade Kit  
P/N: 72493

Shredder Knives Kit  
P/N: 77613-00

**Looking for a  
service part?**

Find your parts manual  
online for a complete list  
[www.bearcatproducts.com](http://www.bearcatproducts.com)

## CHIPPERS

### Blade Kits:

CH611DH, CH6720H,  
CH8720iH, CH8993H  
CH911DH & CH922DH  
P/N: 76293-00

CH4400  
P/N: 76295-00

CH5653  
P/N: 72493

4.5"x 4.5" Discharge Chute  
CH450H & CH4400  
P/N: 74634-00

Low Profile Discharge Chute  
CH8720iH, CH8993H,  
CH911DH, CH922DH &  
CH9540H  
P/N: 74581-00

Tach/Hour Kit - Gas  
All Gas Engines  
P/N: 31605-00

Hour Meter Kit - Diesel  
All Diesel Engines  
P/N: 71921

2 5/16" Coupler  
CH611DH, CH6720H,  
CH8720iH, CH8993H,  
CH911DH, CH922DH  
P/N: 14519-00

Optional Engine Guard Kit  
CH6720H  
P/N: 70135-00

Pintle Hitch  
CH611DH, CH6720H  
CH8720iH & CH8993H  
P/N: 14900-00

Spare Tire Kit  
CH611DH & CH6720H  
P/N: 75291-00

Knee Bars  
CH611DH & CH6720H  
P/N: 76945-00

CH8720iH, CH8993H,  
CH911DH & CH922DH  
P/N: 76195-00

Fine Chip Rotor Kit  
8" & 9" Models  
P/N: 76775-00

Adjustable Feed  
Speed Sensor Kit  
CH6720H  
P/N: 76820-00

Electric Brakes  
CH911DH & CH922DH  
P/N: 71072-00

## STUMP GRINDER

### SG340

12 Tooth Cutter  
Replacement Kit  
P/N: 76292-00

## PTO MODELS

### Blade Kits

CH45540, CH450H  
P/N: 76295-00

CH5540, CH5540H,  
CH500H, SC5540 &  
SC5540B  
P/N: 72493

CH8540 & CH9540H  
P/N: 76293-00

CHF9540H  
P/N: 74830-00

Auto Feed Replacement Kit  
CH5540H  
P/N: 73071

Discharge Chute  
4.5" x 4.5"  
CH45540  
P/N: 74634-00

Low Profile  
Discharge Chute  
CH8540 & CH9540H  
P/N: 74581-00

Fine Chip Rotor Kit  
8" & 9" Models  
P/N: 76775-00

Shredder Knife Kit  
SC5540 & SC5540B  
P/N: 70972

### SC5540

Vacuum Hose Kit  
P/N: 71125  
(requires P/N: 71110)

Two-Speed Blower  
P/N: 71110

Single-Speed Blower  
P/N: 70487

Fine Screen .375"  
P/N: 70703

Medium Screen .75"  
P/N: 70531

Standard Screen 1.5"  
P/N: 70332

Wet Debris Screen  
P/N: 70559

## WHEELED VACUUMS

WV160, WV160S,  
WV190 & WV190S

Hard-Bottomed Debris Bag  
P/N: 71042-00

Caster Wheels Kit  
P/N: 76967-00

Hose Kit  
P/N: 73606-00

Vacuum Nozzle Wear Plate Kit  
P/N: 73640-00

Vacuum Wear Liner  
P/N: 76466-00

## WHEELED TRIMMERS

WT189, WT190,  
WT190T & WT190S

.130" Diameter Line  
Round, 10 Pack  
P/N: 72777

Round, 1 lb. Donut  
P/N: 12388

Square, 10 Pack  
P/N: 72778

Square, 1 lb. Donut  
P/N: 12389

.155" Diameter Line  
Round, 10 Pack  
P/N: 72780

Round, 1 lb. Donut  
P/N: 12390

Square, 10 Pack  
P/N: 72779

Square, 1 lb. Donut  
P/N: 12391

10 Pack, 20" pre-cut length  
P/N: 32029-00

## CROSSFIRE® LINE .175" Diameter

10 Pack  
20" pre-cut length  
P/N: 32031-00

75' Donut  
P/N: 32033-00

3 lb. Spool  
P/N: 32035-00

14" Sabre Tooth Blade  
P/N: 74548-00

14" Triple Blade  
Brush Cutter  
P/N: 32086-00

Nylon Blade Kit  
P/N: 73060

Proline Head  
P/N: 74891-00

Heat-Treated Steel Mow Ball  
P/N: 72704-12

Cast Iron Mow Ball  
P/N: 31767-12

## DEBRIS LOADERS

### DL8 & DL10

Wear Liner Replacement Kit  
P/N: 77398-00

4' Flexible  
Horizontal Chute Extension  
P/N: 74737-00

16" Vertical Chute Extension  
P/N: 75888-00

Receiver Mount Kit  
P/N: 77464-00

### DL10, DL12653 & DL12720

12 Volt Work Light Kit  
P/N: 77105-00

### DL12653 & DL12720

Wear Liner Replacement Kit  
P/N: 77073-00

4' Flexible  
Horizontal Chute Extension  
P/N: 74737-00

16"  
Vertical Chute Extension  
P/N: 75888-00

Universal Road Towable  
Trailer Kit  
P/N: 77041-00



For more information on ECHO Bear Cat products, scan  
this QR code with your smartphone's QR code app.



**ECHO Bear Cat • 237 12th St. NW, West Fargo, ND 58078**

**For customer service or for your nearest  
ECHO Bear Cat dealer call 888.625.4520  
For International call 701.282.5520**

Specifications, descriptions and illustrative material in this literature is as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories and may not include all standard equipment

©2014 ECHO Bear Cat, a subsidiary of ECHO Incorporated  
All Rights Reserved. Printed in the U.S.

#31768-00 • 12/14

