Printing date 12/03/2014

Reviewed on 12/03/2014

## **1** Identification

Trade name: <u>Kleen & Dri XL</u>
Manufacturer/Supplier: BouMatic LLC
1919 South Stoughton Rd.
USA-MADISON, WI 53716-2259
+1 (608) 222-3484
SDS@BouMatic.com
Emergency telephone number:

001-813-248-0585 (International)



## 2 Hazard(s) identification

24-HOUR EMERGENCY 1-800-255-3294 (U.S.)

· Classification of the substance or mixture



Carc. 1A H350 May cause cancer.

- · Label elements
- *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: ethanol · Hazard statements May cause cancer. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. *Wear protective gloves / eye protection / face protection.* Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 0Fire = 2Reactivity = 0

(Contd. on page 2)

USA

(Contd. of page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 12/03/2014

Reviewed on 12/03/2014

Trade name: Kleen & Dri XL

· HMIS-ratings (scale 0 - 4)

• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

25-50%
1.0-5.0%
1.0-5.0%

### 4 First-aid measures

· Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- $\cdot \textit{Environmental precautions: } Do not allow to enter sewers/ \textit{surface or ground water.}$

 $\cdot$  Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

USA

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 12/03/2014

Reviewed on 12/03/2014

Trade name: Kleen & Dri XL

See Section 13 for disposal information.

### 7 Handling and storage

• *Precautions for safe handling* No special precautions are necessary if used correctly.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities Corrosive to Alunimum

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

• Components with limit values that require monitoring at the workplace:

64-17-5 ethanol (25-50%)

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

141-78-6 ethyl acetate (1.0-5.0%)

PEL Long-term value: 1400 mg/m<sup>3</sup>, 400 ppm

REL Long-term value: 1400 mg/m<sup>3</sup>, 400 ppm

TLV Long-term value: 1440 mg/m<sup>3</sup>, 400 ppm

#### 67-63-0 propan-2-ol (1.0-5.0%)

PEL Long-term value: 980 mg/m<sup>3</sup>, 400 ppm

- REL Short-term value: 1225 mg/m<sup>3</sup>, 500 ppm Long-term value: 980 mg/m<sup>3</sup>, 400 ppm
- TLV Short-term value: 984 mg/m<sup>3</sup>, 400 ppm Long-term value: 492 mg/m<sup>3</sup>, 200 ppm BEI

#### · Ingredients with biological limit values:

67-63-0 propan-2-ol (1.0-5.0%)

BEI 40 mg/L

Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Wash hands before breaks and at the end of work.

· Breathing equipment: Not required.

· Protection of hands:

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.* 

(Contd. on page 4)

#### Printing date 12/03/2014

Reviewed on 12/03/2014

#### Trade name: Kleen & Dri XL

(Contd. of page 3)

USA

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves**
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- *Eye protection: Goggles recommended during refilling.*

General Information       Towel         Appearance:       Form:         Form:       Colorless         Odor:       Like alcohol         Odour threshold:       Not determined.         pH-value:       Not determined.         PH-value:       Not determined.         Change in condition       Melting point/Belting range:         Melting point/Belting range:       78 °C (172 °F)         Flash point:       > 55 °C (> 131 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       425 °C (797 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       15.0 Vol %         Upper:       15.0 Vol %         Vapor pressure at 20 °C (68 °F):       59 hPa (44 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapour density       Not determined.         Vapour density       Not determined.         Solubility in / Miscibility with       Watermined.         Vapour density       Not determined.         Solubility in / M	Information on basic physical and c	hemical properties	
Form:TowelColor:ColorlessOdor:Like alcoholOdour threshold:Not determined.pH-value:Not determined.Change in conditionUndetermined.Melting point/Melting range:Undetermined.Boiling point/Boiling range:78 °C (172 °F)Flash point:> 55 °C (> 131 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosin limits:3.5 Vol %Upper:15.0 Vol %Vapor pressure at 20 °C (68 °F):59 hPa (44 mm Hg)Density:Not determined.Relative densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Xetermined.Partition coefficient (n-octanol/water): Not determined.Xetermined.			
Color:ColorlessOdor:Like alcoholOdour threshold:Not determined.pH-value:Not determined.pH-value:Not determined.Change in conditionUndetermined.Melting point/Melting range:Undetermined.Boiling point/Boiling range:78 °C (172 °F)Flash point:> 55 °C (> 131 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:3.5 Vol %Lower:3.5 Vol %Upper:15.0 Vol %Vapor pressure at 20 °C (68 °F):59 hPa (44 mm Hg)Density:Not determined.Kelative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Partition coefficient (n-octanol/water): Not determined.			
Odor:Like alcoholOdour threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:Undetermined.Boiling point/Boiling range:78 °C (172 °F)Flash point:> 55 °C (> 131 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product os not present an explosion hazard.Explosion limits: Lower:3.5 Vol % Upper:Upper:15.0 Vol %Vapor pressure at 20 °C (68 °F):59 hPa (44 mm Hg)Density: Not determined.Not determined.Solubility in / Miscibility with Water:Not determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.			
Odour threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:Undetermined.Boiling point/Boiling range:78 °C (172 °F)Flash point:> 55 °C (> 131 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:3.5 Vol %Upper:15.0 Vol %Vapor pressure at 20 °C (68 °F):59 hPa (44 mm Hg)Density: Not determined.Not determined.Relative density Vapour densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Partition coefficient (n-octanol/water): Not determined.			
pH-value:Not determined.Change in condition Melting point/Melting range:Undetermined.Boiling point/Melting range:Undetermined.Boiling point/Boiling range:78 °C (172 °F)Flash point:> 55 °C (> 131 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:3.5 Vol %Upper:15.0 Vol %Vapor pressure at 20 °C (68 °F):59 hPa (44 mm Hg)Density: Relative densityNot determined.Not determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.			
Change in condition         Melting point/Melting range:       Undetermined.         Boiling point/Boiling range:       78 °C (172 °F)         Flash point:       > 55 °C (> 131 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       425 °C (777 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       3.5 Vol %         Lower:       3.5 Vol %         Upper:       15.0 Vol %         Vapor pressure at 20 °C (68 °F):       59 hPa (44 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapour density       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.       Partition coefficient (n-octanol/water): Not determined.			
Meting point/Melting range:Undetermined. 78 °C (172 °F)Flash point:> 55 °C (> 131 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:3.5 Vol %Lower:3.5 Vol %Upper:15.0 Vol %Vapor pressure at 20 °C (68 °F):59 hPa (44 mm Hg)Density:Not determined.Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.	•		
Boiling point/Boiling range:78 °C (172 °F)Flash point:> 55 °C (> 131 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:		Undetermined	
Flash point:       > 55 °C (> 131 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       425 °C (797 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       J.5 Vol %         Lower:       3.5 Vol %         Upper:       15.0 Vol %         Vapor pressure at 20 °C (68 °F):       59 hPa (44 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapour density       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.       Partitioned.			
Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       425 °C (797 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       3.5 Vol %         Lower:       3.5 Vol %         Upper:       15.0 Vol %         Vapor pressure at 20 °C (68 °F):       59 hPa (44 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapour density       Not determined.         Solubility in / Miscibility with       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.       Not determined.			
Ignition temperature:       425 °C (797 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       Lower:         Lower:       3.5 Vol %         Upper:       15.0 Vol %         Vapor pressure at 20 °C (68 °F):       59 hPa (44 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapour density       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.       Not determined.	-		
Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Product does not present an explosion hazard.Lower:3.5 Vol %Upper:15.0 Vol %Vapor pressure at 20 °C (68 °F):59 hPa (44 mm Hg)Density:Not determined.Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.	Ignition temperature:	425 °C (797 °F)	
Danger of explosion:Product does not present an explosion hazard.Explosion limits:	Decomposition temperature:	Not determined.	
Explosion limits:         Lower:       3.5 Vol %         Upper:       15.0 Vol %         Vapor pressure at 20 °C (68 °F):       59 hPa (44 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapour density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.	Auto igniting:	Product is not selfigniting.	
Lower:3.5 Vol %Upper:15.0 Vol %Vapor pressure at 20 °C (68 °F):59 hPa (44 mm Hg)Density:Not determined.Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.	Danger of explosion:	Product does not present an explosion hazard.	
Upper:       15.0 Vol %         Vapor pressure at 20 °C (68 °F):       59 hPa (44 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapour density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.	Explosion limits:		
Vapor pressure at 20 °C (68 °F):       59 hPa (44 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapour density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.	Lower:	3.5 Vol %	
Density:       Not determined.         Relative density       Not determined.         Vapour density       Not determined.         Vaporation rate       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.	Upper:	15.0 Vol %	
Relative density       Not determined.         Vapour density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.	Vapor pressure at 20 °C (68 °F):	59 hPa (44 mm Hg)	
Vapour density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.	Density:	Not determined.	
Evaporation rate       Not determined.         Solubility in / Miscibility with       Not miscible or difficult to mix.         Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.			
Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined.			
Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.	Evaporation rate	Not determined.	
Partition coefficient (n-octanol/water): Not determined.	Solubility in / Miscibility with		
	Water:	Not miscible or difficult to mix.	
Viscosity	Partition coefficient (n-octanol/wate	r): Not determined.	
viscosity:	Viscosity:		
Dynamic: Not determined.		Not determined.	

Printing date 12/03/2014

Reviewed on 12/03/2014

Trade name: Kleen & Dri XL

		(Contd. of page 4
<ul> <li>Solvent content: Organic solvents: VOC content:</li> </ul>	51.0 % 51.0 % 510.0 g/l / 4.26 lb/gl	
Solids content: • Other information	49.0 % No further relevant information available.	

### 10 Stability and reactivity

· Reactivity

· Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 ethanol

67-63-0 propan-2-ol

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

- USA -

1

3

(Contd. of page 5)

USA

# Safety Data Sheet acc. to OSHA HCS

Printing date 12/03/2014

Reviewed on 12/03/2014

Trade name: Kleen & Dri XL

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

# 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3256
UN proper shipping name DOT IMDG, IATA	Elevated temperature liquid, flammable, n.o.s. ELEVATED TEMPERATURE LIQUID, FLAMMABLE, N.O.S.
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids 3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number:	Warning: Flammable liquids 30 F-E,S-D
Transport in bulk according to Annex A MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.

Printing date 12/03/2014

Reviewed on 12/03/2014

Trade name: Kleen & Dri XL

	(Contd. of page 6
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: Forbidden
	On cargo aircraft only: Forbidden
· IMDG	
$\cdot$ Limited quantities (LQ)	0
$\cdot$ Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN3256, Elevated temperature liquid, flammable, n.o.s. (Ethano (Ethyl alcohol), Ethyl acetate), 3, III

## 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

67-63-0 propan-2-ol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 8)

- USA

A3 A4

Printing date 12/03/2014

Reviewed on 12/03/2014

Trade name: Kleen & Dri XL

(Contd. of page 7) · Hazard pictograms GHS08 · Signal word Danger · Hazard-determining components of labeling: ethanol · Hazard statements May cause cancer. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Wear protective gloves / eye protection / face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Regulatory Group
- · Contact: Mr. Schroeder
- · Date of preparation / last revision 12/03/2014 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) Carc. 1A: Carcinogenicity, Hazard Category 1A

USA ·