



**GRAVELLY**

2023 PRODUCT CATALOG

WE PUT SO  
MUCH INTO OUR  
MOWERS. WHICH  
IS WHY YOU GET  
SO MUCH OUT  
OF THEM.

BLOOD, SWEAT & TEARS? SURE, THEY'RE  
IN THERE. HEART & SOUL? MAXED OUT.  
PRIDE? YOU'D BETTER BELIEVE IT. THEN,  
OF COURSE, THERE'S ALL THE SUPERIOR  
ENGINEERING, INNOVATION, AND ONLY  
THE BEST PARTS FROM THE SMALLEST  
BOLT TO OUR HEAVIEST-GAUGE STEEL. SO,  
IF YOU'RE WONDERING WHY YOU SHOULD  
CHOOSE GRAVELY, OUR ONLY QUESTION  
IS HOW LONG OF A LIST WOULD YOU LIKE?



## REASONS WHY GRAVELY IS THE BETTER-BUILT LAWN MOWER CHOICE

That's about how many parts go into some of our lawn mowers. And we don't skimp on a single one of them. Sure, we could save a few dollars here, a few cents there, but then we'd be building the same machines everyone else builds. But we're not. We're building Gravelys. Only the best parts will do.

## OUR FAMILY TREE

must have deep roots. How else could it support all these branches? The Gravelly brand keeps growing and growing. That's what happens when you keep up with the demands of your customers. Commercial, residential, stand-ons, utility, electric, this is a prolific family of products with an unmatched pedigree.

**GRAVELLY**



ZT X



ZT XL



ZT HD



COMPACT-PRO®



PRO-TURN® ZX



PRO-TURN® 100



PRO-TURN® 300



PRO-TURN® MACH-ONE



PRO-TURN® 500



PRO-TURN® 600



PRO-TURN® EV



PRO-STANCE® EV



PRO-STANCE®



Z-STANCE®



PRO-WALK®



Axis™



Atlas JSV®



**OUR SPECIFICATIONS COME FROM YOUR EXPECTATIONS.**

*You are the reason we do what we do. We know how hard you work out there and it's our job to make sure our machines do the same. We design and engineer everything we build to be put through the same punishments you put yourself through. Early mornings. Long days. Unloading after dusk. You don't let up, so your equipment better not either. We share the same work ethic: a job isn't done until it's done right.*

# COMPACT-PRO<sup>®</sup>

COMMERCIAL STRENGTH  
BROUGHT DOWN TO SIZE.



*The Compact-Pro<sup>®</sup> was designed to take you where bigger mowers can't, like through gates as narrow as 36". It's a smaller, more nimble ride but is still loaded with features like our bigger machines. This is power and durability with maximum versatility.*

34"

MODEL - 991144

15.5 HP Kawasaki<sup>®</sup> FX481V Engine

44"

MODEL - 991145

19 HP Kawasaki<sup>®</sup> FX600V Engine

#### SMALLER FOOTPRINT

*The Compact-Pro<sup>®</sup> easily passes through gates as narrow as 36 inches and nimbly maneuvers around common residential obstacles*

**FUEL TANK DESIGN** Increases stability and improves machine handling and visibility.

**KAWASAKI<sup>®</sup> FX ENGINE** Powered by a Kawasaki<sup>®</sup> FX Engine that touts a heavy-duty canister air cleaner to optimize performance in all conditions and extend engine life.

**4YR OR 750HR**  
— WARRANTY —



# PRO-TURN<sup>®</sup> ZX

CUTS LAWNS BEAUTIFULLY WITHOUT CUTTING CORNERS.



The Pro-Turn<sup>®</sup> ZX delivers the performance you expect from a Gravelly. You'll feel its solid construction the moment you climb aboard. It easily handles tough commercial jobs yet leaves a beautifully manicured lawn. With the Pro-Turn<sup>®</sup> ZX the term "A lot of bang for your buck" definitely comes to mind.



**4YR OR 750HR**  
— WARRANTY —

**48"**

MODEL - 991286

22 HP Kawasaki<sup>®</sup> FX691V Engine

**52"**

MODEL - 991288

22 HP Kawasaki<sup>®</sup> FX691V Engine

**60"**

MODEL - 991290

23.5 HP Kawasaki<sup>®</sup> FX730V Engine

**AN AUTOMOTIVE-STYLE TUBULAR FRAME** It's unique to the mowing industry and increases durability by withstanding force from any direction. This high-strength, premium frame is positioned with a lower center of gravity to improve stability while mowing on hillsides.

**ZT-3200<sup>®</sup> TRANSAXLES** They're more heavy duty and can handle higher speeds. They're also commercial grade and serviceable for a longer life span.

**X-FACTOR<sup>®</sup> 3 DECK** The deck has been completely redesigned for better grass dispersion. Its new look is constructed from 7-gauge steel to deliver years of solid performance.

**SUSPENSION FORKS** Big impacts on rough terrain go virtually unnoticed by the operator. They also improve the overall ride and decrease driver fatigue.

# PRO-TURN<sup>®</sup> 100

THE PERFECT BALANCE OF  
PERFORMANCE AND POWER.



*This machine was built for the long haul. Hour after hour, acre after acre, you'll appreciate its comfort as much as its consistent cutting results. Take your pick of its three mower decks and get ready to tackle the toughest jobs out there. Then rest up because it'll be ready to tackle more the next day.*

48"

MODEL - 991128

22 HP Kawasaki<sup>®</sup> FX691V Engine

52"

MODEL - 991129

22 HP Kawasaki<sup>®</sup> FX691V Engine

MODEL - 991132

23 HP Kohler<sup>®</sup> ZT730 Engine

60"

MODEL - 991130

23.5 HP Kawasaki<sup>®</sup> FX730V Engine

MODEL - 991133

25 HP Kohler<sup>®</sup> EZT740 Engine

**5YR OR 1000HR**  
— WARRANTY —

**CBT SYSTEM** Our Constant Belt Tension System (CBT) ensures that belt tension is constant, keeping the blade tip speed and cutting results consistent.

**X-FACTOR<sup>®</sup> II DECK** Fabricated from top to bottom, this 7-gauge steel deck provides industrial-strength peace of mind.

**SEATING SYSTEM** All-day comfort comes from the high-back suspension seat with improved lateral stability and added vibration control, along with a 4-inch seat slide, lumbar support, and padded armrest.





The image shows three Gravely commercial mowers in a dark, industrial-style setting. The mowers are arranged in a line, receding into the background. The lighting is dramatic, highlighting the red and grey colors of the machines. The Gravely logo is visible on the side of each mower. The overall mood is professional and emphasizes the ruggedness of the equipment.

WE TOOK THE GOLDBLOCKS APPROACH:  
**ONE WILL BE JUST RIGHT.**

**THREE DIFFERENT MOWERS, EACH DESIGNED AND ENGINEERED FOR SPECIFIC WANTS AND NEEDS.** These are the big boys who put the “heavy” in “heavy-duty” and reinvented how comfortable a commercial mower can operate. Take your pick, any one of these machines will define your fleet and your entire crew will ride with pride.

# PRO-TURN<sup>®</sup> 300

COMFORT AND DURABILITY,  
YARD AFTER YARD AFTER  
YARD AFTER  
YARD...



*A newly designed, hardworking mower built to keep its operators comfortable from dawn to dusk. This is next-level mowing thanks to its innovative features and superior cutting performance. A triumph in ingenuity and power that is equal parts David and Goliath, with the ultimate winner being the lawns it cuts.*



**5YR OR 1250HR**  
— WARRANTY —

**48"**

MODEL - 992520

22 HP Kawasaki<sup>®</sup> FX691V Engine

**52"**

MODEL - 992521

22 HP Kawasaki<sup>®</sup> FX691V Engine

**60"**

MODEL - 992522

23.5 HP Kawasaki<sup>®</sup> FX730V Engine

MODEL - 992524

25 HP Kohler<sup>®</sup> ZT740V Engine

MODEL - 992523

26 HP Kawasaki<sup>®</sup> FT730V-EFI Engine

MODEL - 992526

31 HP Kawasaki<sup>®</sup> FX921V

**72"**

MODEL - 992525

31 HP Kawasaki<sup>®</sup> FX921V Engine

**COMFORTABLE SEAT** High back seat has lumbar support and molded armrests. Its red double stitching gives a high-end look with black, dark grey, and red accents.

**PARKER TRANSAXLES** Parker HTJ transaxles deliver a stop speed of 11 mph and have 12cc pump. Filters are accessed from the rear for easy maintenance. It's one complete system, eliminating the need for additional parts

# PRO-TURN<sup>®</sup> MACH-ONE

DEVOURS TALL GRASS FOR BREAKFAST,  
LUNCH, AND DINNER.



Thanks to the tunnel chamber design of its deck, the Pro-Turn<sup>®</sup> Mach One is able to direct debris away from the blades to prevent them from bogging down. That means thick wet conditions, overgrown properties, even stalky grasses are easily cut down to size.

60"

MODEL - 992515

31 HP Kawasaki<sup>®</sup> FX921V Engine



**HIGH-VOLUME OUTPUT (HVO) DECK**  
The depth of this deck increases from its trim side to its discharge chute. That means it can handle a higher volume of clippings without clogging up.



**TUNNEL CHAMBER** An advanced cutting chamber is formed by setting the blades back four inches from the front of the deck for less clumping and even grass dispersion.



**INTEGRATED SEAT ISOLATORS** Bumps and engine vibration are smoothed out thanks to vibration-absorbing dampers.

**5YR OR 1500HR**  
— WARRANTY —



# PRO-TURN® 500

AN UP-AND-COMING  
LEGEND IN THE FIELD.



*This is the Pro-Turn® 500. A commercial-grade mower for professionals who want rugged durability without sacrificing features and performance. Better seating, better tires, a better mowing deck, and a better transmission make the Pro-Turn® 500 the better choice among the competition.*



**5YR OR 1500HR**  
— WARRANTY —

**52"**

**MODEL - 992513**

25 HP Kohler® ZT740 Engine

**MODEL - 992510**

27 HP Kawasaki® FX850V Engine, Air Ride

**60"**

**MODEL - 992514**

25 HP Kohler® ZT740 Engine

**MODEL - 992516**

29.5 HP Kawasaki® FX850V-EFI Engine

**MODEL - 992511**

31 HP Kawasaki® FX921V Engine, Air Ride

**72"**

**MODEL - 992518**

29.5 HP Kawasaki® FX850V-EFI Engine

**MODEL - 992512**

31 HP Kawasaki® FX921V Engine, Air Ride

**COMFORTABLE SEAT** High back seat has lumbar support and padded armrests, and its isolated mounting absorbs more shock.

**FULLY WELDED TUBULAR FRAME** Strong and rugged, its wide front rail distributes weight for superior balance and supports the deck lift for easy engagement.

**PARKER TRANSAXLES** They deliver a top speed of 15mph and have a 16cc pump. Access filters from the rear for easy maintenance.

# PRO-TURN® 600

MOW BIG OR STAY HOME.



When you climb aboard this mountain of a machine you know you've reached the summit of performance and comfort. It's loaded with features and built as tough as the people who use it. But that rugged construction didn't sacrifice comfort. It delivers the smoothest ride so operators will feel fresh from the first job of the day to last.



**5YR OR 1500HR**  
— WARRANTY —

**52"**  
MODEL - 992500  
27 HP Kawasaki® FX850V Engine

**60"**  
MODEL - 992501  
35 HP Kawasaki® FX1000V Engine  
MODEL - 992503  
38.5 HP Kawasaki® FX1000V-EFI Engine

**72"**  
MODEL - 992502  
35 HP Kawasaki® FX1000V Engine  
MODEL - 992504  
38.5 HP Kawasaki® FX1000V-EFI Engine



**OPERATOR POD SYSTEM** Separates the operator from the mower's bouncing and jostling. You'll feel like you're floating as you mow faster and more comfortably, without sacrificing control.

**DIAL-A-HEIGHT** This lets the operator easily adjust the deck height by quarter-inch increments.

**X-FACTOR® 3 DECK** The deck has been completely redesigned for better grass dispersion. Its new look is constructed from 7-gauge steel to deliver years of solid performance.



POWERED BY  
**FUSIONCORE**

It's the most forward-thinking battery system available, delivering the juice needed to keep you mowing the distance. These batteries are crammed with power, 4 kWh lithium-ion kind of power. That means combined, you have 16 kWh of total energy. This is battery power that you can rely on for all-day commercial performance.

# THE BUZZ ON OUR EV LINE IS EXPANDING

WE'VE TAKEN THE SUCCESS OF OUR PRO-TURN  
EV'S SUPERIOR DESIGN & TECHNOLOGY AND  
INCORPORATED IT INTO A STANDING UNIT.  
ALL THE POWER OUR FUSIONCORE BATTERY  
SYSTEM DELIVERS, RECONFIGURED  
TO OUR PRO-STANCE MODEL. IT'S  
ANOTHER OPTION FOR GOING  
ELECTRIC, AND IT'S BEEN GETTING  
A LOT OF STANDING OVATIONS.

# PRO-TURN<sup>®</sup> EV

THAT QUIET HUM IS WHAT  
ADVANCED TECHNOLOGY  
SOUNDS LIKE.



Powered by the superior battery technology from Fusioncore™, the EV's four swappable batteries deliver all-day, reliable, high-performance power. It's exactly what you've come to expect from Gravely and what you need in a commercial mower. You'll forget pullies, belts, engine oil changes, and driving vibrations even exist.



**5YR OR 1500HR**  
— WARRANTY —

**48"**

**SIDE DISCHARGE MODEL - 997005**

4-16 kWh FusionCore Swappable Batteries

**REAR DISCHARGE MODEL - 997008**

4-16 kWh FusionCore Swappable Batteries

**52"**

**SIDE DISCHARGE MODEL - 997006**

4-16 kWh FusionCore Swappable Batteries

**REAR DISCHARGE MODEL - 997009**

4-16 kWh FusionCore Swappable Batteries

**60"**

**SIDE DISCHARGE MODEL - 997007**

4-16 kWh FusionCore Swappable Batteries

**REAR DISCHARGE MODEL - 997010**

4-16 kWh FusionCore Swappable Batteries

#### **FUSIONCORE QUICKSWAP BATTERIES**

Batteries can be switched in seconds to ensure you and your crew can continue to cut all day and beyond.

#### **X3 CONSTANT DRIVE SPINDLES**

Our proprietary spindles have a blade slip feature that prevents damage in the event of an impact. They also have a bottom bearing for easy serviceability for routine maintenance which avoids the need to replace the entire spindle.

#### **NEXT-GEN WHEEL DRIVES**

Transaxles are driven with a brushless electric-drive motor coupled with a dual-reduction planetary gearbox.

# PRO-STANCE<sup>®</sup> EV

WE PROUDLY STAND BEHIND  
ITS ELECTRIC POWER.  
YOU WILL TOO.



Don't just sit there, step up to the future of mowing and stand up for green, eco-friendly service. Its power comes from the FusionCore™ battery system that can keep your crew cutting all day and longer. No more stops to fill gas tanks, just swap fully-charged batteries in seconds and continue the job. You'll also save time on maintenance since there are no oil filters or oil to change



**5YR OR 1500HR**  
— WARRANTY —

**48"**

**SIDE DISCHARGE MODEL - 998001**

4-16 kWh FusionCore Swappable Batteries

**REAR DISCHARGE MODEL - 998004**

4-16 kWh FusionCore Swappable Batteries

**52"**

**SIDE DISCHARGE MODEL - 998002**

4-16 kWh FusionCore Swappable Batteries

**REAR DISCHARGE MODEL - 998005**

4-16 kWh FusionCore Swappable Batteries

**60"**

**SIDE DISCHARGE MODEL - 998003**

4-16 kWh FusionCore Swappable Batteries

**REAR DISCHARGE MODEL - 998006**

4-16 kWh FusionCore Swappable Batteries

#### **QUICK BATTERY SWAP SYSTEMS**

Gravely EV mowers include a quick-swap battery system that allows you to run your mowers all day. No need to stop when the battery runs out. Just simply swap a new battery in and keep on mowing!

**QUIET OPERATION** Gas-powered lawn mowers are loud, especially in urban areas where the sound bounces off the structures. Electric mowers do not have the loud noises, or the vibrations mowers typically need to deal with when using gas. Lower noise pollution is a great.



# PRO-STANCE<sup>®</sup>

THE MOWER THAT STANDS  
FOR POWER AND  
PERFORMANCE.



Some environments demand the versatility a standing mower brings, where operators can quickly jump on and off. The Pro-Stance delivers that and more with a deck that easily adjusts, a suspension platform to absorb vibration for all-day comfort, and the best cutting deck in the business.

**X-FACTOR<sup>®</sup> 3 DECK** The deck has been completely redesigned for better grass dispersion. Its new look is constructed from 7-gauge steel to deliver years of solid performance.

**TRANSMISSION** The ZT-3400 integrated transmission boasts an industry-leading 1.125-inch axle for heavy loads (32" and 36" model uses ZT-3100).



**5YR OR 1000HR**  
— WARRANTY —

**32"**

MODEL - 994157

18.5 HP Kawasaki<sup>®</sup> FS600V Engine

**36"**

MODEL - 994149

18.5 HP Kawasaki<sup>®</sup> FS600V Engine

**48"**

MODEL - 994161

23.5 HP Kawasaki<sup>®</sup> FX730V Engine

**52"**

MODEL - 994162

23.5 HP Kawasaki<sup>®</sup> FX730V Engine

MODEL - 994163

26 HP Kawasaki<sup>®</sup> FT730V-EFI Engine

**60"**

MODEL - 994164

23.5 HP Kawasaki<sup>®</sup> FX730V Engine

MODEL - 994165

26 HP Kawasaki<sup>®</sup> FT730V-EFI Engine

**DECK HEIGHT ADJUSTMENT** The dual height-adjustment system was designed with both a traditional hand lever and a foot lever to lift and adjust the deck. It's perfect for smaller operators who may struggle with traditional hand lever lifts.

# Z-STANCE<sup>®</sup>

STAND TALL ON  
THE TURF.



*You take a stand for comfort, ingenuity, and durability when you're on a Z-stance. This is a powerful commercial stand-on mower that's easy to maneuver and just as easy to maintain. It makes quick work of a corporate campus or a gated backyard and helps save time and energy by keeping operators on their feet.*



**4YR OR 500HR**  
— WARRANTY —

**32"**

MODEL - 994160

18.5 HP Kawasaki® FS600V Engine

**48"**

MODEL - 994159

22 HP Kawasaki® FS651V Engine

**52"**

MODEL - 994158

22 HP Kawasaki® FS651V Engine

**ADJUSTABLE CRUISE BAR** Allows the operator to limit and expand the unit's maximum speed in tight working environments.

**THREE DECKS TO CHOOSE FROM** 10 gauge 48" and 52" X-Factor III decks or 32" deck in 7 gauge for added weight.

**HEIGHT-OF-CUT SYSTEM** Simple lever control for fast adjustments

**LOWERED CENTER OF GRAVITY** Reshaped geometry and redistributed weight provide increased hillside stability and confidence in your ride.

# PRO-WALK<sup>®</sup>

TAKE A STEP IN THE  
RIGHT DIRECTION.



*That's the only direction when you walk behind a Pro-Walk. With a simple glide of its hydro lever, you can quickly change speed and maneuver with ease. This is a rugged commercial walk-behind designed for easy maintenance that could even be described as a walk in the park.*

**4YR OR 750HR**  
— WARRANTY —



**36"**

MODEL - 988184  
14.5 HP Kawasaki<sup>®</sup> FS481V Engine

**48"**

MODEL - 988185  
18.5 HP Kawasaki<sup>®</sup> FS600V Engine

**52"**

MODEL - 988186  
18.5 HP Kawasaki<sup>®</sup> FS600V Engine

**60"**

MODEL - 988187  
23 HP Kawasaki<sup>®</sup> FS691V Engine

**SINGLE-POINT HEIGHT-OF-CUT**  
*Provides optimal cutting performance in 1/4-inch increments.*

**WIDE WHEELBASE** *Delivers superior hillside stability.*

**INTUITIVE STEERING CONTROLS**  
*Offers a shortened learning curve while providing precision handling.*



# HAUL IT SCOOP IT LIFT IT PUSH IT

WHATEVER IT IS YOU  
NEED TO DO, WE HAVE THE  
MACHINES TO DO IT.

SURE, WE'RE KNOWN FOR OUR MOWERS, BUT THEY'RE NOT THE ONLY RUGGED MACHINES IN THE GRAVELY LINE. OUR ATLAS JSV HAS THE POWER, TORQUE, AND HEAVY-DUTY SUSPENSION TO HAUL, TRANSPORT, TOW, DUMP - YOU NAME IT. AND IT EASILY SEATS THREE TO SIX. OR MAYBE YOU NEED A POWERFUL MULTI-TOOL TO ADD VERSATILITY AND EFFICIENCY TO YOUR CREW, THE AXIS PERFORMS A TON OF JOBS, INCLUDING MAXIMIZING THE CREW'S TIME IN THE FIELD.

# ZT X

**BRING PROFESSIONAL  
STANDARDS TO  
YOUR LAWN.**



*This is the residential lawnmower that's often mistaken for a commercial mowing machine. It's no surprise with its heavy-duty construction, professional features, and legendary Gravelly performance. When you have a ZT X on your lawn, your neighborhood will know you're upping your lawn game to the next level.*

**NEW X-FACTOR® 11-GAUGE FABRICATED DECK** Inspired by our commercial machines, this all new 4 1/2 inch-deep steel deck optimizes airflow, and the reinforced sloped nose allows more room for grass to stand up ahead of the cutting chamber for our best cut ever on a residential machine.



**3YR OR 300HR**  
— WARRANTY —

**42"**

**MODEL - 918007**

23 HP Kohler® KT730 Engine

**MODEL - 918008**

21.5 HP Kawasaki® FR651V Engine

**48"**

**MODEL - 918009**

21.5 HP Kawasaki® FR651V Engine

**52"**

**MODEL - 918010**

23 HP Kohler® KT730 Engine

**MODEL - 918011**

23 HP Kawasaki® FR691V Engine

**HYDRO-GEAR® SERVICEABLE EZT® TRANSAXLES** Serviceable transaxles have optimized cooling to ensure smooth running for years to come. New service ports allow oil changes to help extend the life of your machine.

**NEW TALLER AND WIDER SEAT WITH MOLDED ARMRESTS** Ready for the long mow! This seat is 22" tall to provide more back support and is mounted on a taller seat base to make it easier to stand up and sit down. Molded armrests give your arms rest too.

**FULLY WELDED TUBULAR FRAME** This fully welded tubular frame is a professional-grade backbone tough enough to get the job done in your backyard.

# ZT XL

**GIVE YOUR RESIDENTIAL LAWNS  
THE PROFESSIONAL  
TREATMENT.**



Thanks to its professional-grade power and heavy-duty features, the ZT XL treats residential properties like a pro. It's built to handle big jobs while it delivers the comfort needed to mow multiple acres. This is a residential mower with the heart and soul of a commercial machine.

**NEW X-FACTOR® 11-GAUGE FABRICATED DECK** Inspired by our commercial machines, this all new 4 1/2 inch-deep steel deck optimizes airflow, and the reinforced sloped nose allows more room for grass to stand up ahead of the cutting chamber for our best cut ever on a residential machine.



**4YR OR 400HR  
— WARRANTY —**

**42"**

**MODEL - 918012**

21.5 HP Kawasaki® FR651V Engine

**48"**

**MODEL - 918013**

23 HP Kawasaki® FR691V Engine

**52"**

**MODEL - 918015**

23 HP Kawasaki® FR691V Engine

**MODEL - 918014**

25 HP Kohler® KT740 Engine

**60"**

**MODEL - 918016**

24 HP Kawasaki® FR730V Engine

**HYDRO-GEAR® ZT-2800® TRANSAXLES**

Serviceable transaxles have optimized cooling to ensure smooth running for years to come. Integrated service ports on the internal reservoirs and a replaceable filter allow fluid changes for easy maintenance.

**RIDE LIKE A PRO** The 22" high back seat delivers more back support and has padded armrests. It's mounted on vibration-absorbing dampers. They smooth out bumps and engine vibration for a more comfortable ride.

# ZT HD

**A COMMERCIAL GRADE MACHINE  
THAT FEELS RIGHT AT HOME.**



*Influenced by commercial standards of power and durability, the ZT HD also delivers more style, more comfort, more speed, and more precision. It's no wonder it's the number one selling machine in its class.*

***X-FACTOR® 3 DECK** Made with 10-gauge steel and specially designed for better grass dispersion thanks to its larger discharge opening, integrated baffles, and sloped front end.*



**4YR OR 500HR  
— WARRANTY —**

**44"**  
MODEL - 991266  
21.5 HP Kawasaki® FR651V Engine

**48"**  
MODEL - 991268  
23 HP Kawasaki® FR691V Engine

MODEL - 991274  
25 HP Kohler® KT740 Engine

**52"**  
MODEL - 991270  
23 HP Kawasaki® FR691V Engine

MODEL - 991276  
25 HP Kohler® KT740 Engine

**60"**  
MODEL - 991272  
24 HP Kawasaki® FR730V Engine

MODEL - 991278  
26 HP Kohler® KT745 Engine

**HYDRO-GEAR® ZT-3100® TRANSAXLES**  
*Reliable, commercial grade transaxles deliver the speed and torque to get your mowing done quickly. They're also easy to service for more longevity.*

**COMFORTABLE RIDE** High back seat with padded armrests, mounted on vibration absorbing dampers smoothing out bumps and engine vibration making for a comfortable ride.

# ZT HD STEALTH®

**ITS NAME MAY BE STEALTH,  
BUT IT CERTAINLY WON'T  
GO UNNOTICED.**



**4YR OR 500HR  
— WARRANTY —**

**CUSTOM MOLDED GRIPS** Two-tone, Gravely-Red and black molded grips feel great to the touch, absorb the engine vibration, and ensure you are in constant control of your machine.

**LIMITED EDITION SEAT** Comfortable high back seat with armrests is ready for a long day of mowing and looks great on the grass or even parked in the garage. Wide seat base with bolstered padding, along with high-back cushions provide extra comfort and a secure ride.

**HOC PIN BOX**  
for height selection.

**LARGE FUEL TANK**

**RUBBER FLOOR MAT**  
Secure footing, vibration dampening, and extra cushioning while mowing.

**LIGHTING KIT** It may be named STEALTH, but it loves to be seen. Its bright, dual lighting makes sure of it.



**FULLY WELDED TUBULAR FRAME** The ZT HD STEALTH offers a superior and more robust welded tubular frame, giving you the integrity of a commercial frame in a residential package.

**X-FACTOR® 3 DECK** Made with 10-gauge steel and specially designed for better grass dispersion thanks to its larger discharge opening, integrated baffles, and sloped front end.

**22 X 11 AGGRESSIVE REAR TIRES** Big tires with aggressive tread continue the Stealth's premium look while delivering superior traction.

**MODEL  
991271**

**52" 23 HP KAWASAKI® FR691V ENGINE | WARRANTY: 4YR OR 500 HOUR**  
*Military-inspired design with tactical graphics and badging make the ZT HD STEALTH® unlike any other mower on the market. It's built at the intersection of power and style with two-tone black paint and Kawasaki power. When you hit the ignition and engage the blades, the grass will never know what cut it.*





# OUTFIT YOUR GRAVELY WITH MORE OF THE BEST.

These additional tools and accessories have been meticulously engineered and come straight from the factory to fit seamlessly with your machine. They can help shave time off your schedule or help lighten the load. Looks like you can improve on perfection.



## MAINTENANCE KITS

Gravely maintenance kits offer a complete service package, designed to protect your engine and promote optimal performance levels.



## OEM OIL

Gravely Oils are specifically formulated to provide protection for your engine in the toughest of environments.



## OEM BELTS

Designed to be a perfect fit for your machine, Gravely OEM belts provide the strength, longevity and quality needed to enhance performance and cut quality.

## MULCH KIT

Separate cutting chambers for each blade produce smaller clippings for a professionally manicured appearance.



## LASEREDGE BLADE

These self-sharpening blades last up to 5 times longer than standard blades, helping to minimize downtime.



## POWERED DECK LIFT

Powered lift kits make cutting-height adjustments smooth and simple.



## REAR TWEEL

These airless, run-flat tires help to minimize your downtime and dampen the effect of uneven terrain.



## BAGGER SYSTEMS

Gravely's two- and three-bucket mesh bags provide superior airflow and venting.



## LIGHT KIT

The LED headlight kit will light your way and keep you cutting long after others call it a day.



## HITCH KIT

Add a hitch kit to enjoy unmatched versatility with a variety of tow-behind options.





# AMERICAN MADE

## IT STILL MEANS THE WORLD TO US

For over 100 years every Gravelly that's come off our line has been built right here in the USA – and that's not changing any time soon. Because we believe in American ingenuity. We believe in the American work ethic. And just like the people who ride on a Gravelly, we believe in doing the job right. That's not only the American way, that's the Gravelly way.

### COMPACT-PRO®

34

44

MODEL NUMBER	991144	991145
ENGINE	KAWASAKI® FX CC481V, HEAVY DUTY AIR CLEANER	
HORSEPOWER	15.5 HP	19 HP
DISPLACEMENT	603 CC	726 CC
DRIVE SYSTEM	HYDRO-GEAR® ZT-3100	
FUEL CAPACITY	7.2 GAL	
GROUND SPEED (Forward/Reverse)	7 MPH / 3 MPH	
<b>DECK</b>		
DECK MATERIAL	10 GA. STEEL WITH 10 GA. SPINDLE REINFORCEMENT	
DECK CONSTRUCTION	FABRICATED	
NUMBER OF SPINDLES	2	3
BLADE TIP SPEED (FPM)	18,000	
SPINDLE HOUSING MATERIAL	FORGED ALUMINUM	
SPINDLE BEARINGS	BALL BEARING	
DECK ENGAGEMENT	OGURA® GT1.5	
DECK LIFT SYSTEM	FOOT OPERATED	
CUTTING WIDTH	34 IN.	44 IN.
CUTTING HEIGHT	1.0 IN. - 5.0 IN.	
CUTTING POSITIONS	17	
<b>WHEELS</b>		
FRONT AXLE	FIXED	
FRONT	13 X 5 - 6 SMOOTH PNEUMATIC	
REAR	21 X 7-10 TURF	20.5 X 8-10 TURF
<b>FEATURES</b>		
SEAT	HIGH BACK WITH SUSPENSION	
FOLDABLE ROPS	OPTIONAL	
<b>MACHINE</b>		
WEIGHT	737 LBS.	789 LBS.
LENGTH	75 IN.	75 IN.
WIDTH (w/o CHUTE)	35.9 IN.	46.7 IN.
WIDTH (w/ CHUTE)	48.3 IN.	56.9 IN.
HEIGHT	45.3 IN.	
<b>WARRANTY</b>		
UNIT	4 YEAR / 750 HOUR COMMERCIAL / NO HOUR LIMIT FIRST 2 YEARS - SEE YOUR PROFESSIONAL GRAVELLY® DEALER FOR COMPLETE WARRANTY DETAILS	
<b>ATTACHMENTS &amp; ACCESSORIES</b>		
MULCHING KIT, TRAILER HITCH KIT, HEADLIGHT KIT, STRIPING KIT, SUNSHADE KIT, FOLDING ROPS KIT, GRASS CATCHER KIT, LEAF COLLECTOR KIT, WHEEL COVER KIT, LASEREDGE BLADES		

See your professional Gravelly® dealer for complete warranty details.

PRO-TURN® ZX			
	48	52	60
<b>MODEL NUMBER</b>	<b>991286</b>	<b>991288</b>	<b>991290</b>
<b>ENGINE</b>	KAWASAKI® FX691V	KAWASAKI® FX691V	KAWASAKI® FX730V
<b>HORSEPOWER</b>	22 HP	22 HP	23.5 HP
<b>DISPLACEMENT</b>		726 CC	
<b>DRIVE SYSTEM</b>		HYDRO-GEAR® ZT-3200	
<b>FUEL CAPACITY</b>		5.0 GAL	
<b>GROUND SPEED (Forward/Reverse)</b>		8.5 MPH / 4 MPH	
<b>DECK</b>			
<b>DECK MATERIAL</b>	10 GA. STEEL W/ 10 GA. SPINDLE REINFORCEMENT		
<b>DECK CONSTRUCTION</b>	FABRICATED X-FACTOR® 3		
<b>NUMBER OF SPINDLES</b>	3		
<b>BLADE TIP SPEED (FPM)</b>	18,000		
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM		
<b>SPINDLE BEARINGS</b>	BALL BEARING		
<b>DECK ENGAGEMENT</b>	OGURA® GT1.5		
<b>CUTTING WIDTH</b>	48 IN.	52 IN.	60 IN.
<b>CUTTING HEIGHTS</b>	1.5 IN. - 5.0 IN.		
<b>CUTTING POSITIONS</b>	15		
<b>WHEELS</b>			
<b>FRONT AXLE</b>	SUSPENSION, GREASABLE CASTER FORK TUBES		
<b>FRONT</b>	SMOOTH 13 X 6.50-6		
<b>REAR</b>	TURF 22 X 10-12	TURF 22 X 10.5-12	TURF 22 X 12-12
<b>FEATURES</b>			
<b>SEAT</b>	HIGH BACK COMFORT W/ SUSPENSION & PADDED ARMRESTS		
<b>FOLDABLE ROPS</b>	STANDARD		
<b>MACHINE</b>			
<b>WEIGHT</b>	925 LBS.	931 LBS.	952 LBS.
<b>LENGTH</b>	79 IN.	79 IN.	79 IN.
<b>WIDTH (w/o CHUTE)</b>	50.8 IN.	56.2 IN.	63.7 IN.
<b>WIDTH (w/ CHUTE)</b>	61.9 IN.	67.3 IN.	74.8 IN.
<b>HEIGHT (w/ ROPS EXT/DOWN)</b>	72 IN. / 52 IN.		
<b>WARRANTY</b>			
<b>UNIT</b>	4 YEAR / 750 HOUR LIMITED - SEE YOUR PROFESSIONAL GRAVELY® DEALER FOR COMPLETE WARRANTY DETAILS		
<b>ATTACHMENTS &amp; ACCESSORIES</b>			
MULCHING KIT, OCDB KIT, TRAILER HITCH KIT, LED HEADLIGHT KIT, AGGRESSIVE REAR TIRE KIT, STRIPING KIT, SUNSHADE KIT, POWERED BAGGER KIT, REAR TWEEL KIT, SUSPENSION SEAT KIT, SEMI-PNEUMATIC FRONT TIRE KIT, WHEEL COVER KIT, LASEREDGE BLADES, TUNE UP KIT			

See your professional Gravelly® dealer for complete warranty details.

PRO-TURN® 100					
	148	152	152	160	160
<b>MODEL NUMBER</b>	<b>991128</b>	<b>991129</b>	<b>991132</b>	<b>991130</b>	<b>991133</b>
<b>ENGINE</b>	KAWASAKI® FX691V	KAWASAKI® FX691V	KOHLER® ZT730	KAWASAKI® FX730V	KOHLER® ZT740
<b>HORSEPOWER</b>	22 HP	22 HP	23 HP	23.5 HP	25 HP
<b>DISPLACEMENT</b>	726 CC	726 CC	747 CC	726 CC	747 CC
<b>DRIVE SYSTEM</b>	HYDRO-GEAR® ZT-3400				
<b>FUEL CAPACITY</b>	10 GAL				
<b>GROUND SPEED (Forward/Reverse)</b>	10 MPH / 5 MPH				
<b>DECK</b>					
<b>DECK MATERIAL</b>	7 GA. STEEL W/ 1/4 IN. SPINDLE REINFORCEMENT				
<b>DECK CONSTRUCTION</b>	FABRICATED				
<b>NUMBER OF SPINDLES</b>	3				
<b>BLADE TIP SPEED (FPM)</b>	18,000				
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM				
<b>SPINDLE BEARINGS</b>	BALL BEARING				
<b>DECK ENGAGEMENT</b>	OGURA® GT 2.75				
<b>CUTTING WIDTH</b>	48 IN.	52 IN.	52 IN.	60 IN.	60 IN.
<b>CUTTING HEIGHTS</b>	1.0 IN. - 5.0 IN.				
<b>CUTTING POSITIONS</b>	17				
<b>WHEELS</b>					
<b>FRONT AXLE</b>	FIXED, GREASEABLE CASTER FORK TUBES				
<b>FRONT</b>	SMOOTH 13 X 6.50 - 6				
<b>REAR</b>	TURF 23 X 10.50 - 12				
<b>FEATURES</b>					
<b>SEAT</b>	SUSPENSION PLUSH SEAT WITH ARM RESTS				
<b>FOLDABLE ROPS</b>	STANDARD				
<b>MACHINE</b>					
<b>WEIGHT</b>	1062 LBS.	1079 LBS.	1068 LBS.	1121 LBS.	1110 LBS.
<b>LENGTH</b>	78.5 IN.	78.5 IN.	78.5 IN.	78.5 IN.	78.5 IN.
<b>WIDTH (w/o CHUTE)</b>	50 IN.	55.5 IN.	55.5 IN.	63 IN.	63 IN.
<b>WIDTH (w/ CHUTE)</b>	62 IN.	67.5 IN.	67.5 IN.	75 IN.	75 IN.
<b>HEIGHT (w/ ROPS EXT/DOWN)</b>	68 IN. / 48 IN.				
<b>WARRANTY</b>					
<b>UNIT</b>	5 YEAR / 1000 HOUR COMMERCIAL / NO HOUR LIMIT FIRST 2 YEARS - SEE YOUR PROFESSIONAL GRAVELY® DEALER FOR COMPLETE WARRANTY DETAILS				
<b>DECK SHELL &amp; FRAME</b>	LIMITED LIFETIME				
<b>ATTACHMENTS &amp; ACCESSORIES</b>					
MULCHING KIT, TRAILER HITCH KIT, HEADLIGHT KIT, STRIPING KIT, SUNSHADE KIT, BAGGER KIT, SEMI-PNEUMATIC FRONT TIRE KIT, WHEEL COVER KIT, RADIAL DRIVE CONVERSION KIT, OCDB KIT, LASEREDGE BLADES, TUNE UP KIT					

See your professional Gravelly® dealer for complete warranty details.

PRO-TURN® 300							
	348	352	360	360	360	360	372
<b>MODEL NUMBER</b>	<b>992520</b>	<b>992521</b>	<b>992522</b>	<b>992524</b>	<b>992523</b>	<b>992526</b>	<b>992525</b>
<b>ENGINE</b>	KAWASAKI FX691V	KAWASAKI FX691V	KAWASAKI FX730V	KOHLER ZT740	KAWASAKI FT730 EFI	KAWASAKI FX921V	KAWASAKI FX921V
<b>HORSEPOWER</b>	22 HP	22 HP	23.5 HP	25 HP	26 HP	31 HP	31 HP
<b>DISPLACEMENT</b>	726 CC	726 CC	726 CC	747 CC	726 CC	999 CC	999 CC
<b>DRIVE SYSTEM</b>	PARKER HTJ TRANSMISSION						
<b>FUEL CAPACITY</b>	12.5 GAL						
<b>GROUND SPEED (Forward/Reverse)</b>	11 MPH / 5 MPH						
<b>DECK</b>							
<b>DECK MATERIAL</b>	7 GA. STEEL WITH .25 IN. SPINDLE REINFORCEMENT						
<b>DECK CONSTRUCTION</b>	X-FACTOR® 3 DECK						
<b>NUMBER OF SPINDLES</b>	3						
<b>BLADE TIP SPEED (FPM)</b>	18,000						
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM						
<b>SPINDLE BEARINGS</b>	BALL BEARING						
<b>DECK ENGAGEMENT</b>	OGURA GT2.75				OGURA GT3.5		
<b>CUTTING WIDTH</b>	48 IN.	52 IN.	60 IN.	60 IN.	60 IN.	60 IN.	72 IN.
<b>CUTTING HEIGHTS</b>	1.0 IN. - 5.5 IN.						
<b>CUTTING POSITIONS</b>	19						
<b>WHEELS</b>							
<b>FRONT AXLE</b>	FIXED, GREASEABLE CASTER FORK TUBES						
<b>FRONT</b>	SMOOTH 15 X 6-6 PNEUMATIC						
<b>REAR</b>	24 X 12-16 BIAS PLY TURF						
<b>FEATURES</b>							
<b>SEAT</b>	SUSPENSION PLUSH SEAT WITH ARM RESTS						
<b>FOLDABLE ROPS</b>	STANDARD						
<b>MACHINE</b>							
<b>WEIGHT</b>	1235 LBS.	1320 LBS.	1347 LBS.	1333 LBS.	1347 LBS.	1350 LBS.	1472 LBS.
<b>LENGTH</b>	84 IN.	84 IN.	84 IN.	84 IN.	84 IN.	84 IN.	86.2 IN.
<b>WIDTH (w/o CHUTE)</b>	51 IN.	55 IN.	63 IN.	63 IN.	63 IN.	63 IN.	75 IN.
<b>WIDTH (w/ CHUTE)</b>	63 IN.	67 IN.	75 IN.	75 IN.	75 IN.	75 IN.	87 IN.
<b>HEIGHT (w/ ROPS EXT/DOWN)</b>	76.0 IN. / 47.8 IN.						
<b>WARRANTY</b>							
<b>UNIT</b>	5 YEAR / 1250 HOUR COMMERCIAL / NO HOUR LIMIT FIRST 2 YEARS - SEE YOUR PROFESSIONAL GRAVELY DEALER FOR COMPLETE WARRANTY DETAILS						
<b>DECK SHELL &amp; FRAME</b>	LIMITED LIFETIME						
<b>ATTACHMENTS &amp; ACCESSORIES</b>							
MULCHING KIT, ELECTRIC DECK LIFT KIT, TRAILER KIT KIT, LED HEADLIGHT KIT, POWERED BAGGER KIT, OCDC KIT, SUNSHADE KIT, REAR TWEEL KIT, RADIAL DRIVE CONVERSION KIT, WHEEL COVER KIT, LASEREDGE BLADE KIT, TUNE UP KIT							

See your professional Gravelly® dealer for complete warranty details.

PRO-TURN® MACH ONE		60
<b>MODEL NUMBER</b>	<b>992515</b>	
<b>ENGINE</b>	KAWASAKI® FX921V	
<b>HORSEPOWER</b>	31 HP	
<b>DISPLACEMENT</b>	999 CC	
<b>DRIVE SYSTEM</b>	PARKER HTG TRANSMISSION	
<b>FUEL CAPACITY</b>	12.5 GAL	
<b>GROUND SPEED (Forward/Reverse)</b>	15 MPH / 6 MPH	
<b>DECK</b>		
<b>DECK MATERIAL</b>	7 GA. STEEL W/ .25 IN. SPINDLE REINFORCEMENT	
<b>DECK CONSTRUCTION</b>	HIGH-VOLUME OUTPUT DECK	
<b>NUMBER OF SPINDLES</b>	3	
<b>BLADE TIP SPEED (FPM)</b>	18,000	
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM	
<b>SPINDLE BEARINGS</b>	BALL BEARING	
<b>DECK ENGAGEMENT</b>	OGURA® GT3.5 ELECTRIC CLUTCH	
<b>CUTTING WIDTH</b>	60 IN.	
<b>CUTTING HEIGHTS</b>	1.5 IN. - 5.5 IN.	
<b>CUTTING POSITIONS</b>	19	
<b>WHEELS</b>		
<b>FRONT AXLE</b>	FIXED, GREASEABLE CASTER FORK TUBES	
<b>FRONT</b>	SMOOTH 15 X 6-6 SEMI PNEUMATIC	
<b>REAR</b>	26 X 12-16 RADIAL TURF	
<b>FEATURES</b>		
<b>SEAT</b>	HIGH BACK COMFORT W/ FULL SUSPENSION AND PADDED ARMRESTS	
<b>FOLDABLE ROPS</b>	STANDARD	
<b>MACHINE</b>		
<b>WEIGHT</b>	1486 LBS.	
<b>LENGTH</b>	86.2 IN.	
<b>WIDTH (W/ CHUTE UP/DOWN)</b>	61 IN. / 74.6 IN.	
<b>HEIGHT (W/ ROPS EXT/DOWN)</b>	75 IN. / 47.75 IN.	
<b>WARRANTY</b>		
<b>UNIT</b>	5 YEAR / 1500 HOUR COMMERCIAL / NO HOUR LIMIT FIRST TWO YEARS - SEE YOUR PROFESSIONAL GRAVELY® DEALER FOR COMPLETE WARRANTY DETAILS	
<b>ATTACHMENTS &amp; ACCESSORIES</b>		
MULCHING KIT, ELECTRIC DECK LIFT KIT, TRAILER KIT KIT, LED HEADLIGHT KIT, POWERED BAGGER KIT, OCDC KIT, SUNSHADE KIT, REAR TWEEL KIT, RADIAL DRIVE CONVERSION KIT, WHEEL COVER KIT, LASEREDGE BLADE KIT, TUNE UP KIT		

See your professional Gravelly® dealer for complete warranty details.

PRO-TURN® 500							
	552	552	560	560	560	572	572
<b>MODEL NUMBER</b>	<b>992510</b>	<b>992513</b>	<b>992511</b>	<b>992514</b>	<b>992516</b>	<b>992518</b>	<b>992512</b>
<b>ENGINE</b>	KAWASAKI FX850V	KOHLER ZT740	KAWASAKI FX921V	KOHLER ZT740	KAWASAKI 850V EFI	KAWASAKI 850V EFI	KAWASAKI FX921V
<b>HORSEPOWER</b>	27 HP	25 HP	31 HP	25 HP	29.5 HP	29.5 HP	31 HP
<b>DISPLACEMENT</b>	852 CC	747 CC	999 CC	747 CC	852 CC	852 CC	999 CC
<b>DRIVE SYSTEM</b>	PARKER HTG TRANSMISSION						
<b>FUEL CAPACITY</b>	12.5 GAL						
<b>GROUND SPEED (Forward/Reverse)</b>	15 MPH / 6 MPH						
<b>DECK</b>							
<b>DECK MATERIAL</b>	7 GA. STEEL WITH .25 IN. SPINDLE REINFORCEMENT						
<b>DECK CONSTRUCTION</b>	X-FACTOR® 3 DECK						
<b>NUMBER OF SPINDLES</b>	3						
<b>BLADE TIP SPEED (FPM)</b>	18,000						
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM						
<b>SPINDLE BEARINGS</b>	BALL BEARING						
<b>DECK ENGAGEMENT</b>	OGURA® GT3.5						
<b>CUTTING WIDTH</b>	52 IN.	52 IN.	60 IN.	60 IN.	60 IN.	72 IN.	72 IN.
<b>CUTTING HEIGHTS</b>	1.0 IN. - 5.5 IN.						
<b>CUTTING POSITIONS</b>	19						
<b>WHEELS</b>							
<b>FRONT AXLE</b>	FIXED, GREASEABLE CASTER FORK TUBES						
<b>FRONT</b>	SMOOTH 15 X 6-6 SEMI PNEUMATIC						
<b>REAR</b>	26 X 12-16 RADIAL TURF						
<b>FEATURES</b>							
<b>PLUSH SEAT WITH ARM RESTS</b>	AIR RIDE	ISOLATED SUSPENSION	AIR RIDE	ISOLATED SUSPENSION	ISOLATED SUSPENSION	ISOLATED SUSPENSION	AIR RIDE
<b>FOLDABLE ROPS</b>	STANDARD						
<b>MACHINE</b>							
<b>WEIGHT</b>	1447 LBS.	1423 LBS.	1487 LBS.	1463 LBS.	1477 LBS.	1580 LBS.	1580 LBS.
<b>LENGTH</b>	84 IN.	84 IN.	84 IN.	84 IN.	86.2 IN.	86.2 IN.	86.2 IN.
<b>WIDTH (w/o CHUTE)</b>	51 IN.	51 IN.	63 IN.	63 IN.	63 IN.	75 IN.	75 IN.
<b>WIDTH (w/ CHUTE)</b>	63 IN.	63 IN.	75 IN.	75 IN.	75 IN.	87 IN.	87 IN.
<b>HEIGHT (w/ ROPS EXT/DOWN)</b>	76.0 IN./47.8 IN.						
<b>WARRANTY</b>							
<b>UNIT</b>	5 YEAR/1500 HOUR COMMERCIAL/NO HOUR LIMIT FIRST 2 YEARS- SEE YOUR PROFESSIONAL GRAVELY DEALER FOR COMPLETE WARRANTY DETAILS						
<b>DECK SHELL &amp; FRAME</b>	LIMITED LIFETIME						
<b>ATTACHMENTS &amp; ACCESSORIES</b>							
MULCHING KIT, ELECTRIC DECK LIFT KIT, TRAILER KIT KIT, LED HEADLIGHT KIT, POWERED BAGGER KIT, OCDC KIT, SUNSHADE KIT, REAR TWEEL KIT, RADIAL DRIVE CONVERSION KIT, WHEEL COVER KIT, LASEREDGE BLADE KIT, TUNE UP KIT							

See your professional Gravelly® dealer for complete warranty details.

PRO-TURN® 600					
	652	660	660	672	672
<b>MODEL NUMBER</b>	<b>992500</b>	<b>992501</b>	<b>992503</b>	<b>992502</b>	<b>992504</b>
<b>ENGINE</b>	KAWASAKI® FX850V	KAWASAKI® FX1000	KAWASAKI® FX1000V-EFI	KAWASAKI® FX1000	KAWASAKI® FX1000V-EFI
<b>HORSEPOWER</b>	27 HP	35 HP	38.5 HP	35 HP	38.5 HP
<b>DISPLACEMENT</b>	852 CC	999 CC	999 CC	999 CC	999 CC
<b>DRIVE SYSTEM</b>	PARKER HTG TRANSMISSION				
<b>FUEL CAPACITY</b>	12.5 GAL				
<b>GROUND SPEED (Forward/Reverse)</b>	15 MPH / 6 MPH				
<b>DECK</b>					
<b>DECK MATERIAL</b>	7 GA. STEEL WITH .25 IN. SPINDLE REINFORCEMENT				
<b>DECK CONSTRUCTION</b>	FABRICATED X-FACTOR III				
<b>NUMBER OF SPINDLES</b>	3				
<b>BLADE TIP SPEED (FPM)</b>	18,000				
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM				
<b>SPINDLE BEARINGS</b>	BALL BEARING				
<b>DECK ENGAGEMENT</b>	OGURA® GT3.5				
<b>CUTTING WIDTH</b>	52 IN.	60 IN.	60 IN.	72 IN.	72 IN.
<b>CUTTING HEIGHTS</b>	1.0 IN. - 5.5 IN.				
<b>CUTTING POSITIONS</b>	19				
<b>WHEELS</b>					
<b>FRONT AXLE</b>	FIXED, GREASEABLE CASTER FORK TUBES				
<b>FRONT</b>	SMOOTH 15 X 6-6 SEMI PNEUMATIC				
<b>REAR</b>	26 X 12-16 LOW PROFILE RADIAL TURF				
<b>FEATURES</b>					
<b>SEAT</b>	HIGH BACK BOLSTERED SEAT WITH OPERATOR POD SUSPENSION SYSTEM				
<b>FOLDABLE ROPS</b>	STANDARD				
<b>MACHINE</b>					
<b>WEIGHT</b>	1535 LBS.	1586 LBS.	1601 LBS.	1646 LBS.	1661 LBS.
<b>LENGTH</b>	83 IN.	83 IN.	83 IN.	83 IN.	83 IN.
<b>WIDTH (w/o CHUTE)</b>	55 IN.	63 IN.	63 IN.	75 IN.	75 IN.
<b>WIDTH (w/ CHUTE)</b>	63 IN.	75 IN.	75 IN.	87 IN.	87 IN.
<b>HEIGHT (w/ ROPS EXT/DOWN)</b>	71.5 IN / 47.8 IN				
<b>WARRANTY</b>					
<b>UNIT</b>	5 YEAR / 1500 HOUR COMMERCIAL / NO HOUR LIMIT FIRST 2 YEARS - SEE YOUR PROFESSIONAL GRAVELY® DEALER FOR COMPLETE WARRANTY DETAILS				
<b>DECK SHELL &amp; FRAME</b>	LIMITED LIFETIME				
<b>ATTACHMENTS &amp; ACCESSORIES</b>					
MULCHING KIT, TRAILER HITCH KIT, LED HEADLIGHT KIT, STRIPING KIT, POWERED BAGGER KIT, OCDB KIT, SUNSHADE KIT, REAR TWEEL KIT, SEMI-PNEUMATIC FRONT TIRE KIT, RADIAL DRIVE CONVERSION KIT, WHEEL COVER KIT, AIR RIDE SEAT KIT, LASEREDGE BLADES, TUNE UP KIT, OCDB KIT, SUNSHADE KIT, REAR TWEEL KIT, SEMI-PNEUMATIC FRONT TIRE KIT, RADIAL DRIVE CONVERSION KIT, WHEEL COVER KIT, AIR RIDE SEAT KIT, LASEREDGE BLADES, TUNE UP KIT					

See your professional Gravelly® dealer for complete warranty details.

PRO-TURN® EV	EV 48 SD	EV 48 RD	EV 52 SD	EV 52 RD	EV 60 SD	EV 60 RD
<b>MODEL NUMBER</b>	<b>997005</b>	<b>997008</b>	<b>997006</b>	<b>997009</b>	<b>997007</b>	<b>997010</b>
<b>BATTERIES</b>	4 - 16 KWH FUSION CORE LITHIUM ION					
<b>WHEEL DRIVE MOTORS</b>	5 KW PER MOTOR					
<b>SPINDLE MOTORS</b>	3.5 KW PER MOTOR					
<b>DRIVE SYSTEM</b>	PROPRIETARY ELECTRIC TRANSAXLES					
<b>GROUND SPEED (Forward/Reverse)</b>	8 MPH / 4MPH (LOW SPEED) – <b>11 MPH / 5.5 MPH (HIGH SPEED)</b>					
<b>DECK</b>						
<b>DECK MATERIAL</b>	7 GA.					
<b>DECK CONSTRUCTION</b>	X-FACTOR 3® DECK					
<b>NUMBER OF SPINDLES</b>	3					
<b>BLADE TIP SPEED (FPM)</b>	18,000					
<b>SPINDLE HOUSING MATERIAL</b>	CAST ALUMINUM					
<b>SPINDLE BEARINGS</b>	SERVICEABLE BOTTOM BEARING					
<b>DECK ENGAGEMENT</b>	ELECTRIC DC BRUSHLESS MOTORS					
<b>CUTTING WIDTH</b>	48 IN.	48 IN.	52 IN.	52 IN.	60 IN.	60 IN.
<b>CUTTING HEIGHTS</b>	1.5 IN. - 5.0 IN.					
<b>CUTTING POSITIONS</b>	15					
<b>WHEELS</b>						
<b>FRONT AXLE</b>	FIXED, GREASEABLE CASTER FORK TUBES					
<b>FRONT</b>	SMOOTH 13 X 6.5-6					
<b>REAR</b>	RADIAL TURF 22 X 10-12		RADIAL TURF 22 X 10.5-12		RADIAL TURF 22 X 12-12	
<b>FEATURES</b>						
<b>SEAT</b>	HIGH BACK COMFORT WITH SUSPENSION					
<b>FOLDABLE ROPS</b>	STANDARD					
<b>MACHINE</b>						
<b>WEIGHT</b>	1261 LBS.	1286 LBS.	1284 LBS.	1301 LBS.	1312 LBS.	1326 LBS.
<b>LENGTH</b>	83 IN.	83 IN.	83 IN.	83 IN.	83 IN.	83 IN.
<b>WIDTH (w/o CHUTE)</b>	50 IN.	50 IN.	56 IN.	54 IN.	63 IN.	64 IN.
<b>WIDTH (w/ CHUTE)</b>	62 IN.	50 IN.	67 IN.	54 IN.	75 IN.	62 IN.
<b>HEIGHT (w/ ROPS EXT/DOWN))</b>	72 IN / 49 IN.					
<b>WARRANTY</b>						
<b>UNIT</b>	5 YEAR / 1500 HOUR COMMERCIAL / NO HOUR LIMIT FIRST 2 YEARS - SEE YOUR PROFESSIONAL GRAVELY® DEALER FOR COMPLETE WARRANTY DETAILS					
<b>ATTACHMENTS &amp; ACCESSORIES</b>						
FUSIONCORE OFF BOARD PORTABLE CHARGER, REPLACEMENT BATTERIES, MULCHING KIT, LED HEADLIGHT KIT, BEACON LIGHT KIT, FAST CHARGE KIT WITH Y HARNESS, HIGH-LIFT BLADE KIT, OCDB KIT, FRONT CASTOR SUSPENSION FORKS, REAR TWEEL KIT, FRONT WEIGHT KIT						

See your professional Gravelly® dealer for complete warranty details.

PRO-STANCE® EV	48SD	48RD	52SD	52RD	60SD	60RD
<b>MODEL NUMBER</b>	<b>998001</b>	<b>998004</b>	<b>998002</b>	<b>998005</b>	<b>998003</b>	<b>998006</b>
<b>BATTERIES</b>	4 - 16 KWH FUSION CORE LITHIUM ION					
<b>SPINDLE MOTORS</b>	5 KW PER MOTOR					
<b>DRIVE SYSTEM</b>	PROPRIETARY ELECTRIC TRANSAXLES					
<b>GROUND SPEED (Forward/Reverse)</b>	8 MPH / 4MPH (LOW SPEED) – <b>11 MPH / 5.5 MPH (HIGH SPEED)</b>					
<b>DECK</b>						
<b>DECK MATERIAL</b>	7 GA. STEEL					
<b>DECK CONSTRUCTION</b>	X-FACTOR® 3 DECK					
<b>NUMBER OF SPINDLES</b>	3					
<b>BLADE TIP SPEED (FPM)</b>	18,000					
<b>SPINDLE HOUSING MATERIAL</b>	CAST ALUMINUM					
<b>SPINDLE BEARINGS</b>	SERVICEABLE BOTTOM BEARING					
<b>DECK ENGAGEMENT</b>	ELECTRIC DC BRUSHLESS MOTORS					
<b>CUTTING WIDTH</b>	48 IN.		52 IN.		60 IN.	
<b>DISCHARGE</b>	SIDE	REAR	SIDE	REAR	SIDE	REAR
<b>CUTTING HEIGHTS</b>	1.5 IN. - 5.0 IN.					
<b>CUTTING POSITIONS</b>	15					
<b>WHEELS</b>						
<b>FRONT AXLE</b>	FIXED, GREASABLE CASTER FORK TUBES					
<b>FRONT</b>	SMOOTH 13 X 6.5-6 SEMI-PNEUMATIC					
<b>REAR</b>	20 X 10.5-8 TURF					
<b>MACHINE</b>						
<b>WEIGHT</b>	1204 LBS.	1203 LBS.	1240 LBS.	1236 LBS.	1265 LBS.	1264 LBS.
<b>LENGTH</b>	74.5 IN.	74.5 IN.	74.5 IN.	74.5 IN.	74.5 IN.	74.5 IN.
<b>WIDTH (w/o CHUTE)</b>	50 IN.	50 IN.	56 IN.	54 IN.	63 IN.	62 IN.
<b>WIDTH (w/ CHUTE)</b>	62 IN.	50 IN.	67 IN.	54 IN.	75 IN.	62 IN.
<b>HEIGHT</b>	46.0 IN.					
<b>WARRANTY</b>						
<b>UNIT</b>	5 YEAR/1500 HOUR COMMERCIAL/3 YEAR BATTERY- SEE YOUR PROFESSIONAL GRAVELY DEALER FOR COMPLETE WARRANTY DETAILS					
<b>ATTACHMENTS &amp; ACCESSORIES</b>						
MULCHING KIT, OCDB KIT, HEADLIGHT KIT, TRIMMER MOUNT KIT, PACK BLOWER MOUNT KIT, BUCKET MOUNT KIT, REAR TWEEL KIT, HIGH LIFT BLADES, BEACON LIGHT KIT, GRASS CATCHER						

See your professional Gravelly® dealer for complete warranty details.

PRO-STANCE®							
	32	36	48	52	52	60	60
<b>MODEL NUMBER</b>	<b>994157</b>	<b>994149</b>	<b>994161</b>	<b>994162</b>	<b>994163</b>	<b>994164</b>	<b>994165</b>
<b>ENGINE</b>	KAWASAKI® FS600V	KAWASAKI® FS600V	KAWASAKI® FX730V	KAWASAKI® FX730V	KAWASAKI® FT730V-EFI	KAWASAKI® FX730V	KAWASAKI® FT730V-EFI
<b>HORSEPOWER</b>	18.5		23.5 HP	23.5 HP	26 HP	23.5 HP	26 HP
<b>DISPLACEMENT</b>	603 CC		726 CC	726 CC	726 CC	726 CC	726 CC
<b>DRIVE SYSTEM</b>	HYDRO-GEAR® ZT-3100		HYDRO-GEAR® ZT-3400				
<b>FUEL CAPACITY</b>	6 GAL		9 GAL				
<b>GROUND SPEED (Forward/Reverse)</b>	8 MPH / 3 MPH		9 MPH / 4 MPH				
<b>DECK</b>							
<b>DECK MATERIAL</b>	7 GA.						
<b>DECK CONSTRUCTION</b>	FABRICATED						
<b>NUMBER OF SPINDLES</b>	2		3				
<b>BLADE TIP SPEED (FPM)</b>	18,220		18,000				
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM						
<b>SPINDLE BEARINGS</b>	BALL BEARING						
<b>DECK ENGAGEMENT</b>	OGURA 2.75 ELECTRIC CLUTCH						
<b>DECK LIFT SYSTEM</b>	MANUAL						
<b>CUTTING WIDTH</b>	32 IN.	36 IN.	48 IN.	52 IN.	52 IN.	60 IN.	60 IN.
<b>CUTTING HEIGHTS</b>	1.5 IN. - 5.0 IN.						
<b>CUTTING POSITIONS</b>	15						
<b>WHEELS</b>							
<b>FRONT AXLE</b>	RIGID						
<b>FRONT</b>	11 X 4.00-5 SEMI-PNEUMATIC		13 X 6.50-6 SEMI-PNEUMATIC				
<b>REAR</b>	36": 18 X 8.50-8 RADIAL		20 X 10.50 - 8 RADIAL				
<b>MACHINE</b>							
<b>WEIGHT</b>	750 LBS.	784 LBS.	995 LBS.	1015 LBS.	1015 LBS.	1043 LBS.	1048 LBS.
<b>LENGTH</b>	59.5 IN.	59.5 IN.	60.63 IN.	60.63 IN.	60.63 IN.	62 IN.	62 IN.
<b>WIDTH (w/o CHUTE)</b>	33.5 IN.	36.5 IN.	50 IN.	55.5 IN.	55.5 IN.	63 IN.	63 IN.
<b>WIDTH (w/ CHUTE)</b>	49 IN.	49 IN.	62.25 IN.	67.75 IN.	67.75 IN.	75.25 IN.	75.25 IN.
<b>HEIGHT</b>	48 IN.						
<b>WARRANTY</b>							
<b>UNIT</b>	5 YEAR / 1000 HOUR COMMERCIAL / NO HOUR LIMIT FIRST 2 YEARS - SEE YOUR PROFESSIONAL GRAVELY® DEALER FOR COMPLETE WARRANTY DETAILS						
<b>DECK SHELL &amp; FRAME</b>	LIMITED LIFETIME						
<b>ATTACHMENTS &amp; ACCESSORIES</b>							
MULCHING KIT, OCDB KIT, HEADLIGHT KIT, TRIMMER MOUNT KIT, PACK BLOWER MOUNT KIT, BUCKET MOUNT KIT, REAR TWEEL KIT, LASEREDGE BLADES, TUNE UP KIT							

See your professional Gravelly® dealer for complete warranty details.

Z-STANCE®			
	32	48	52
<b>MODEL NUMBER</b>	<b>994160</b>	<b>994159</b>	<b>994158</b>
<b>ENGINE</b>	KAWASAKI® FS600V	KAWASAKI® FS65 V	
<b>HORSEPOWER</b>	18.5 HP	22 HP	
<b>DISPLACEMENT</b>	603 CC	726 CC	
<b>DRIVE SYSTEM</b>	HYDRO-GEAR® ZT-3100		
<b>FUEL CAPACITY</b>	4.5 GAL.		
<b>GROUND SPEED (Forward/Reverse)</b>	7 MPH / 3 MPH		
<b>DECK</b>			
<b>DECK MATERIAL</b>	7 GA.	10 GA.	
<b>DECK CONSTRUCTION</b>	X-FACTOR® II	X-FACTOR® 3	
<b>NUMBER OF SPINDLES</b>	2	3	
<b>BLADE TIP SPEED (FPM)</b>	18,000	18,000	18,000
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM		
<b>SPINDLE SHAFT</b>	STEEL		
<b>SPINDLE BEARINGS</b>	BALL BEARING		
<b>DECK ENGAGEMENT</b>	ELECTRIC CLUTCH		
<b>DECK LIFT SYSTEM</b>	MANUAL		
<b>CUTTING WIDTH</b>	32 IN.	48 IN.	52 IN.
<b>CUTTING HEIGHTS</b>	2.0 IN. - 5.0 IN.	1.5 IN. - 5.0 IN.	
<b>CUTTING POSITIONS</b>	13	15	
<b>WHEELS</b>			
<b>FRONT</b>	11 X 5-6 PNEUMATIC		
<b>REAR</b>	20 X 6.50 - 8 TURF		
<b>MACHINE</b>			
<b>WEIGHT</b>	669 LBS.	744 LBS.	763 LBS.
<b>LENGTH</b>	65.5 IN.	65.5 IN.	65.5 IN.
<b>WIDTH (w/o CHUTE)</b>	32.8 IN.	49.5 IN.	55 IN.
<b>WIDTH (w/ CHUTE)</b>	44.8 IN.	61 IN.	66.75 IN.
<b>HEIGHT</b>	47.5 IN.		
<b>WARRANTY</b>			
<b>UNIT</b>	4 YEAR / 500 HOUR COMMERCIAL		
<b>ATTACHMENTS &amp; ACCESSORIES</b>			
MULCHING KIT, OPERATOR CONTROLLED DISCHARGE BAFFLE, HEADLIGHT KIT, TWEEL KIT, BLADE KIT, GRASS CATCHER			

See your professional Gravelly® dealer for complete warranty details.

PRO-WALK®				
	36	48	52	60
<b>MODEL NUMBER</b>	<b>988184</b>	<b>988185</b>	<b>988186</b>	<b>988187</b>
<b>ENGINE</b>	KAWASAKI® FS481V	KAWASAKI® FS600V	KAWASAKI® FS600V	KAWASAKI® FS691V
<b>HORSEPOWER</b>	14.5 HP	18.5 HP	18.5 HP	23 HP
<b>DISPLACEMENT</b>	603 CC	603 CC	603 CC	726 CC
<b>DRIVE SYSTEM</b>	HYDRO-GEAR® ZT-2800			
<b>FUEL CAPACITY</b>	5.8 GAL.			
<b>GROUND SPEED (Forward/Reverse)</b>	8 MPH / 3 MPH			
<b>DECK</b>				
<b>DECK MATERIAL</b>	10 GA.			
<b>DECK CONSTRUCTION</b>	FABRICATED			
<b>NUMBER OF SPINDLES</b>	2	3	3	3
<b>BLADE TIP SPEED (FPM)</b>	18,000			
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM			
<b>SPINDLE BEARINGS</b>	BALL BEARING			
<b>DECK ENGAGEMENT</b>	OGURA GT1A CLUTCH			
<b>DECK LIFT SYSTEM</b>	MANUAL			
<b>CUTTING WIDTH</b>	36 IN.	48 IN.	52 IN.	60 IN.
<b>CUTTING HEIGHTS</b>	1.5 IN - 4.5 IN	1.5 IN - 5.0 IN	1.5 IN - 5.0 IN	1.5 IN - 5.0 IN
<b>CUTTING POSITIONS (1/4 IN. Increments)</b>	13	15	15	15
<b>WHEELS</b>				
<b>FRONT AXLE</b>	N/A			
<b>FRONT WHEELS</b>	11 X 4-5 SEMI-PNEUMATIC			
<b>REAR WHEELS</b>	21 X 7-10	20 X 8-10		
<b>MACHINE</b>				
<b>WEIGHT</b>	701 LBS	740 LBS	770 LBS	795 LBS
<b>LENGTH</b>	64 IN	69 IN	71 IN	71.8 IN
<b>WIDTH (w/o CHUTE)</b>	36.8 IN	50.1 IN	55.5 IN	63 IN
<b>WIDTH (w/ CHUTE)</b>	48.3 IN	62.2 IN	67.6 IN	75.1 IN
<b>HEIGHT</b>	45 IN			
<b>WARRANTY</b>				
<b>UNIT</b>	4 YEAR / 750 HOUR - NO HOUR LIMIT FIRST 2 YEARS			
<b>DECK SHELL &amp; FRAME</b>	N/A			
<b>ATTACHMENTS &amp; ACCESSORIES</b>				
MULCHING KIT, GRASS COLLECTOR, SINGLE WHEEL SULKY, TWO WHEEL SULKY, HEADLIGHT KIT, OCDB KIT, LASEREDGE BLADE KIT				

See your professional Gravelly® dealer for complete warranty details.

ZT X					
	42	42	48	52	52
<b>MODEL NUMBER</b>	<b>918007</b>	<b>918008</b>	<b>918009</b>	<b>918010</b>	<b>918011</b>
<b>ENGINE</b>	KOHLER® KT730	KAWASAKI® FR651V	KAWASAKI® FR651V	KOHLER® KT730	KAWASAKI® FR691V
<b>HORSEPOWER</b>	23 HP	21.5 HP	21.5 HP	23 HP	23 HP
<b>DISPLACEMENT</b>	725 CC	726 CC	726 CC	725 CC	726 CC
<b>DRIVE SYSTEM</b>	HYDRO-GEAR® SERVICEABLE EZT® TRANSAXLES				
<b>FUEL CAPACITY</b>	3.5 GAL				
<b>GROUND SPEED (Forward/Reverse)</b>	7 MPH / 3 MPH				
<b>DECK</b>					
<b>DECK MATERIAL</b>	11 GA. STEEL				
<b>DECK CONSTRUCTION</b>	FABRICATED X-FACTOR®				
<b>NUMBER OF SPINDLES</b>	3				
<b>BLADE TIP SPEED (FPM)</b>	18,000				
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM				
<b>DECK ENGAGEMENT</b>	ELECTRIC WARNER				
<b>DECK LIFT SYSTEM</b>	FOOT OPERATED				
<b>CUTTING WIDTH</b>	42 IN.	42 IN.	48 IN.	52 IN.	52 IN.
<b>CUTTING HEIGHT</b>	1.5 IN. - 4.5 IN.				
<b>CUTTING POSITIONS</b>	13				
<b>WHEELS</b>					
<b>FRONT</b>	11 X 6 - 5 SMOOTH PNEUMATIC				
<b>REAR</b>	20 X 8 - 8 K808 AGGRESIVE TREAD TURF TIRES		20 X 10 - 8 K808 AGGRESIVE TREAD TURF TIRES		
<b>FEATURES</b>					
<b>SEAT</b>	22 IN. PLUSH HIGH BACK W/ARM RESTS & SEAT SLIDER STANDARD				
<b>CONTROL ARMS</b>	TOOLLESS QUICK ADJUST				
<b>LIGHTING</b>	DUAL HIGH INTENSITY LED				
<b>USB PORT</b>	DUAL USB-A				
<b>FLOOR PLATE</b>	TOOLLESS FLIP UP WITH ACCESSORY TRAY				
<b>HOUR METER</b>	STANDARD				
<b>MACHINE</b>					
<b>WEIGHT</b>	669 LBS.	667 LBS.	679 LBS.	691 LBS.	695 LBS.
<b>LENGTH</b>	74.5 IN.	74.5 IN.	74.5 IN.	74.5 IN.	74.5 IN.
<b>WIDTH (w/o CHUTE)</b>	45.1 IN.	45.1 IN.	51.1 IN.	55.6 IN.	55.6 IN.
<b>WIDTH (w/ CHUTE)</b>	56.2 IN.	56.2 IN.	62.3 IN.	66.7 IN.	66.7 IN.
<b>HEIGHT</b>	46 IN.				
<b>WARRANTY</b>					
<b>UNIT</b>	3 YEARS OR 300 HOURS - SEE YOUR PROFESSIONAL GRAVELLY® DEALER FOR COMPLETE WARRANTY DETAILS				
<b>ATTACHMENTS &amp; ACCESSORIES</b>					
2-BUCKET NON-POWERED BAGGER, POWERED BAGGER CONVERSION KIT, MULCH KIT, SEAT ISOLATOR KIT, TRAILER HITCH KIT, LAWN STRIPING KIT, DECK LIFT SPRING ASSIST KIT, TRANSPORT LOCK KIT, TOOL HOLDER, KICK MAT, 8" WHEEL COVERS, EQUIPMENT COVER, SEAT COVER, CAMO SEAT COVER, LASEREDGE BLADE KIT, ENTRY ASSIST HANDLE KIT, KAWASAKI TUNE UP KIT, KOHLER TUNE UP KIT					

See your professional Gravelly® dealer for complete warranty details.



ZT XL	42	48	52	52	60
<b>MODEL NUMBER</b>	<b>918012</b>	<b>918013</b>	<b>918014</b>	<b>918015</b>	<b>918016</b>
<b>ENGINE</b>	KAWASAKI® FR651V	KAWASAKI® FR691V	KOHLER® KT740 SERIES	KAWASAKI® FR691V	KAWASAKI® FR730V
<b>HORSEPOWER</b>	21.5 HP	23 HP	25 HP	23 HP	24 HP
<b>DISPLACEMENT</b>	726 CC	726 CC	725 CC	726 CC	726 CC
<b>DRIVE SYSTEM</b>	HYDRO-GEAR® ZT-2800® TRANSAXLES				
<b>FUEL CAPACITY</b>	3.5 GAL				
<b>GROUND SPEED (Forward/Reverse)</b>	7 MPH / 3 MPH				
<b>DECK</b>					
<b>DECK MATERIAL</b>	11 GA. STEEL				
<b>DECK CONSTRUCTION</b>	FABRICATED X-FACTOR®				
<b>NUMBER OF SPINDLES</b>	3				
<b>BLADE TIP SPEED (FPM)</b>	18,000				
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM				
<b>DECK ENGAGEMENT</b>	ELECTRIC WARNER				
<b>DECK LIFT SYSTEM</b>	FOOT OPERATED				
<b>CUTTING WIDTH</b>	42 IN.	48 IN.	52 IN.	52 IN.	60 IN.
<b>CUTTING HEIGHT</b>	1.5 IN. - 4.5 IN.				
<b>CUTTING POSITIONS</b>	13				
<b>WHEELS</b>					
<b>FRONT</b>	11 X 6 - 5 SMOOTH PNEUMATIC				
<b>REAR</b>	20 X 8 - 8 K3012 AGGRESSIVE TREAD TURF TIRES	20 X 10 - 8 K3012 AGGRESSIVE TREAD TURF TIRES			
<b>FEATURES</b>					
<b>SEAT</b>	22 IN PLUSH HIGH BACK W/ PADDED ARM RESTS AND SEAT ISOLATION				
<b>CONTROL ARMS</b>	TOOL-LESS QUICK ADJUST				
<b>LIGHTING</b>	DUAL HIGH INTENSITY LED				
<b>USB PORT</b>	DUAL USB-A				
<b>FLOOR PLATE</b>	TOOL- LESS FLIP UP WITH ACCESSORY TRAY				
<b>HOUR METER</b>	STANDARD				
<b>MACHINE</b>					
<b>WEIGHT</b>	675 LBS	689 LBS	701 LBS	705 LBS	725 LBS
<b>LENGTH</b>	74.5 IN.	74.5 IN.	74.5 IN.	74.5 IN.	74.5 IN.
<b>WIDTH (w/o CHUTE)</b>	45.1 IN.	51.1 IN.	55.6 IN.	55.6 IN.	63.1 IN.
<b>WIDTH (w/ CHUTE)</b>	56.2 IN.	62.3 IN.	66.7 IN.	66.7 IN.	74.2 IN.
<b>HEIGHT</b>	47 IN.				
<b>WARRANTY</b>					
<b>UNIT</b>	4 YEARS OR 400 HOURS - SEE YOUR PROFESSIONAL GRAVELY® DEALER FOR COMPLETE WARRANTY DETAILS				
<b>ATTACHMENTS &amp; ACCESSORIES</b>					

2-BUCKET NON-POWERED BAGGER, POWERED BAGGER CONVERSION KIT, MULCH KIT, SEAT ISOLATOR KIT, TRAILER HITCH KIT, LAWN STRIPING KIT, DECK LIFT SPRING ASSIST KIT, TRANSPORT LOCK KIT, TOOL HOLDER, KICK MAT, 8" WHEEL COVERS, EQUIPMENT COVER, SEAT COVER, CAMO SEAT COVER, LASEREDGE BLADE KIT, ENTRY ASSIST HANDLE KIT, KAWASAKI TUNE UP KIT, KOHLER TUNE UP KIT

See your professional Gravelly® dealer for complete warranty details.

ZT HD	44	48	48	52	52	60	60
<b>MODEL NUMBER</b>	<b>991266</b>	<b>991268</b>	<b>991274</b>	<b>991270</b>	<b>991276</b>	<b>991272</b>	<b>991278</b>
<b>ENGINE</b>	KAWASAKI® FR651V	KAWASAKI® FR691V	KOHLER® KT740	KAWASAKI® FR691V	KOHLER® KT740	KAWASAKI® FR730V	KOHLER® KT745
<b>HORSEPOWER</b>	21.5 HP	23 HP	25 HP	23 HP	25 HP	24 HP	26 HP
<b>DISPLACEMENT</b>	726 CC	726 CC	725 CC	726 CC	725 CC	726 CC	725 CC
<b>DRIVE SYSTEM</b>	HYDRO-GEAR® ZT-3100® TRANSAXLES						
<b>FUEL CAPACITY</b>	5.0 GAL.						
<b>GROUND SPEED (Forward/Reverse)</b>	8 MPH / 4 MPH						
<b>DECK</b>							
<b>DECK MATERIAL</b>	10 GA.						
<b>DECK CONSTRUCTION</b>	FABRICATED X-FACTOR® 3						
<b>NUMBER OF SPINDLES</b>	3						
<b>BLADE TIP SPEED (FPM)</b>	18,576	18,576	18,576	18,136	18,136	18,464	18,464
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM						
<b>SPINDLE BEARINGS</b>	BALL BEARING						
<b>DECK ENGAGEMENT</b>	ELECTRIC WARNER						
<b>DECK LIFT SYSTEM</b>	FOOT OPERATED						
<b>CUTTING WIDTH</b>	44 IN.	48 IN.	48 IN.	52 IN.	52 IN.	60 IN.	60 IN.
<b>CUTTING HEIGHT</b>	1.5 IN. - 5.0 IN.						
<b>CUTTING POSITIONS</b>	15						
<b>WHEELS</b>							
<b>FRONT</b>	13 X 6.5-6 SMOOTH PNEUMATIC						
<b>REAR</b>	22 X 10-12 TURF			22 X 10.5-12 TURF		22 X 12-12 TURF	
<b>FEATURES</b>							
<b>SEAT</b>	HIGH BACK COMFORT W/ SEAT ISOLATION & PADDED ARM RESTS						
<b>HOUR METER</b>	STANDARD						
<b>MACHINE</b>							
<b>WEIGHT</b>	794 LBS.	802 LBS.	796 LBS.	817 LBS.	804 LBS.	841 LBS.	843 LBS.
<b>LENGTH</b>	79 IN.	79 IN.	79 IN.	79 IN.	79 IN.	79 IN.	79 IN.
<b>WIDTH (w/o CHUTE)</b>	47.6 IN.	50.8 IN.	50.8 IN.	56.2 IN.	56.2 IN.	63.7 IN.	63.7 IN.
<b>WIDTH (w/ CHUTE)</b>	58.8 IN.	61.9 IN.	61.9 IN.	67.3 IN.	67.3 IN.	74.8 IN.	74.8 IN.
<b>HEIGHT</b>	47 IN.						
<b>WARRANTY</b>							
<b>UNIT</b>	4 YEARS OR 500 HOURS - SEE YOUR PROFESSIONAL GRAVELY® DEALER FOR COMPLETE WARRANTY DETAILS						
<b>ATTACHMENTS &amp; ACCESSORIES</b>							

SEAT SPRING KIT, FOLDING ROPS KIT, TRAILER HITCH KIT, POWERED BAGGER KIT, LOWER ROPS BAGGER MOUNT, OCDB KIT, MULCHING KIT, HEADLIGHT KIT, STRIPING KIT, SUNSHADE KIT, SUSPENSION SEAT KIT, FRONT CASTOR SUSPENSION FORKS, REAR TWEEL KIT, SEMI-PNEUMATIC FRONT TIRE KIT, AGGRESSIVE TIRE KIT, WHEEL COVER KIT, LASEREDGE BLADES, TUNE UP KIT

See your professional Gravelly® dealer for complete warranty details.

<b>ZT HD STEALTH®</b>		<b>52</b>
<b>MODEL NUMBER</b>	<b>991271</b>	
<b>ENGINE</b>	KAWASAKI® FR691V	
<b>HORSEPOWER</b>	23 HP	
<b>DISPLACEMENT</b>	726 CC	
<b>DRIVE SYSTEM</b>	HYDRO-GEAR® ZT-3100® TRANSAXLES	
<b>FUEL CAPACITY</b>	5.0 GAL.	
<b>GROUND SPEED (Forward/Reverse)</b>	8 MPH / 4 MPH	
<b>DECK</b>		
<b>DECK MATERIAL</b>	10 GA.	
<b>DECK CONSTRUCTION</b>	FABRICATED X-FACTOR® 3	
<b>NUMBER OF SPINDLES</b>	3	
<b>BLADE TIP SPEED (FPM)</b>	18,136	
<b>SPINDLE HOUSING MATERIAL</b>	FORGED ALUMINUM	
<b>SPINDLE BEARINGS</b>	BALL BEARING	
<b>DECK ENGAGEMENT</b>	ELECTRIC WARNER	
<b>DECK LIFT SYSTEM</b>	FOOT OPERATED	
<b>CUTTING WIDTH</b>	52 IN.	
<b>CUTTING HEIGHT</b>	1.5 IN. - 5.0 IN.	
<b>CUTTING POSITIONS</b>	15	
<b>WHEELS</b>		
<b>FRONT</b>	13 X 6.5-6 SMOOTH PNEUMATIC	
<b>REAR</b>	22 X 11 - 10 KENDA 3012 AGGRESSIVE TREAD TURF	
<b>FEATURES</b>		
<b>SEAT</b>	HIGH BACK, ONE OF A KIND SEAT BUILT FOR COMFORT INCLUDING SEAT ISOLATION AND PADDED ARM RESTS	
<b>HOUR METER</b>	STANDARD	
<b>MACHINE</b>		
<b>WEIGHT</b>	819 LBS.	
<b>LENGTH</b>	79 IN.	
<b>WIDTH (w/o CHUTE)</b>	56.2 IN.	
<b>WIDTH (w/ CHUTE)</b>	67.3 IN.	
<b>HEIGHT</b>	47 IN.	
<b>WARRANTY</b>		
<b>UNIT</b>	4 YEARS OR 500 HOURS - SEE YOUR PROFESSIONAL GRAVELY® DEALER FOR COMPLETE WARRANTY DETAILS	
<b>ATTACHMENTS &amp; ACCESSORIES</b>		
SEAT SPRING KIT, FOLDING ROPS KIT, TRAILER HITCH KIT, POWERED BAGGER KIT, LOWER ROPS BAGGER MOUNT, OCDB KIT, MULCHING KIT, HEADLIGHT KIT, STRIPING KIT, SUNSHADE KIT, SUSPENSION SEAT KIT, FRONT CASTOR SUSPENSION FORKS, REAR TWEEL KIT, SEMI-PNEUMATIC FRONT TIRE KIT, AGGRESSIVE TIRE KIT, WHEEL COVER KIT, LASEREDGE BLADES, TUNE UP KIT		

# WE CUT FINANCING WORRIES DOWN TO SIZE.

We build mowers to mow, not sit on a showroom floor. That's why we provide financing options to make sure these machines are out there working. We have a network of authorized independent finance companies with affordable finance plans. Don't settle for an inferior product. Do the job right with a Gravelly.

[VISIT YOUR LOCAL DEALER TO LEARN MORE.](#)

See your professional Gravelly® dealer for complete warranty details.



VISIT US ONLINE AT [GRAVELLY.COM](https://www.gravelly.com)



Registered trademark and <sup>TM</sup> trademark of AriensCo. Kohler<sup>®</sup>, Kawasaki<sup>®</sup>, Yamaha<sup>®</sup>, Subaru<sup>®</sup> and Hydro-Gear<sup>®</sup> are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit [www.gravelly.com](https://www.gravelly.com) for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of the product; actual product may vary. © Copyright 2023 AriensCo. All rights reserved. 2023

# GRAVELLY