



Brandt



## Industry leading capacity.

Fast, easy, and versatile grain storage. Our wide tunnel design ensures a more uniform grain bag filling operation.



#### **Fill Faster**

Possessing industry leading capacity of up to 30,000 bu/hr, Brandt GrainBag Loaders fill quickly, saving you time at harvest. This incredible capacity is achieved through the combination of the extra-large hopper and Brandt's 20 inch loading auger; allowing you to easily fill from either side without worrying about spilling.

#### **Perfectly Filled Bags- Every Time**

By offering more tunnel room and less restriction, Brandt GrainBag Loaders ensure your bags are filled to capacity consistently. Brandt's wide tunnel design distributes grain more evenly giving your bags the ideal shape and reduces stress on the corners, removing excess oxygen and protecting the grain.

#### **Store More**

Brandt's new 3010HP GrainBag Loader has a specially designed tunnel that can handle bags up to 500 foot long. That extra capacity means you can store up to 22,000 bushels in a single bag so you can spend less time switching bags.

#### **Easy Bag Loading**

The 3010HP has more features included as standard to make bagging easier. Loading bags is smoother than ever with a jib crane to do the heavy lifting while the bag loading apron helps guide the bag into place. Filling bags is also made even easier with the HP thanks to its larger 9' 9" x 7' hopper and easy access platforms.

#### ATTACHMENT OPTIONS

Roll Tarp Work Light Kit Truck Unload Auger Remote Winch\* Second Ladder\* Transport Kit\*

#### STANDARD ON

\* 3010HP GBL

## 8510 GRAINBAG UNLOADER

### **Outstanding unload times.**

Your time is valuable. Spend less of it emptying your grain bags. Designed for durability and capacity, this machine is capable of an impressive 8,500 bushels per hour.



#### **GrainBag Loader 3010**

**TECHNICAL SPECIFICATIONS** 



**30,000** BU/HR



#### **GrainBag Unloader 8510**

TECHNICAL SPECIFICATIONS



8,500 BU/HR



50 HORSEPOWER

#### **Outstanding Performance**

Holding true to the Brandt name the 8510 GrainBag Unloader delivers an outstanding 8,500 bushel per hour capacity while requiring as little as 50 HP to operate. Both of the 8510's augers; the 10 inch diameter cross auger and 17 inch main auger possess Brandt's Extended Life Flighting making these units not only fast but also durable.

#### **Simple and Accessible Operator Controls**

Mounted at ground level for maximum control the Brandt 8510 GrainBag Unloader has a four function hydraulic control valve giving you immediate control of all grain bag unloading functions. It also includes a uniquely designed, self-storing knife and a spring loaded clutch, both of which are able to be set-up, disengaged and stored without the use of any tools.

ATTACHMENT OPTIONS

9' Bag Unload Kit **3rd Wheel & Tire Kit Work Light Kit** 



**Bag Knife** 



**Ground Level Hydraulics** 



Maximum storage.

The 3012HP allows you to store up to 33,000 bushels in a single 500 foot bag so you can make the most of your flexible storage system.



#### **Loads More**

Brandt's new 3012HP GrainBag Loader gets the most out of your flexible grain storage. The 110-square foot main hopper and 20" diameter fill auger. The 12 foot bagging system gets you 50% more storage capacity than a 10 foot bag and allows you to spend less time switching bags and more time harvesting. The one-piece tunnel design distributes grain evenly for smooth operation.

#### **Worry-Free Operation**

Loading your bags has never been easier than with the Bag Loading Tarp; an innovative solution that works in tandem with the Jib Crane and Powered Trolley system to allow bags to be loaded with minimal effort. The specially designed cradle speeds up bag management and handling for heavy 12 foot bags while the Bag Retention System ensures proper loading and rigging of the bags.

ATTACHMENT OPTIONS

Roll Tarp Work Light Kit Truck Unload Auger



Jib Crane and Trolley



**Roll Tarp** 

# **12012HP GRAINBAG UNLOADER**

Unsurpassed speed.

The 12012HP GBU's industry leading 12,000 bu/hr capacity unloads bags faster so you can get grain to market on a moment's notice.



**GrainBag Loader 3012HP** 

**TECHNICAL SPECIFICATIONS** 



**30,000** BU/HR



₩ 7'6"x14'7"

**GrainBag Unloader 12012HP** 

**TECHNICAL SPECIFICATIONS** 



12,000 BU/HR



→ 500' LONG BAGS

#### **PTO Driven Hydraulics**

The integrated PTO driven hydraulic system features a dedicated pump for each component and a cooling system to maximize reliability. The standalone system is driven by a robust step-up gearbox and features a built-in filtration system and 70 gallon reservoir.

#### **Smooth Operator**

The adjustable axle height controls the height of the cross auger to keep a consistent auger height while the hydraulic bag roller smoothly and evenly captures the bag. The adjustable bag knife can be positioned to match the varying height of bags filled with different types of grain.

ATTACHMENT OPTIONS

10' Bag Unload Kit **Work Light Kit** 



**Work Light Kit** 

## **HPTRUCK UNLOADING AUGER**

## Maximized grain loading performance.

Turns your Brandt Grain Bag Loader into a swing away auger allowing you to directly unload your center dump grain trailers at up to 11,900 bushels per hour.



#### **HP Truck Unloading Auger**

**TECHNICAL SPECIFICATIONS** 



11,900 BU/HR



120 HORSEPOWER



12" LOWPRO HOPPER

#### **Quick and Easy Maneuverability**

Moving and adjusting the Brandt HP Truck Unloading Auger is quick and easy thanks to its hydraulic wheel mover. This rugged mover is designed for easy hopper positioning and coupling it with the heavy duty winch makes the transition from operation to transport mode seamless. Once positioned the hopper stays put under the truck while the bagger moves along.

#### **Compact Versatility**

The larger 83-inch long low profile hopper, twin augers and flat-free tires provide versatile unloading in all operating conditions.

#### ATTACHMENT OPTIONS

**Electric Hopper Winch Hydraulic Hopper Winch Roll Tarp Work Light Kit Truck Unload Auger** Remote Winch\* Second Ladder\* **Transport Kit\*** 



\* 3010HP GBL



**Remote Bag Lift** 



**Low Profile Hopper** 

Grain Bag Loaders	3010 GBL	3010HP GBL	10' Truck Unload Auger	3012HP GBL	12' Truck Unload Auge
Performance					
Capacity (bushels per hour)	30,000	30,000	11,900	30,000	11,900
Minimum Horsepower	50	85	120	120	120
Hydraulic Requirements	6 gpm @ 2,000 psi	6 gpm @ 2,000 psi	6 gpm @ 2,000 psi	6 gpm @ 2,000 psi	6 gpm @ 2,000 psi
PTO RPM	540	540	1,000	1,000	1,000
Dimensions					
Loading Auger Size	20"	20"	20"	20"	20"
Truck Unload Auger Size			14"		14"
Height	10' 9"	10' 9"	10' 9"	12' 9"	12' 9"
Length	13'1"	13'1"	30' 1"	21'	32' 6"
Width	12' 10"	12' 10"	12' 10"	19' 8"	19' 8"
Width w Transport Kit	11'4"				
Weight	4,080 lb	4800 lb	8,620 lb - 9.340	9,860 lb	11,040 lb
Hopper Size	8' 4" x 8' 8"	7' x 9'9"	40" x 82" x 12"	7'6" x 14' 7"	41" x 82" x 12"
Operating Tires	12.5L-15 SureGrip	12.5L-15 SureGrip	12.5L-15 SureGrip	15L-19.5 SureGrip	15L-19.5 SureGrip
Transport Tires	9.5L-15 Implement	9.5L-15 Implement	245/70R17.5 Highway	235/75 R17.5 Highway	235/75 R17.5 Highway
Brakes	Automotive Disc Brakes	Automotive Disc Brakes	Automotive Disc Brakes	Automotive Disc Brakes	Automotive Disc Brake
Compatible Bag Size					
Diameter	10'	10'	10'	12'	12'
Maximum Length	300'	500'	300' (3010 HP: 500')	500'	500'
Grain Bag Unloaders	8510 GBU			12012HP GBU	
Performance			Performance		
Capacity (bushels per hour)	8,500		Capacity (bushels per hour)	12,000 bu/hr	
Minimum Horsepower	50		Minimum Horsepower	150	
Hydraulic Requirements	6 gpm @ 2,000 psi		Hydraulic Requirements	PTO Driven Hydraulics	
PTO RPM	540		PTO RPM	1,000	
Dimensions			Dimensions		
Discharge Auger	17"		Discharge Auger	20"	
Cross Auger	10"		Cross Auger	12"	
Height	16' 11"		Height	17' 2"	
Length	21' 3"		Length	16' 4"	
Width	22' 4"		Width	27'	
Transport Height	8' 11"		Transport Height	11' 4"	
Transport Length	21' 11"		Transport Length	16' 4"	
Transport Width	8' 7"		Transport Width	21' 4"	
Weight	5760 lb		Weight	11,010 lb	
Tires	11L - 15 Implement		Operating Tires	245/70R-17.5 Implement	
Auger Chain	#80		Tires	235/75R17.5 Highway	
Bag Roller Chain	#50 & #60		Brakes	Electrical Trailer Brakes	
Compatible Bag Size			Compatible Bag Size		
Compatible Bag Size Diameter	9'-10'		Diameter	10' - 12'	
Diametel	300'		Diameter	500'	
Maximum Length	20	۱۵'	Maximum Length	E	יחחי

**Technical Specifications** 

### Contact us for more information or to arrange a demonstration of our products

#### **Brandt Agricultural Products Ltd**

P.O. Box 317 **Toll:** 1-866-427-2638 13th Ave and Pinkie Rd **Phone:** 1-306-525-1314 Regina, Saskatchewan **Email:** agriculture@brandt.ca

Canada S4P 3A1 Web: brandt.ca

Visit **brandt.ca** for a list of local Brandt equipment dealers.









