



# WHOLE GOODS PRICE LIST

Effective Date 10/01/2022



*Prices and specifications are subject to change without notice.*



## Contact Information

### MAILING ADDRESS

P.O. Box 100  
Sauk City, WI 53583

### SHIPPING ADDRESS

1330 Dallas Street  
Sauk City, WI 53583

### TELEPHONE/FAX NUMBERS

Main: (608) 643-3322  
Toll Free: (888) 627-8569  
Fax: (608) 643-3976

### OFFICE HOURS

7:00am - 4:30pm (Central)  
Monday-Friday

### DEALER PORTAL:

[mcfarlaneag.com](http://mcfarlaneag.com)

Dealer Username: WEBHARROW  
Password: FLX46HRW

## Corporate Contacts

NAME	Department	Extension	E-Mail
Norm Burgeson	Sales Manager	132	<a href="mailto:nburgeson@mcfarlanemfg.com">nburgeson@mcfarlanemfg.com</a>
Mike Reuter	Sales and Whole Goods	129	<a href="mailto:mreuter@mcfarlanemfg.com">mreuter@mcfarlanemfg.com</a>
Dan Robinson	Key Accounts Manager	706	<a href="mailto:drobinson@mcfarlanemfg.com">drobinson@mcfarlanemfg.com</a>
Lance Grisham	Territory Manager: Minnesota, Wisconsin, Northern Illinois	708	<a href="mailto:lgrisham@mcfarlanemfg.com">lgrisham@mcfarlanemfg.com</a>
Jim Vanagas	Territory Manager: Southern Illinois, Indiana	701	<a href="mailto:jvanagas@mcfarlanemfg.com">jvanagas@mcfarlanemfg.com</a>
Gregg Koetting	Territory Manager: Iowa, Missouri, Kansas	707	<a href="mailto:gkoetting@mcfarlanemfg.com">gkoetting@mcfarlanemfg.com</a>
Schad Mayden	Territory Manager: North Dakota, South Dakota, Nebraska	702	<a href="mailto:smayden@mcfarlanemfg.com">smayden@mcfarlanemfg.com</a>
Jon Bryan	Territory Manager: Arkansas, Louisiana, Missouri Bootheel, Mississippi, Western Tennessee		<a href="mailto:jbryan@mcfarlanemfg.com">jbryan@mcfarlanemfg.com</a>

# Table of Contents

<b>1</b>	Incite® 5100 Series	<b>11</b>	HDL-100 Series Flexible Spike Tooth Harrow	<b>22</b>	3-Point Lift Drawbars
<b>3</b>	Incite-i 5200	<b>12</b>	HDL-1100 Series Flexible Spike Tooth Harrow	<b>22</b>	40 Series Flexible Spike Tooth Harrow
<b>4</b>	Cobra™	<b>14</b>	Reel Seedbed Conditioner	<b>23</b>	Harrow Sections
<b>6</b>	Cobra™ Disk Blade Upgrade Kit	<b>15</b>	3-Point Mounted Spiral Reel Stalk Chopper	<b>25</b>	Chain Harrow Sections
<b>7</b>	Quadra-Till™	<b>16</b>	Field Finisher/Pharoh	<b>26</b>	3-Point Bed Conditioner
<b>8</b>	Finalizer™	<b>17</b>	STM Mounted Harrow	<b>27</b>	Mounted Rolling Basket
<b>9</b>	WDL-2100 Series Flexible Spike Tooth Harrow	<b>19</b>	CTM Mounted Harrow	<b>29</b>	Ridge-Till Rolling Stalk Chopper
<b>10</b>	HDL-10 Series Flexible Spike Tooth Harrow			<b>30</b>	Roller Crimper

## Terms and Conditions

- The Prices shown in this book are "List Prices" and do not include freight, setup, or handling unless specifically noted.

---
- Products included in this book are only available to qualified dealers per relevant programs and dealer classifications.

---
- Please contact your McFarlane Sales Representative with questions regarding availability or to inquire about adding a specific product category to your dealer account.

---
- All prices are F.O.B. Sauk City, WI.

---
- Prices, terms, and discounts are subject to change without notice per relevant purchasing programs in effect at time of order.
- Orders placed will be accepted based on the price in effect at the time of shipment unless otherwise specified.

---
- Prices shown in this book do not include any applicable federal, state, or local taxes or fees.

---
- Shipping weights listed are approximate and include crating, skids, or other packaging where applicable.

---
- Freight shipments arranged by McFarlane will be invoiced per the published rate chart and subject to change or revision.

---
- McFarlane reserves the right to ship items via motor freight collect at its discretion. "Will Call" orders not picked up within 30 days will be invoiced and shipped at McFarlane's discretion.
- Freight invoices are due 10 days from date of invoice (net 10).

---
- McFarlane guarantees each piece of equipment against defective materials and workmanship for a period of one year from date of service and per McFarlane's Warranty Policy unless otherwise noted. Warranty registration for all Whole Goods must be submitted within five days from retail sale.

---
- McFarlane reserves the right to make changes or improvements in design, construction, and components without notice or obligation.

---
- All products included in this document conform to safety standards applicable to the products at the time of manufacture.

# INCITE® 5100 SERIES



## HYDRAULIC DOWN PRESSURE KIT UPGRADE

Available for existing IC-5100 Series

MODEL	PART NUMBER		List Price
	3-Bar Harrow with Single Rolling Basket and Spur-Till with Single Rolling Basket	Double Rolling Basket	
IC-5112	15850	15858	\$2,812
IC-5114	15851	15859	\$2,812
IC-5120	15852	15860	\$4,367
IC-5124	15853	15861	\$4,367
IC-5127	15854	15862	\$4,367
IC-5132	15855	15863	\$5,879
IC-5140	15856	15864	\$5,879
IC-5151	15857	15865	\$5,879

## NEW!

Gauge wheels are now standard on all IC-5140 and IC-5151 models.

Gauge wheels are included in the IC-5140 and IC-5151 list price. If the customer does not want gauge wheels, deduct \$3,806 from the list price.

*Gauge wheels are not factory installed for shipping purposes. Approximate dealer setup time is 1 hour. Gauge wheels may also be field installed on any IC-5000 series Incite.*

All major components (frames, hydraulics, disk gangs, spiral reel gangs) are set up and included in the list price. Setup required after delivery includes attaching the hitch to the main frame and attaching the lift arm/rolling basket sub-assemblies to the frame.

## UNIVERSAL TILLAGE® OPTIONAL REAR IMPLEMENT HITCH

MODEL	Description	List Price
14710	Assembly, Implement Hitch (20' and 24')	\$1,620
12055	Assembly, Implement Hitch (14', 27', 32', 40')	\$1,636
12557	Kit, Implement Hitch, Hydraulics	\$849
12558	Kit, Implement Hitch, Lighting	\$225
<b>Gauge Wheel Set* - Dealer Installed Fits All Folding Models</b>		
RD-4906	Gang Mounted Castering Gauge Wheels	\$3,806

### APPROXIMATE SETUP TIME:

12'-14' = 2-4 hours  
 20'-27' = 4-6 hours  
 32'-40' = 8-10 hours

**Assembly times may vary. Please contact your McFarlane representative for any inquiries about the Incite.**

MODEL	Cutting Width	Approximate Weight	Approximate HP Requirement*	List Price	With Hyd. DP Kit <sup>1,2</sup> List Price
<b>STANDARD MODEL: 3-Bar Harrow with a Single Rolling Basket</b>					
IC 5112	12'-5"	10,100 lbs.	100-150	\$65,484	\$67,604
IC 5114	13'-6"	10,700 lbs.	120-180	\$70,079	\$72,199
IC 5120	20'-5"	17,320 lbs.	163-245	\$113,532	\$116,585
IC 5124	23'-5"	18,500 lbs.	188-282	\$122,638	\$125,691
IC 5127	26'-6"	20,920 lbs.	212-318	\$132,826	\$135,879
IC 5132	32'-1"	25,220 lbs.	256-384	\$156,900	\$160,814
IC 5140	39'-7"	30,730 lbs.	320-408	\$198,237	\$202,151
IC 5151	51'-3"	40,500 lbs.	408-602	\$246,576	\$250,490
<b>Double Rolling Basket</b>					
IC 5112-DRB	12'-5"	9,830 lbs.	100-150	\$65,374	\$67,494
IC 5114-DRB	13'-6"	10,548 lbs.	120-180	\$70,034	\$72,154
IC 5120-DRB	20'-5"	16,836 lbs.	163-245	\$113,214	\$116,267
IC 5124-DRB	23'-5"	19,313 lbs.	188-282	\$122,323	\$125,376
IC 5127-DRB	26'-6"	20,580 lbs.	212-318	\$132,651	\$135,704
IC 5132-DRB	32'-1"	24,552 lbs.	256-384	\$156,609	\$160,523
IC 5140-DRB	39'-7"	30,202 lbs.	320-408	\$197,852	\$201,766
IC 5151-DRB	51'-3"	39,867 lbs.	408-602	\$245,919	\$249,833
<b>5-Bar Harrow</b>					
IC 5112-5FA	12'-5"	10,100 lbs.	100-150	\$62,819	N/A
IC 5114-5FA	13'-6"	10,700 lbs.	120-180	\$67,416	N/A
IC 5120-5FA	20'-5"	17,320 lbs.	163-245	\$108,526	N/A
IC 5124-5FA	23'-5"	18,500 lbs.	188-282	\$117,590	N/A
IC 5127-5FA	26'-6"	20,920 lbs.	212-318	\$127,711	N/A
IC 5132-5FA	32'-1"	25,220 lbs.	256-384	\$149,444	N/A
IC 5140-5FA	39'-7"	30,730 lbs.	320-408	\$190,598	N/A
IC 5151-5FA	51'-3"	40,500 lbs.	408-602	\$236,951	N/A
<b>3-Bar Harrow with a Double Rolling Basket</b>					
IC-5112-3FADRB	12'-5"	10,156 lbs.	100-150	\$66,282	\$68,402
IC-5114-3FADRB	13'-6"	10,890 lbs.	120-180	\$72,095	\$74,215
IC-5120-3FADRB	20'-5"	17,376 lbs.	163-245	\$118,950	\$122,003
IC-5124-3FADRB	23'-5"	19,917 lbs.	188-282	\$128,020	\$131,073
IC-5127-3FADRB	26'-6"	21,232 lbs.	212-318	\$137,230	\$140,283
IC-5132-3FADRB	32'-1"	25,386 lbs.	256-384	\$162,628	\$166,542
<b>Spur-Till with a Single Rolling Basket</b>					
IC-5112-ST	12'-5"	10,100 lbs.	100-150	\$72,750	\$74,870
IC-5114-ST	13'-6"	10,700 lbs.	120-180	\$77,664	\$79,784
IC-5120-ST	20'-5"	17,320 lbs.	163-245	\$124,567	\$127,620
IC-5124-ST	23'-5"	18,500 lbs.	188-282	\$135,011	\$138,064
IC-5127-ST	26'-6"	20,920 lbs.	212-318	\$146,527	\$149,580
IC-5132-ST	32'-1"	25,220 lbs.	256-384	\$174,777	\$178,691
IC-5140-ST	39'-7"	30,730 lbs.	320-408	\$218,582	\$222,496

<sup>1</sup> Hydraulic down pressure kit

<sup>2</sup> When ordering a model with a hydraulic rolling basket, add an "-H" at the end of the model name to denote the hydraulic basket. Example: IC-5112-ST-H

# INCITE<sup>®</sup>-i 5200 SERIES



The new Incite<sup>®</sup>-i 5200 with an independent blade configuration combines the benefits of vertical and high-speed tillage tools into an innovative Universal Tillage<sup>®</sup> tool that lets you do more.

This tool has the flexibility to adjust to different soils and crops with ease. You can start sooner and finish earlier, saving time and money. The versatility of this tool allows you to accomplish in a single pass what once took multiple passes with different machines. Achieving the optimum seedbed has never been easier.



## CANTILLEAF<sup>™</sup> SPRING

**EXCLUSIVE PATENT-PENDING SPRING** delivers a more consistent seedbed compared to a rubber torsion cord or coil spring.

- Protects against disk blade breakage
- Allows more clearance in sticky, rocky, and heavy soils

MODEL	Cutting Width	Approximate Weight	Approximate HP Requirement*	List Price
<b>3-Bar Harrow with Hydraulic Staggered Rolling Basket</b>				
ICi 5214	13'-6"	13,800 lbs.	168-210	\$91,604
ICi 5227	26'-6"	29,986 lbs.	324-405	\$181,688
ICi 5232	32'-1"	32,534 lbs.	384-480	\$207,507
<b>Hydraulic Double Rolling Basket</b>				
ICi 5214	13'-6"	13,800 lbs.	168-210	\$91,559
ICi 5227	26'-6"	29,986 lbs.	324-405	\$181,513
ICi 5232	32'-1"	32,534 lbs.	384-480	\$207,216
<b>Spur-Till with Hydraulic Staggered Rolling Basket</b>				
ICi 5214	13'-6"	13,800 lbs.	168-210	\$99,189
ICi 5227	26'-6"	29,986 lbs.	324-405	\$195,389
ICi 5232	32'-1"	32,534 lbs.	384-480	\$225,384

\*Horsepower varies due to depth, gang angle, speed, and soil conditions.

# COBRA™

## FINISHING CONFIGURATIONS

- McFarlane's Spur-Till™ high-speed treader provides a more aggressive and smoother finish. It also sizes hard dirt clods more effectively, removes soil while exposing and sizing corn root balls, and incorporates fertilizer and herbicide applications.
- 3-bar flexible spike tooth harrow follows the ground closely. The flexibility allows residue to flow with easy no tool height adjust to conform to various soil and residue conditions.
- Rolling basket with 8 high carbon flat bars with adjustable down pressure to meet varying conditions.
- 5-bar heavy-duty harrow finishing option stays tight to the ground and leaves a smooth finish.



All major components (frames, hydraulics, disk gangs, spiral reel gangs, lift arm/rolling baskets) are set up and included in the list price. Setup required after delivery includes attaching the hitch to the main frame and attaching the lift arm/rolling basket sub-assemblies to the frame.

### APPROXIMATE SETUP TIME:

- 12'-14' = 2-4 hours
- 20'-30' = 4-6 hours
- 35'-45' = 8-10 hours

## HYDRAULIC DOWN PRESSURE KIT UPGRADE

Available for existing CB-4200 Series

MODEL	PART NUMBER		List Price
	3-Bar Harrow with Single Rolling Basket and Spur-Till with Single Rolling Basket	Double Rolling Basket	
CB-4212	15836	15843	\$2,812
CB-4214	15837	15844	\$2,812
CB-4220	15838	15845	\$4,367
CB-4225	15839	15846	\$4,367
CB-4230	15840	15847	\$4,367
CB-4235	15841	15848	\$5,879
CB-4245	15842	15849	\$5,879

## GAUGE WHEEL SET\*

Dealer Installed - Fits All Folding Models

MODEL	Width	List Price
RD-4906	Gang Mounted Castering Gauge Wheels	\$3,806

Gauge wheels are not factory installed for shipping purposes. Approximate dealer setup time is 1 hour.

# COBRA (CONTINUED)

## 5mm Blades

MODEL	Width	Weight	List Price	With Hyd. DP Kit <sup>1,2</sup> List Price
CB-4212-3RB	12'-3"	7,440 lbs.	\$44,528	\$46,648
CB-4214-3RB	14'-2"	7,900 lbs.	\$46,334	\$48,454
CB-4220-3RB	19'-10"	12,500 lbs.	\$78,896	\$81,949
CB-4225-3RB	25'-8"	15,010 lbs.	\$89,686	\$92,739
CB-4230-3RB	30'-2"	16,400 lbs.	\$98,965	\$102,018
CB-4235-3RB	35'-9"	20,050 lbs.	\$115,577	\$119,491
CB-4245-3RB	45'-8"	26,500 lbs.	\$155,722	\$159,636
CB-4212-5FA	12'-3"	7,440 lbs.	\$42,009	N/A
CB-4214-5FA	14'-2"	7,900 lbs.	\$43,817	N/A
CB-4220-5FA	19'-10"	12,500 lbs.	\$74,164	N/A
CB-4225-5FA	25'-8"	15,010 lbs.	\$86,211	N/A
CB-4230-5FA	30'-2"	16,400 lbs.	\$95,319	N/A
CB-4235-5FA	35'-9"	20,050 lbs.	\$110,574	N/A
CB-4245-5FA	45'-8"	26,500 lbs.	\$151,392	N/A
CB-4212-DRB	12'-3"	7,170 lbs.	\$44,424	\$46,544
CB-4214-DRB	14'-2"	7,748 lbs.	\$46,292	\$48,412
CB-4220-DRB	19'-10"	12,016 lbs.	\$78,598	\$81,651
CB-4225-DRB	25'-8"	14,406 lbs.	\$88,442	\$91,495
CB-4230-DRB	30'-2"	15,774 lbs.	\$97,769	\$100,822
CB-4235-DRB	35'-9"	19,440 lbs.	\$113,996	\$117,910
CB-4245-DRB	45'-8"	25,906 lbs.	\$154,155	\$158,069

## 5mm Blades with SPUR-TILL

MODEL	Width	Weight	List Price	With Hyd. DP Kit <sup>1,2</sup> List Price
CB-4212-STRB	12'-3"	7,544 lbs.	\$50,520	\$52,640
CB-4214-STRB	14'-2"	8,091 lbs.	\$55,515	\$57,635
CB-4220-STRB	19'-10"	13,102 lbs.	\$91,189	\$94,242
CB-4225-STRB	25'-8"	15,719 lbs.	\$111,746	\$114,799
CB-4230-STRB	30'-2"	17,193 lbs.	\$115,891	\$118,944
CB-4235-STRB	35'-9"	21,053 lbs.	\$141,214	\$145,128
CB-4245-STRB	45'-8"	27,688 lbs.	\$153,360	\$157,274

Width and weight are identical for 5mm and 6.5mm Blade models.

3RB models are 3-bar harrow with rolling baskets only.

5FA models are 5-bar harrow sections only.

DRB models are double rolling basket only.

## 6.5mm Blades

MODEL	List Price	With Hyd. DP Kit <sup>1,2</sup> List Price
CB-4212-H3RB	\$45,044	\$47,164
CB-4214-H3RB	\$46,902	\$49,022
CB-4220-H3RB	\$79,722	\$82,775
CB-4225-H3RB	\$90,769	\$93,822
CB-4230-H3RB	\$100,254	\$103,307
CB-4235-H3RB	\$117,123	\$121,037
CB-4245-H3RB	\$157,682	\$161,596
CB-4212-H5FA	\$42,523	N/A
CB-4214-H5FA	\$44,385	N/A
CB-4220-H5FA	\$74,991	N/A
CB-4225-H5FA	\$87,294	N/A
CB-4230-H5FA	\$96,607	N/A
CB-4235-H5FA	\$112,117	N/A
CB-4245-H5FA	\$153,351	N/A
CB-4212-HDRB	\$44,938	\$47,058
CB-4214-HDRB	\$46,861	\$48,981
CB-4220-HDRB	\$79,424	\$82,477
CB-4225-HDRB	\$89,526	\$92,579
CB-4230-HDRB	\$99,056	\$102,109
CB-4235-HDRB	\$115,540	\$119,454
CB-4245-HDRB	\$156,114	\$160,028

## 6.5mm Blades with SPUR-TILL

MODEL	List Price	With Hyd. DP Kit <sup>1,2</sup> List Price
CB-4212-HSTRB	\$50,978	\$53,098
CB-4214-HSTRB	\$56,014	\$58,134
CB-4220-HSTRB	\$91,912	\$94,965
CB-4225-HSTRB	\$112,708	\$115,761
CB-4230-HSTRB	\$117,038	\$120,091
CB-4235-HSTRB	\$142,541	\$146,455
CB-4245-HSTRB	\$155,085	\$158,999

<sup>1</sup> Hydraulic down pressure kit

<sup>2</sup> When ordering a model with a hydraulic rolling basket, add an "H" at the end of the model name to denote the hydraulic basket. Example: CB-4225-DRBH



# COBRA™ DISK BLADE UPGRADE KITS

We offer kits so growers and dealers may update their existing Reel Disks they have come to depend on for taking on the toughest challenges in the field. In addition to the Cobra Disk Blades, the kit will include Cobra decals for designating the machine has been updated to the new model.

The Cobra Disk Blades are manufactured for McFarlane by Ingersoll. They combine a proprietary boron alloy steel with unique processing technology to provide hardness, flexibility, sharpness, and wear resistance. They are available in both standard (5mm) and heavy duty (6.5mm).

**Now includes front disk blades and outer coulter blades.**

MODEL	Blades	Kit Part#	List Price
<b>Kits for Existing RD-4100 Series</b>			
RD-4112-RBC	5mm	12836	\$2,143
RD-4112-RBCH	6.5mm	12837	\$2,616
RD-4114-RBC	5mm	12838	\$2,338
RD-4114-RBCH	6.5mm	12839	\$2,857
RD-4116-RBC	5mm	12840	\$2,725
RD-4116-RBCH	6.5mm	12841	\$3,337
RD-4120-RBC	5mm	12842	\$3,306
RD-4120-RBCH	6.5mm	12843	\$4,065
RD-4125-RBC	5mm	12844	\$4,274
RD-4125-RBCH	6.5mm	12845	\$5,265
RD-4130-RBC	5mm	12846	\$5,048
RD-4130-RBCH	6.5mm	12847	\$6,224
RD-4135-RBC	5mm	12848	\$6,016
RD-4135-RBCH	6.5mm	12849	\$7,431
RD-4145-RBC	5mm	12850	\$7,564
RD-4145-RBCH	6.5mm	12851	\$9,353
<b>RD-4000 Cobra Kits</b>			
RD-4012	5mm	13003	\$1,875
RD-4012	6.5mm	13004	\$2,299
RD-4014	5mm	13005	\$2,066
RD-4014	6.5mm	13006	\$2,539
RD-4016	5mm	13007	\$2,454
RD-4016	6.5mm	13008	\$3,019
RD-4020	5mm	13009	\$3,035
RD-4020	6.5mm	13010	\$3,746
RD-4025	5mm	13011	\$4,004
RD-4025	6.5mm	13012	\$4,946
RD-4030	5mm	13013	\$4,777
RD-4030	6.5mm	13014	\$5,908
RD-4035	5mm	13015	\$5,745
RD-4035	6.5mm	13016	\$7,116
RD-4044	5mm	13017	\$6,907
RD-4044	6.5mm	13018	\$8,555
RD-4045	5mm	13680	\$7,294
RD-4045	6.5mm	13681	\$9,028

# QUADRA-TILL™



- Double front disk gangs.
- Disk gangs are attached to the frame using large C-springs for added protection.
- Adjustable angle disk gang to match varying field conditions.
- Independent hydraulic adjustable disk gang depth.
- Disk blades are 24" diameter on 10" spacing - 12" spacing with individual disks.
- Auto-Reset chisel shanks on 15" spacing.
- 3" twisted shovels standard.
- 2" points & 4" shovels available.
- Hydraulically adjustable rear leveling disks.
- 4-bar flexible spike tooth harrow features replaceable teeth and wear bushings in linkages with no tool quick chain adjust.
- Operating speeds from 5 to 6¼ mph.
- Lighting package is standard on all units.
- Convenient hose/light harness storage.
- Rolling basket option features our CT-3 bar harrow and 15" diameter, 7 blade 5/16 x 3¼ high carbon steel bars, and maintenance-free basket hub.

## QT-I MODELS

Independent blade models have the same pricing as a standard or RB option units.

## HYDRAULIC DOWN PRESSURE KIT UPGRADE

Available for existing QT-200 Series

MODEL	Part Number	List Price
QT-207-RB	15869	\$2,812
QT-209-RB	15870	\$2,812
QT-211-RB	15871	\$3,418
QT-213F-RB	15872	\$4,367
QT-215F-RB	15873	\$4,367
QT-217F-RB	15874	\$4,367

MODEL	Description	Weight	List Price	With Hyd. DP Kit <sup>1,2</sup> List Price
<b>4-Bar Flexible Spike Tooth Harrow</b>				
QT-207	7 Shank	13,291 lbs.	\$65,607	N/A
QT-209	9 Shank	14,497 lbs.	\$70,764	N/A
QT-211	11 Shank	16,763 lbs.	\$82,858	N/A
QT-213F	13 Shank Folding	19,089 lbs.	\$94,941	N/A
QT-215F	15 Shank Folding	22,795 lbs.	\$111,536	N/A
QT-217F	17 Shank Folding	26,940 lbs.	\$121,743	N/A
<b>Rolling Basket and Heavy-Duty 3-Bar Harrow</b>				
QT-207-RB	7 Shank	13,859 lbs.	\$72,950	\$75,070
QT-209-RB	9 Shank	16,240 lbs.	\$78,189	\$80,309
QT-211-RB	11 Shank	18,790 lbs.	\$92,392	\$94,843
QT-213F-RB	13 Shank	21,256 lbs.	\$106,970	\$110,023
QT-215F-RB	15 Shank	24,819 lbs.	\$123,763	\$126,816
QT-217F-RB	17 Shank	28,000 lbs.	\$134,558	\$137,611

<sup>1</sup> Hydraulic down pressure kit

<sup>2</sup> When ordering a model with a hydraulic rolling basket, add an "H" at the end of the model name to denote the hydraulic basket. Example: QT-213F-RBH

### APPROXIMATE SETUP TIME:

QT 207 and 209 = 20-24 hours

QT 211-213F = 24-28 hours

QT 215F-217F = 30-34 hours

When placing order, specify 2" straight points, 3" twisted shovels, or 4" twisted shovels. Specify disk gangs or individual disk blades.

Available through stocking Quadra-Till dealers only. Contact McFarlane Mfg. Co. for details.

# FINALIZER™

## CONDITIONING OPTIONS

### SPUR-TILL TREADER

Levels and conditions the soil. With hydraulic down pressure adjustments on the eight-tine wheels on 6" spacing.

### CONDITIONING REEL

An aggressive, hydraulically adjustable rolling basket to mix, incorporate, and size clods while leveling the soil.

## FINISHING CONFIGURATIONS

### 3-BAR FLEXIBLE SPIKE TOOTH HARROW WITH A SINGLE ROLLING BASKET

Best in heavy residue and dry conditions, our proven spike tooth harrows closely follow the ground for more leveling and firming.

### 5-BAR FLEXIBLE SPIKE TOOTH HARROW

For maximum leveling and minimal firming, the 5-bar is best in minimal residue and wet conditions.



The Finalizer combines Cobra™ disk blades with a patent-pending Talon™ sweep to increase water movement and promote better root growth.

MODEL	Finishing Configuration	Width	List Price	With Hyd. DP Kit <sup>1,2</sup> List Price
FN-6024-CR3RB	Conditioning Reel with 3-Bar Harrow and Single Rolling Basket	24'3"	\$106,051	\$109,104
FN-6024-CR5FA	Conditioning Reel with 5-Bar Harrow	24'3"	\$103,983	N/A
FN-6024-ST3RB	Spur-Till with 3-Bar Harrow with Single Rolling Basket	24'3"	\$111,150	\$114,203
FN-6024-ST5FA	Spur-Till with 5-Bar Harrow	24'3"	\$105,316	N/A
FN-6029-CR3RB	Conditioning Reel with 3-Bar Harrow and Single Rolling Basket	28'9"	\$114,816	\$117,869
FN-6029-CR5FA	Conditioning Reel with 5-Bar Harrow	28'9"	\$113,315	N/A
FN-6029-ST3RB	Spur-Till with 3-Bar Harrow with Single Rolling Basket	28'9"	\$120,083	\$123,136
FN-6029-ST5FA	Spur-Till with 5-Bar Harrow	28'9"	\$115,982	N/A
FN-6032-CR3RB	Conditioning Reel with 3-Bar Harrow and Single Rolling Basket	31'9"	\$121,015	\$124,068
FN-6032-CR5FA	Conditioning Reel with 5-Bar Harrow	31'9"	\$118,648	N/A
FN-6032-ST3RB	Spur-Till with 3-Bar Harrow with Single Rolling Basket	31'9"	\$126,868	\$129,921
FN-6032-ST5FA	Spur-Till with 5-Bar Harrow	31'9"	\$125,314	N/A

<sup>1</sup> Hydraulic down pressure kit

<sup>2</sup> When ordering a model with a hydraulic rolling basket, add an "H" at the end of the model name to denote the hydraulic basket. Example: FN-6024-CR3RBH

# WDL-2100 SERIES FLEXIBLE SPIKE TOOTH HARROWS



- Single piece main frame for long-lasting durability.
- 7" square tool bar on all sizes.
- Dual transport wing axle provides better flotation and is more stable in the transport position.
- Maintenance-free pivot joints on wing pull and wing axle.
- Standard walking axle for smooth ride at high speeds.
- 14L-16 tires option for greater flotation (for dual axle only).
- 15'-9" transport width.
- 1¾" hinge pins and welded hinge knuckles.

MODEL	Size	Weight	List Price
<b>WDL-2160-16</b>	60'-4"	12,174 lbs.	\$71,248
<b>WDL-2170-16</b>	69'-5"	13,632 lbs.	\$75,242
<b>WDL-2180-16</b>	80'-0"	15,107 lbs.	\$82,436
<b>WDL-2190-16</b>	90'-0"	16,400 lbs.	\$88,563

*Light Kits now included in base price. Dual axle available.*

- Wing pull/auto backup makes converting to transport position one step and allows the operator to back the unit without completely converting to the transport position.
- Hydraulic wing transport wheels enable operator to steer wings for easier folding and unfolding.
- Features our FH series open-end flexible harrows.
- Available in 8, 4+4, 12, 6+6, and 8+8 harrow configurations.

*Dual axle option - subtract \$1,230 from list price.  
Radial tires are now available - additional \$2,120 on top of list price.*

# HDL-10 SERIES FLEXIBLE SPIKE TOOTH HARROWS



- Hydraulic lift, manual fold for easy transportation.
- Long hitch for easy turning.
- 3" square tubular steel center and wing frame.
- 32' through 36' models feature a double-trussed square tubular steel center and wing frame.
- Features our FH series open-end flexible harrows.

## Hydraulic Lift Manual Fold Cart

MODEL	Size	Weight	List Price
<b>8-Bar Sections</b>			
HDL-16-8	16'-7"	1,845 lbs.	\$11,891
HDL-18-8	18'-1"	1,897 lbs.	\$12,115
HDL-20-8	19'-6"	1,949 lbs.	\$12,388
HDL-22-8	22'-7"	2,035 lbs.	\$12,737
HDL-24-8	24'-1"	2,328 lbs.	\$14,224
HDL-26-8	25'-8"	2,380 lbs.	\$14,350
HDL-28-8	28'-8"	2,466 lbs.	\$14,879
HDL-30-8	30'-1"	2,518 lbs.	\$15,232
HDL-32-8	31'-7"	3,024 lbs.	\$16,168
HDL-34-8	34'-7"	3,160 lbs.	\$17,461
HDL-36-8	36'-2"	3,217 lbs.	\$18,612
<b>4+4 Bar Sections</b>			
HDL-16-44	16'-7"	1,869 lbs.	\$12,214
HDL-18-44	18'-1"	1,921 lbs.	\$12,539
HDL-20-44	19'-6"	1,973 lbs.	\$12,707
HDL-22-44	22'-7"	2,059 lbs.	\$13,165
HDL-24-44	24'-1"	2,364 lbs.	\$14,742
HDL-26-44	25'-8"	2,416 lbs.	\$14,863
HDL-28-44	28'-8"	2,502 lbs.	\$15,517
HDL-30-44	30'-1"	2,554 lbs.	\$15,726
HDL-32-44	31'-7"	3,060 lbs.	\$16,624
HDL-34-44	34'-7"	3,196 lbs.	\$18,065
HDL-36-44	36'-2"	3,253 lbs.	\$19,215

All HDL-10 series harrows now includes a hydraulic cylinder and plumbing to the hitch.

Light kit included in pricing.

# HDL-100 SERIES FLEXIBLE SPIKE TOOTH HARROWS



- Hydraulic lift and fold for easy transportation.
- Long, telescoping hitch for easy turning.
- Narrow main frame.
- 32' through 40' models feature a double-trussed square tubular steel center and wing frame.
- Features our FH series open-end flexible sections.

*Light kit included in pricing.*

## All Hydraulic Forward-Fold Transport Cart

MODEL	Size	Weight	List Price
<b>8-Bar Sections</b>			
HDL-116-8	16'-7"	2,723 lbs.	\$17,270
HDL-118-8	18'-1"	2,778 lbs.	\$17,458
HDL-120-8	19'-6"	2,869 lbs.	\$17,836
HDL-122-8	22'-7"	2,925 lbs.	\$18,052
HDL-124-8	25'-8"	3,293 lbs.	\$20,368
HDL-126-8	27'-1"	3,348 lbs.	\$20,559
HDL-128-8	28'-7"	3,402 lbs.	\$20,769
HDL-130-8	30'-1"	3,458 lbs.	\$20,986
HDL-132-8	31'-7"	4,176 lbs.	\$22,586
HDL-134-8	34'-7"	4,283 lbs.	\$23,033
HDL-136-8	36'-2"	4,341 lbs.	\$23,255
HDL-138-8	37'-8"	4,431 lbs.	\$23,572
HDL-140-8	40'-8"	4,792 lbs.	\$25,673
<b>4+4 Bar Sections</b>			
HDL-116-44	16'-7"	2,807 lbs.	\$17,410
HDL-118-44	18'-1"	2,862 lbs.	\$17,590
HDL-120-44	19'-6"	2,953 lbs.	\$17,949
HDL-122-44	22'-7"	3,009 lbs.	\$18,160
HDL-124-44	25'-8"	3,398 lbs.	\$20,501
HDL-126-44	27'-1"	3,453 lbs.	\$20,681
HDL-128-44	28'-7"	3,507 lbs.	\$20,885
HDL-130-44	30'-1"	3,563 lbs.	\$21,285
HDL-132-44	31'-7"	4,281 lbs.	\$22,826
HDL-134-44	34'-7"	4,388 lbs.	\$23,255
HDL-136-44	36'-2"	4,446 lbs.	\$23,466
HDL-138-44	37'-8"	4,536 lbs.	\$23,759
HDL-140-44	40'-8"	4,918 lbs.	\$26,137

# HDL-1100 SERIES FLEXIBLE SPIKE TOOTH HARROWS



- Hydraulic cylinders raise and lower harrows without heavy lifting.
- Heavy-duty single fabricated frame of rectangular tubular steel.
- Long hitch for easy turning.
- High-carbon replaceable diamond teeth.
- Features our FH series open-end flexible sections.
- Elimination of wing pull cables allows for greater clearance when turning in field position while being pulled behind another tool.
- Wing transport locks provides positive lock and is easy to use.
- Standard walking axle with optional dual axle available.

## Heavy Duty All Hydraulic Forward-Fold Transport Cart and Sections

MODEL	Size	Weight	List Price	MODEL	Size	Weight	List Price
<b>8-Bar Harrow Sections</b>				<b>4+4-Bar Harrow Sections</b>			
HDL-1124-8	25'-8"	5,510 lbs.	\$27,308	HDL-1124-44	25'-8"	5,412 lbs.	\$27,685
HDL-1126-8	27'-1"	5,309 lbs.	\$27,702	HDL-1126-44	27'-1"	5,210 lbs.	\$28,062
HDL-1128-8	28'-7"	5,362 lbs.	\$28,101	HDL-1128-44	28'-7"	5,264 lbs.	\$28,448
HDL-1130-8	30'-1"	5,458 lbs.	\$28,525	HDL-1130-44	30'-1"	5,360 lbs.	\$28,864
HDL-1132-8	31'-7"	5,512 lbs.	\$28,920	HDL-1132-44	31'-7"	5,413 lbs.	\$29,429
HDL-1134-8	34'-7"	5,667 lbs.	\$29,280	HDL-1134-44	34'-7"	5,569 lbs.	\$29,589
HDL-1136-8	36'-2"	5,720 lbs.	\$29,561	HDL-1136-44	36'-2"	5,621 lbs.	\$29,864
HDL-1138-8	37'-8"	5,774 lbs.	\$30,267	HDL-1138-44	37'-8"	5,676 lbs.	\$30,553
HDL-1140-8	40'-8"	7,965 lbs.	\$34,609	HDL-1140-44	40'-8"	7,834 lbs.	\$36,192
HDL-1142-8	42'-2"	8,018 lbs.	\$34,981	HDL-1142-44	42'-2"	7,887 lbs.	\$36,563
HDL-1144-8	43'-8"	8,073 lbs.	\$35,364	HDL-1144-44	43'-8"	7,942 lbs.	\$37,057
HDL-1146-8	45'-2"	8,126 lbs.	\$36,015	HDL-1146-44	45'-2"	7,995 lbs.	\$37,261
HDL-1148-8	48'-3"	8,294 lbs.	\$38,794	HDL-1148-44	48'-3"	8,103 lbs.	\$40,372
HDL-1150-8	49'-9"	8,288 lbs.	\$39,219	HDL-1150-44	49'-9"	8,157 lbs.	\$40,801
HDL-1152-8	51'-3"	9,285 lbs.	\$40,525	HDL-1152-44	51'-3"	8,975 lbs.	\$42,195
HDL-1154-8	54'-3"	9,823 lbs.	\$42,805	HDL-1154-44	54'-3"	9,592 lbs.	\$44,631
HDL-1156-8	55'-9"	9,950 lbs.	\$44,798	HDL-1156-44	55'-9"	9,718 lbs.	\$46,690
HDL-1158-8	57'-3"	9,969 lbs.	\$44,966	HDL-1158-44	57'-3"	9,738 lbs.	\$46,862
HDL-1160-8	60'-4"	10,112 lbs.	\$45,364	HDL-1160-44	60'-4"	9,980 lbs.	\$47,340

Dual axle option - subtract \$1,230 from list price. Radial tires are now available - additional \$1,590 on top of list price.

# HDL-1100 (CONTINUED)

MODEL	Size	Weight	List Price
<b>6+6-Bar Harrow Sections</b>			
HDL-1124-66	25'-8"	5,923 lbs.	\$30,898
HDL-1126-66	27'-1"	6,025 lbs.	\$32,237
HDL-1128-66	28'-7"	6,075 lbs.	\$32,738
HDL-1130-66	30'-1"	6,167 lbs.	\$33,198
HDL-1132-66	31'-7"	6,267 lbs.	\$33,670
HDL-1134-66	34'-7"	6,504 lbs.	\$34,169
HDL-1136-66	36'-2"	6,713 lbs.	\$34,810
HDL-1138-66	37'-8"	6,933 lbs.	\$35,215
HDL-1140-66	40'-8"	8,913 lbs.	\$41,165
HDL-1142-66	42'-2"	9,013 lbs.	\$41,614
HDL-1144-66	43'-8"	9,111 lbs.	\$42,062
HDL-1146-66	45'-2"	9,208 lbs.	\$42,467
HDL-1148-66	48'-3"	9,399 lbs.	\$45,718
HDL-1150-66	49'-9"	9,608 lbs.	\$46,221
<b>12-Bar Sections</b>			
HDL-1124-12	25'-8"	5,916 lbs.	\$30,350
HDL-1126-12	27'-1"	5,978 lbs.	\$30,832
HDL-1128-12	28'-7"	6,082 lbs.	\$31,314
HDL-1130-12	30'-1"	6,110 lbs.	\$31,809
HDL-1132-12	31'-7"	6,143 lbs.	\$32,270
HDL-1134-12	34'-7"	6,314 lbs.	\$32,771
HDL-1136-12	36'-2"	6,375 lbs.	\$33,418
HDL-1138-12	37'-8"	6,438 lbs.	\$33,923
HDL-1140-12	40'-8"	8,791 lbs.	\$39,219
HDL-1142-12	42'-2"	8,852 lbs.	\$39,667
HDL-1144-12	43'-8"	8,914 lbs.	\$40,117
HDL-1146-12	45'-2"	8,976 lbs.	\$40,520
HDL-1148-12	48'-3"	9,100 lbs.	\$43,779
HDL-1150-12	49'-9"	9,162 lbs.	\$44,280

MODEL	Size	Weight	List Price
<b>16-Bar Harrow Sections</b>			
HDL-1124-16	25'-8"	6,444 lbs.	\$32,256
HDL-1126-16	27'-1"	6,514 lbs.	\$33,059
HDL-1128-16	28'-7"	6,630 lbs.	\$33,406
HDL-1130-16	30'-1"	6,626 lbs.	\$34,815
HDL-1132-16	31'-7"	6,695 lbs.	\$35,339
HDL-1134-16	34'-7"	6,882 lbs.	\$35,985
HDL-1136-16	36'-2"	6,951 lbs.	\$36,621
HDL-1138-16	37'-8"	7,022 lbs.	\$37,298
HDL-1140-16	40'-8"	9,519 lbs.	\$43,450
HDL-1142-16	42'-2"	9,588 lbs.	\$43,963
HDL-1144-16	43'-8"	9,658 lbs.	\$44,484
HDL-1146-16	45'-2"	9,728 lbs.	\$44,953
HDL-1148-16	48'-3"	9,868 lbs.	\$48,369
HDL-1150-16	49'-9"	9,938 lbs.	\$48,550
<b>8+8-Bar Harrow Sections</b>			
HDL-1124-88	25'-8"	6,540 lbs.	\$34,044
HDL-1126-88	27'-1"	6,610 lbs.	\$34,461
HDL-1128-88	28'-7"	6,722 lbs.	\$34,824
HDL-1130-88	30'-1"	6,726 lbs.	\$36,205
HDL-1132-88	31'-7"	6,791 lbs.	\$36,737
HDL-1134-88	34'-7"	6,978 lbs.	\$37,382
HDL-1136-88	36'-2"	7,047 lbs.	\$38,012
HDL-1138-88	37'-8"	7,118 lbs.	\$38,592
HDL-1140-88	40'-8"	9,648 lbs.	\$45,396
HDL-1142-88	42'-2"	9,717 lbs.	\$45,907
HDL-1144-88	43'-8"	9,787 lbs.	\$46,426
HDL-1146-88	45'-2"	9,856 lbs.	\$46,903
HDL-1148-88	48'-3"	9,997 lbs.	\$50,310
HDL-1150-88	49'-9"	10,067 lbs.	\$50,905

Light kits now included in base price. Walking axle is standard and included in base price



# REEL SEEDBED CONDITIONER



## Pull Type with Spiral Choppers, 5-Bar Harrow Sections, & Feathering Board

MODEL	Width	Weight	List Price
SPR-1020-5	20'-0"	7,555 lbs.	\$42,309
SPR-1026-5	25'-6"	8,579 lbs.	\$46,315
SPR-1030-5	31'-3"	9,860 lbs.	\$55,556
SPR-1036-5	36'-6"	11,090 lbs.	\$63,866
SPR-1040-5	40'-2"	11,720 lbs.	\$66,773

- Toolbar is a heavy-wall 7" square tubing.
- Hardened steel blades for soil loosening and mixing.
- Heavy-duty 5-bar flexible spike-tooth harrow for leveling, stirring, and firming.
- Adjustable feathering board for use in high-residue conditions.
- Optional 3-bar and rolling basket for heavy residue.
- Operate at speeds of 7-10 mph.

*LB-1008 Light Kit Included in Price*

## Pull Type with Spiral Choppers, 3-Bar Harrow Sections, & Rolling Basket

MODEL	Width	Weight	List Price
SPR-1020-3RB	20'-0"	7,555 lbs.	\$44,931
SPR-1026-3RB	25'-6"	8,579 lbs.	\$47,340
SPR-1030-3RB	31'-3"	9,860 lbs.	\$56,994
SPR-1036-3RB	36'-6"	11,090 lbs.	\$65,700
SPR-1040-3RB	40'-2"	11,720 lbs.	\$71,469

## Pull Type with Spiral Choppers Only

MODEL	Width	Weight	List Price
SPR-1020	20'-0"	6,175 lbs.	\$32,826
SPR-1026	25'-6"	6,915 lbs.	\$35,136
SPR-1030	31'-3"	7,474 lbs.	\$39,038
SPR-1036	36'-6"	8,276 lbs.	\$46,528
SPR-1040	40'-2"	9,071 lbs.	\$48,177

# 3-POINT MOUNTED SPIRAL REEL STALK CHOPPER



- Toolbar is a heavy-wall 7" square tubing.
- Spiral reels with 7 blades for excellent soil loosening and mixing.
- Hardened steel spiral reels are mounted using triple-lip regreasable bearings for endurance.
- Optional heavy-duty 5-bar flexible spike-tooth harrow for leveling, stirring, and firming.
- Optional adjustable feathering board for use in high-residue conditions.
- 3-bar harrow and single rolling basket available upon request.

MODEL	Description	Weight	List Price
<b>STANDARD MODELS</b>			
SPR 6R36	6 Row 36" rigid toolbar	1,867 lbs.	\$11,442
SPR 8R36	8 Row 36" rigid toolbar	2,184 lbs.	\$13,653
SPR 8R36F	8 Row 36" folding toolbar	2,802 lbs.	\$18,982
SPR 10R36F	10 Row 36" folding toolbar	3,198 lbs.	\$20,577
SPR 12R36F	12 Row 36" folding toolbar	3,628 lbs.	\$24,449
<b>OPTIONAL Rear Spiral Reel w/ Connectors</b>			
SPR 6R36D	Fits SPR 6R36	1,871 lbs.	\$11,061
SPR 8R36D	Fits SPR 8R36	2,280 lbs.	\$12,777
SPR 8R36DF	Fits SPR 8R36F	2,658 lbs.	\$17,791
<b>OPTIONAL 5-Bar Harrow and Feathering Board</b>			
SPR 6R36-FA5LB	Fits SPR 6R36	1,621 lbs.	\$10,513
SPR 8R36-FA5LB	Fits SPR 8R36	2,196 lbs.	\$13,432
SPR 8R36F-FA5LB	Fits SPR 8R36F	2,336 lbs.	\$13,432
SPR 10R36F-FA5LB	Fits SPR 10R36F	3,079 lbs.	\$19,030
SPR 12R36F-FA5LB	Fits SPR 12R36F	3,456 lbs.	\$22,605

(F) Folding units include cylinders and hoses to the center of the unit.

# FIELD FINISHERS



- Telescoping hitch.
- Baskets have adjustable down pressure and heavy-duty 1½" bearings.
- Floating wing.
- Lift and fold on single circuit.
- Features our FA series heavy-duty angle iron harrows.

*Field Finisher models are available without harrow sections. Larger sizes are available up to 50'. Call for pricing. Light kits now included in base price.*



- Trussed toolbar eliminates need for wing pull cable
- Transport wheels lift completely off the ground, eliminating wheel tracks
- Maintenance free basket hubs and basket pivots
- Telescoping hitch makes it ideal to pull behind vertical tillage and other finishing implements

## 100/200 SERIES

MODEL	Size	Weight	List Price
<b>RBH-100 Single Rolling Basket with Heavy-Duty 5-Bar Harrow</b>			
RBH-118-5	18'-2"	3,695 lbs.	\$21,623
RBH-120-5	20'-0"	3,819 lbs.	\$22,077
RBH-122-5	21'-10"	3,941 lbs.	\$22,507
RBH-124-5	23'-8"	4,190 lbs.	\$23,339
RBH-126-5	27'-4"	4,718 lbs.	\$27,256
RBH-128-5	29'-2"	4,842 lbs.	\$27,714
RBH-130-5	31'-0"	4,967 lbs.	\$28,188
RBH-132-5	32'-10"	5,754 lbs.	\$29,659
RBH-134-5	34'-8"	5,891 lbs.	\$29,881
RBH-136-5	36'-6"	6,016 lbs.	\$30,310
<b>RBH-200 Double Rolling Basket with Heavy-Duty 3-Bar Harrow</b>			
RBH-218-3	18'-2"	3,695 lbs.	\$22,673
RBH-220-3	20'-0"	3,819 lbs.	\$23,284
RBH-222-3	21'-10"	3,941 lbs.	\$23,830
RBH-224-3	23'-8"	4,190 lbs.	\$24,954
RBH-226-3	27'-4"	4,718 lbs.	\$28,795
RBH-228-3	29'-2"	4,842 lbs.	\$29,667
RBH-230-3	31'-0"	4,967 lbs.	\$30,012
RBH-232-3	32'-10"	5,754 lbs.	\$31,704
RBH-234-3	34'-8"	5,891 lbs.	\$32,202
RBH-236-3	36'-6"	6,016 lbs.	\$32,715

## RBH 200 PHAROH Field Finisher

MODEL	Size	Weight	List Price
RBH-218-P	18'-2"	3,316 lbs.	\$21,845
RBH-220-P	20'-0"	3,546 lbs.	\$23,629
RBH-222-P	21'-10"	3,649 lbs.	\$23,867
RBH-224-P	23'-8"	3,751 lbs.	\$24,245
RBH-226-P	27'-4"	4,379 lbs.	\$29,913
RBH-228-P	29'-2"	4,481 lbs.	\$30,137
RBH-230-P	31'-0"	4,584 lbs.	\$30,362
RBH-232-P	32'-10"	4,915 lbs.	\$31,689
RBH-234-P	34'-8"	5,017 lbs.	\$31,833
RBH-236-P	36'-6"	5,119 lbs.	\$31,979

# STM MOUNTED HARROW



- Fits virtually all makes and models of field cultivators.
- Designed for 3" and 4" rear tool bars (special mounts are available upon request).
- Adjustable pull point for varying heights/conditions.
- Sections are suspended with hardened chain to allow full flotation and maximum flexibility for residue clearance.
- Teeth are on 9" centers to prevent sections from plugging in heavy residue.
- Heavy wall harrow pipe (1.90" O.D. & .145" wall) for 5-bar option.

## 5-Bar Open End Flexible Leverless Harrows

MODEL	Size	Weight	List Price
FH-500-5H	3'-9"	114 lbs.	\$555
FH-600-5H	4'-6"	129 lbs.	\$569
FH-700-5H	5'-3"	144 lbs.	\$615
FH-800-5H	6'-0"	159 lbs.	\$659
FH-900-5H	6'-9"	174 lbs.	\$700

## 5-Bar Harrow Packages

MODEL	Size	Weight	List Price
STM-5039H	3'-9"	285 lbs.	\$1,349
STM-5046H	4'-6"	304 lbs.	\$1,398
STM-5053H	5'-3"	331 lbs.	\$1,471
STM-5060H	6'-0"	356 lbs.	\$1,514
STM-5069H	6'-9"	361 lbs.	\$1,553
STM-5076H	7'-6"	492 lbs.	\$2,292
STM-5083H	8'-3"	507 lbs.	\$2,326
STM-5090H	9'-0"	568 lbs.	\$2,551
STM-5099H	9'-9"	595 lbs.	\$2,624
STM-5106H	10'-6"	610 lbs.	\$2,668
STM-5114H	11'-4"	625 lbs.	\$2,715
STM-5120H	12'-0"	652 lbs.	\$2,786
STM-5129H	12'-10"	667 lbs.	\$2,826
STM-5137H	13'-7"	682 lbs.	\$2,866
STM-5144H	14'-4"	859 lbs.	\$3,788
STM-5151H	15'-1"	876 lbs.	\$3,834
STM-5159H	15'-10"	889 lbs.	\$3,878
STM-5167H	16'-7"	915 lbs.	\$3,956

# STM MOUNTED HARROW (CONTINUED)



*Specify make/model or toolbar size when ordering harrow packages.*

*Packages include all mounting brackets and harrows. No other hardware is required.*

*STM Series accommodates 3" and 4" toolbars.*

## 8-Bar Harrow Packages

MODEL	Size	Weight	List Price
STM-8039	3'-9"	402 lbs.	\$1,737
STM-8046	4'-6"	416 lbs.	\$1,814
STM-8053	5'-3"	434 lbs.	\$1,897
STM-8060	6'-0"	442 lbs.	\$1,966
STM-8069	6'-9"	460 lbs.	\$2,046
STM-8076	7'-6"	681 lbs.	\$2,883
STM-8083	8'-3"	689 lbs.	\$2,955
STM-8090	9'-0"	765 lbs.	\$3,303
STM-8099	9'-9"	785 lbs.	\$3,413
STM-8106	10'-6"	793 lbs.	\$3,481
STM-8114	11'-4"	801 lbs.	\$3,552
STM-8120	12'-0"	821 lbs.	\$3,659
STM-8129	12'-10"	829 lbs.	\$3,735
STM-8137	13'-7"	837 lbs.	\$3,810
STM-8144	14'-4"	1,136 lbs.	\$4,939
STM-8151	15'-1"	1,146 lbs.	\$5,010
STM-8159	15'-10"	1,152 lbs.	\$5,082
STM-8167	16'-7"	1,172 lbs.	\$5,183

# CTM MOUNTED HARROW

- Fits virtually all makes and models of chisel plows.
- Adjustable pull point for varying heights/conditions.
- Flexible linkages have replaceable wear bushing.
- Heavy-duty angle tooth bars are heavy enough to level, yet won't plug.

*CTM 4-bar mounted Harrows are recommended for V-rippers*

*Please specify the make/model and size of the toolbar.*

*Additional information may be required.*

*Specify make/model or toolbar size when ordering harrow packages.*

*Packages include all mounting brackets and harrows. No other hardware is required.*

*CTM series accommodates 4", 5", and 6" toolbars.*

## 4-Bar Heavy-Duty Flexible Angle-Bar Harrows

MODEL	Size	Weight	List Price
CT-50	4'-7"	210 lbs.	\$1,022
CT-60	5'-5"	230 lbs.	\$1,102
CT-70	6'-5"	250 lbs.	\$1,218

## Harrow Packages

MODEL	Size	Weight	List Price
CTM-504	4'-7"	384 lbs.	\$2,051
CTM-505	5'-5"	410 lbs.	\$2,181
CTM-506	6'-5"	437 lbs.	\$2,305
CTM-509	9'-2"	672 lbs.	\$3,566
CTM-5105	10'-0"	757 lbs.	\$3,930
CTM-510	10'-10"	777 lbs.	\$4,021
CTM-511	11'-10"	811 lbs.	\$4,105
CTM-512	12'-10"	831 lbs.	\$4,326
CTM-513	13'-9"	1,065 lbs.	\$5,577
CTM-514	14'-7"	1,098 lbs.	\$5,693
CTM-515	15'-7"	1,118 lbs.	\$5,829
CTM-516	16'-3"	1,150 lbs.	\$5,897
CTM-517	17'-3"	1,222 lbs.	\$6,177
CTM-518	18'-3"	1,256 lbs.	\$6,448
CTM-519	19'-3"	1,276 lbs.	\$6,585

## V-Frame Mounting Kit

**\$1,211**

Add this kit to CTM 3-, 4-, or 5-bar harrow packages when mounting to V frames or disk rippers.

Most models can be accommodated including DMI/Case IH Ecolo-Tiger®, Case IH MRX 690, Landoll Weatherproofer, M&W Earthmaster, and Sunflower disk rippers.

## CTM MOUNTED HARROW (CONTINUED)



- Fits virtually all makes and models of chisel plows.
- Adjustable pull point for varying heights/conditions.
- Flexible linkages have replaceable wear bushing.
- Heavy-duty angle tooth bars are heavy enough to level, yet won't plug.

*Specify make/model or toolbar size when ordering harrow packages.*

*Packages include all mounting brackets and harrows. No other hardware is required.*

*CTM series accommodates 4", 5", and 6" toolbars.*

*The 500 series is for straight frames.*

*Packages include all mounting brackets and harrows.*

*No other hardware is required.*

### 5-Bar Heavy-Duty Flexible Formed Angle-Bar Harrows

MODEL	Size	Weight	List Price
FA-500-5	4'-5"	223 lbs.	\$1,254
FA-600-5	5'-4"	256 lbs.	\$1,361
FA-700-5	6'-3"	288 lbs.	\$1,454
FA-800-5	7'-2"	321 lbs.	\$1,559
FA-900-5	8'-1"	354 lbs.	\$1,654

### Harrow Packages

MODEL	Size	Weight	List Price
CTM-504-5	4'-5"	402 lbs.	\$2,286
CTM-505-5	5'-4"	438 lbs.	\$2,405
CTM-506-5	6'-3"	473 lbs.	\$2,531
CTM-507-5	7'-2"	506 lbs.	\$2,657
CTM-508-5	8'-1"	543 lbs.	\$2,791
CTM-509-5	8'-11"	707 lbs.	\$4,017
CTM-510-5	9'-11"	796 lbs.	\$4,370
CTM-511-5	10'-10"	830 lbs.	\$4,530
CTM-5119-5	11'-9"	864 lbs.	\$4,654
CTM-512-5	12'-8"	802 lbs.	\$4,782
CTM-513-5	13'-7"	990 lbs.	\$5,132
CTM-514-5	14'-6"	1,025 lbs.	\$5,245
CTM-515-5	15'-5"	1,061 lbs.	\$5,391
CTM-516-5	16'-4"	1,101 lbs.	\$5,543
CTM-517-5	17'-3"	1,140 lbs.	\$6,935
CTM-518-5	18'-2"	1,220 lbs.	\$7,076
CTM-519-5	19'-1"	1,256 lbs.	\$7,243
CTM-520-5	20'-0"	1,276 lbs.	\$7,386

### Harrow Packages for John Deere 510 & 512 Disk Rippers

MODEL	Size	Weight	List Price
CTM-JD510-5	17'-2"	1,570 lbs.	\$8,058
CTM-JD510-7	21'-9"	1,867 lbs.	\$9,997
CTM-JD512-5	17'-9"	1,637 lbs.	\$8,058
CTM-JD512-7	21'-9"	2,260 lbs.	\$9,997
CTM-JD512-9	27'-4"	3,080 lbs.	\$13,930

# CTM MOUNTED HARROW (CONTINUED)



McFarlane's 3-bar Mounted Harrow attaches directly to the rear of the DMI Ecolo-Tiger® or the John Deere 2700 Mulch Ripper. It provides the finishing touch necessary to help finish fields in a single pass. The McFarlane Mounted Harrow prepares the soil so spring field preparation and planting can be done quicker and easier.

<sup>1</sup> Disk leveler has stepped toolbar.

<sup>2</sup> Disk leveler toolbar cannot be folded when using this package.

<sup>3</sup> Disk leveler toolbar must fold vertically when using this package.

\* All Case IH 870 models must have a single disc leveler toolbar, without a reel or harrow.

\*\* Disk leveler toolbar must be extended 6" to accommodate a main arm.

*Specify make/model or toolbar size when ordering harrow packages.*

*Packages include all mounting brackets and harrows. No other hardware is required.*

## 3-Bar Heavy-Duty Flexible Formed Angle-Bar Harrow Components

MODEL	Size	Weight	List Price
CT-40-3	3'-4"	142 lbs.	\$696
CT-50-3	4'-3"	157 lbs.	\$767
CT-60-3	5'-2"	172 lbs.	\$819
CT-70-3	6'-1"	187 lbs.	\$926
CT-80-3	7'-0"	211 lbs.	\$993

## Harrow Packages for Disk Rippers with Disc Levelers

MODEL	Fits	Size	Weight	List Price
CTM-512-3	DMI 527 & 527B	12'-6"	678 lbs.	\$3,529
CTM-513-3	DMI 530/530B/530C JD2700 5-30"	13'-5"	831 lbs.	\$4,259
CTM-516-3S	JD2700 7-24" <sup>1</sup>	16'-2"	947 lbs.	\$4,736
CTM-516-3	CASE IH 870-7*	16'-2"	910 lbs.	\$4,736
CTM-518-3	DMI 730 <sup>2</sup>	18'-0"	977 lbs.	\$4,979
CTM-519-3E	JD2700 9-24" JD2700 7-30"	18'-11"	1,049 lbs.	\$5,344
CTM-519-3S	JD 2700 w/narrow transport <sup>2</sup>	18'-11"	1,049 lbs.	\$5,437
CTM-520-3	DMI 730B & 730C <sup>3</sup> CASE IH 870-9**	19'-10"	1,281 lbs.	\$6,659
CTM-523-3	DMI 9300 CASE IH 870-11*	23'-6"	1,362 lbs.	\$6,956
CTM-527-3	CASE IH 870-13*	27'-8"	1,442 lbs.	\$7,710



# LIFT DRAWBARS



## 3-Point Lift Drawbars ONLY for 5-Bar Sections

MODEL	Size	Weight	List Price
9006	6'	150 lbs.	\$1,011
9007	7'	161 lbs.	\$1,051
9010	10'	205 lbs.	\$1,422
9012	12'	218 lbs.	\$1,481
9014	14'	232 lbs.	\$1,525

- 3" heavy structural tube and double braced lift tube brackets.
- Features heavy-duty 1.66" diameter steel tube.
- 24" transport clearances.
- Category I hitch pins.

## 3-Point Lift Drawbars ONLY for Chain Link Harrow Sections\*

MODEL	Size	Weight	List Price
8008-U	8' Cat. 1	275	\$1,689
8010-U	10' Cat. 1	295	\$1,753
8012-U	12' Cat. 1	357	\$2,149
8014-U	14' Cat.1	418	\$2,452

- 3" heavy wall toolbar.
  - 18" transport clearance.
  - Category I hitch.
  - High-strength pull tube for even pull.
- Prices do not include sections.*

## 40 SERIES FLEXIBLE SPIKE TOOTH HARROWS 3-Point Lift drawbars with 8-Bar Flexible Harrow Sections


MODEL	Size	Weight	List Price
4015S	15'-11"	1751	\$7,540
4020S	21'-1"	1977	\$7,964
4020F	21'-1"	2102	\$11,663
4024F	24'-2"	2240	\$12,219
4027F	27'-2"	2378	\$12,769
4030F	30'-2"	2699	\$13,397

- Category II/III combination hitch.
- 24" transport clearance.
- 6" square heavy-wall structural tube toolbar.
- Gauge wheels included.
- Parking stands for convenient tractor hookup.



(S) Straight/Non-Folding  
(F) Folding  
Folding units include cylinders and hoses to the center of the unit.


# HARROW SECTIONS



## 5-Bar Closed End Rigid Square Bar Harrow

MODEL	Size	Weight	List Price
SA-542	5'-0"	121 lbs.	\$690
SA-647	6'-0"	130 lbs.	\$716
SA-757	7'-0"	160 lbs.	\$870


- 2-2" steel tube construction.
- 5/8" x 7/8" diamond high-carbon teeth pressed and welded into square bars.
- Strong center bar for easy teeth pitch adjustment.
- Extra-heavy side bars are offset to provide complete ground coverage without ridges.



## 5-Bar Closed End Rigid Harrow

MODEL	Size	Weight	List Price
SR-450	4'-6"	92 lbs.	\$683
SR-542	5'-0"	100 lbs.	\$731
SR-647	6'-0"	115 lbs.	\$766
SR-652	6'-6"	122 lbs.	\$825
SR-757	7'-0"	135 lbs.	\$929

- Extra-heavy side bars are offset giving better field coverage with no gaps.
- 5/8" - 7/8" diamond high-carbon teeth, heavy 1/2" shank.
- Lay down lever is convenient to adjust, fold, and store.




## 5-Bar Open End Rigid Harrow

MODEL	Size	Weight	List Price
SO-50	5'-0"	120 lbs.	\$801
SO-55	5'-6"	123 lbs.	\$809
SO-60	6'-0"	130 lbs.	\$818
SO-66	6'-6"	135 lbs.	\$847

- 5/8" x 7/8" diamond high-carbon teeth shouldered and nitted, heavy 1/2" shanks.
- Strong center bar for easy teeth pitch adjustment.
- Cross braced for added strength and stability.
- Heavy-duty steel construction, bars are 1.66" carbon structural tube.


# HARROW SECTIONS (CONTINUED)



## 5-Bar Heavy Duty Open End Flexible Leverless Harrow

MODEL	Size	Weight	List Price
FH-40	5'-0"	107 lbs.	\$574
FH-55	5'-6"	110 lbs.	\$597
FH-60	6'-0"	115 lbs.	\$609
FH-66	6'-6"	120 lbs.	\$621
FH-70	7'-0"	125 lbs.	\$651
FH-80	8'-0"	135 lbs.	\$706

- Reversible sections can be drawn from either end.
- Sections can be rolled for easy transport.



## Heavy-Duty 8-Bar Flexible Leverless Harrow

MODEL	Size	Weight	List Price
FH-500-8	3'-9"	136 lbs.	\$781
FH-600-8	4'-5"	153 lbs.	\$819
FH-700-8	5'-3"	170 lbs.	\$890
FH-800-8	6'-0"	187 lbs.	\$962
FH-900-8	6'-9"	204 lbs.	\$1,035

- Fully flexible — won't plug in heavy residue.
- Dual tooth pitch setting — pull one direction at 50° or reverse harrow pull at 38°.
- Fitted with 10 teeth per foot.

# CHAIN HARROWS



- Hydraulic lift, manual fold for easy transportation.
- Long telescoping hitch for easy turning.
- 32' through 36' models feature a double-trussed square tubular center and wing frame.
- High-strength pull tube for even pull.
- Will accommodate most makes of chain harrows.

## Hydraulic Lift Forward Manual Fold Carts ONLY for Chain Harrow Sections\*

MODEL	Center Size	Wing Size	Total Size	Weight	List Price
HD-16-U	8'	4'	16'-0"	1,322 lbs.	\$8,678
HD-18-U	10'	4'	18'-0"	1,349 lbs.	\$8,758
HD-20-U	8'	6'	20'-0"	1,375 lbs.	\$8,842
HD-24-U	8'	8'	24'-0"	1,562 lbs.	\$9,948
HD-26-U	10'	8'	26'-0"	1,586 lbs.	\$9,982
HD-28-U	12'	8'	28'-0"	1,610 lbs.	\$10,114
HD-30-U	10'	10'	30'-0"	1,646 lbs.	\$10,259
HD-32-U	12'	10'	32'-0"	2,173 lbs.	\$12,428
HD-34-U	10'	12'	34'-0"	2,249 lbs.	\$13,650
HD-36-U	12'	12'	36'-0"	2,280 lbs.	\$13,728

## Hydraulic Lift Forward Fold Carts ONLY for Chain Harrow Sections\*

HD-116-U	8'	4'	16'-0"	2,225 lbs.	\$14,081
HD-118-U	10'	4'	18'-0"	2,256 lbs.	\$14,142
HD-120-U	8'	6'	20'-0"	2,289 lbs.	\$14,226
HD-124-U	8'	8'	24'-0"	2,529 lbs.	\$15,369
HD-126-U	10'	8'	26'-0"	2,560 lbs.	\$15,427
HD-128-U	8'	10'	28'-0"	2,590 lbs.	\$15,486
HD-130-U	10'	10'	30'-0"	2,622 lbs.	\$15,545
HD-132-U	12'	10'	32'-0"	3,316 lbs.	\$17,452
HD-134-U	10'	12'	34'-0"	3,365 lbs.	\$18,128
HD-136-U	12'	12'	36'-0"	3,399 lbs.	\$18,221
HD-140-U	12'	14'	40'-0"	4,006 lbs.	\$18,357

Please specify make and model of chain harrow sections to be used.

All HD carts include main frame and wing wheels.

Tires included in base price.

\*Prices do not include harrow sections.

All HD-10-U series harrows now include a hydraulic cylinder and plumbing to the hitch.

# 3-POINT BED CONDITIONER



Units include shank with foot piece, 5-blade spiral reels mounted to 7x7 vertical fold toolbar, and double rolling basket. Gauge wheels are included on all models.

MODEL	Size	List Price
SPR 6R38R-BC	6 row 36" rigid toolbar	\$28,821
SPR 6R38F-BC	6 row 38"	\$34,022
SPR 8R38F-BC	8 row 38"	\$38,251
SPR 12R30F-BC	12 row 30"	\$36,071
SPR 12R36F-BC	12 row 36"	\$47,028
SPR 12R38F-BC	12 row 38"	\$42,969
SPR 12R40F-BC	12 row 40"	\$50,553
SPR 16R30F-BC	16 row 30"	\$70,520

## Bed Conditioner Components Only

MODEL	Size	List Price
SPR-BC 12R30	12 row 30"	\$27,916
SPR-BC 12R36	12 row 36"	\$28,525
SPR-BC 12R38	12 row 38"	\$30,344
SPR-BC 12R40	12 row 40"	\$30,344
SPR-BC 16R30	16 row 30"	\$31,357

Packages include shank with foot piece, 5-blade spiral reels, and double rolling basket to fit stack-fold toolbar.

### Bed Conditioner Shank

\$389

Includes shank, mount, and foot piece (one row).



# MOUNTED ROLLING BASKET



- Fits virtually all makes and models of field cultivators.
- Designed for 3" and 4" rear tool bars.
- Heavy-gauge rectangular tube frame.
- 12" diameter basket with eight 1/4" x 1 1/4" high-carbon bars.
- New maintenance-free hubs.
- Spring-adjustable down pressure for varying soil conditions and types for optimum performance.
- Double rolling baskets oscillate to follow field contours.
- Packages with sections feature our FH series open-end flexible harrows.

## Single Basket Only Packages

MODEL	Size	Weight	List Price
SRB-039	3'-9"	259 lbs.	\$1,594
SRB-046	4'-6"	268 lbs.	\$1,682
SRB-053	5'-3"	272 lbs.	\$1,785
SRB-060	6'-0"	281 lbs.	\$1,897
SRB-069	6'-9"	286 lbs.	\$1,956
SRB-076	7'-6"	516 lbs.	\$3,188
SRB-083	8'-3"	527 lbs.	\$3,276
SRB-090	9'-0"	536 lbs.	\$3,370
SRB-099	9'-9"	540 lbs.	\$3,470
SRB-106	10'-6"	544 lbs.	\$3,569
SRB-114	11'-4"	553 lbs.	\$3,685
SRB-120	12'-0"	562 lbs.	\$3,792
SRB-129	12'-10"	567 lbs.	\$3,853
SRB-137	13'-7"	572 lbs.	\$3,929
SRB-144	14'-4"	808 lbs.	\$5,153
SRB-151	15'-1"	812 lbs.	\$5,257
SRB-159	15'-10"	816 lbs.	\$5,359
SRB-167	16'-7"	825 lbs.	\$5,469

*Packages include all mounting brackets and harrows. No other hardware is required. Please specify the toolbar size when ordering.*

*When determining rolling basket cutting width, include a 3" gap between adjacent packages.*

## MOUNTED ROLLING BASKET (CONTINUED)

### Single Basket with 3-Bar Harrow Packages

MODEL	Size	Weight	List Price
SRB-039H3	3'-9"	321 lbs.	\$2,002
SRB-046H3	4'-6"	338 lbs.	\$2,123
SRB-053H3	5'-3"	351 lbs.	\$2,248
SRB-060H3	6'-0"	368 lbs.	\$2,395
SRB-069H3	6'-9"	381 lbs.	\$2,448
SRB-076H3	7'-6"	641 lbs.	\$4,008
SRB-083H3	8'-3"	659 lbs.	\$4,126
SRB-090H3	9'-0"	686 lbs.	\$4,245
SRB-099H3	9'-9"	689 lbs.	\$4,370
SRB-106H3	10'-6"	702 lbs.	\$4,500
SRB-114H3	11'-4"	719 lbs.	\$4,646
SRB-120H3	12'-0"	736 lbs.	\$4,793
SRB-129H3	12'-10"	749 lbs.	\$4,845
SRB-137H3	13'-7"	762 lbs.	\$4,903
SRB-144H3	14'-4"	1,027 lbs.	\$6,495
SRB-151H3	15'-1"	1,040 lbs.	\$6,624
SRB-159H3	15'-10"	1,053 lbs.	\$6,752
SRB-167H3	16'-7"	1,070 lbs.	\$6,896

### Double Basket with 3-Bar Harrow Packages

MODEL	Size	Weight	List Price
DRB-039H3	3'-9"	399 lbs.	\$2,659
DRB-046H3	4'-6"	426 lbs.	\$2,822
DRB-053H3	5'-3"	453 lbs.	\$3,018
DRB-060H3	6'-0"	480 lbs.	\$3,186
DRB-069H3	6'-9"	507 lbs.	\$3,299
DRB-076H3	7'-6"	798 lbs.	\$5,318
DRB-083H3	8'-3"	825 lbs.	\$5,481
DRB-090H3	9'-0"	852 lbs.	\$5,643
DRB-099H3	9'-9"	879 lbs.	\$5,837
DRB-106H3	10'-6"	906 lbs.	\$6,037
DRB-114H3	11'-4"	933 lbs.	\$6,203
DRB-120H3	12'-0"	960 lbs.	\$6,371
DRB-129H3	12'-10"	987 lbs.	\$6,483
DRB-137H3	13'-7"	1,014 lbs.	\$6,598
DRB-144H3	14'-4"	1,305 lbs.	\$8,665
DRB-151H3	15'-1"	1,332 lbs.	\$8,860
DRB-159H3	15'-10"	1,359 lbs.	\$9,056
DRB-167H3	16'-7"	1,386 lbs.	\$9,222

# RIDGE-TILL ROLLING STALK CHOPPER



- 11 $\frac{3}{4}$ " & 20 $\frac{3}{4}$ " straight blade chopping reels.
- Available with single or double toolbar.
- Category II/III combination hitch.
- 7" heavy-wall square tool bar.
- Hardened steel replaceable blades.
- Optional gauge wheels.

*(SR) Single/Non-Folding*

*(SF) Single/Folding*

*(DRR) Double/Non-Folding/Rigid Connectors*

*(DRF) Double/Non-Folding/Flexible Connectors*

*(DFR) Double/Folding/Rigid Connectors*

*(DFF) Double/Folding/Flexible Connectors*

MODEL	Size	Weight	List Price
SC 6R36-SR	6 Row 36"	1,947 lbs.	\$9,231
SC 6R36-DRR	6 Row 36"	3,267 lbs.	\$16,532
SC 6R36-DRF	6 Row 36"	3,262 lbs.	\$17,780
SC 8R36-SR	8 Row 36"	2,125 lbs.	\$11,873
SC 8R36-DRR	8 Row 36"	4,196 lbs.	\$21,782
SC 8R36-DRF	8 Row 36"	4,151 lbs.	\$23,022
SC 8R36-SF	8 Row 36"	2,633 lbs.	\$15,564
SC 8R36-DFR	8 Row 36"	5,129 lbs.	\$26,613
SC 8R36-DFF	8 Row 36"	5,013 lbs.	\$27,346
SC 10R36-SF	10 Row 36"	3,283 lbs.	\$18,191
SC 10R36-DFR	10 Row 36"	6,524 lbs.	\$32,027
SC 10R36-DFF	10 Row 36"	6,329 lbs.	\$33,598
SC 12R36-SF	12 Row 36"	3,839 lbs.	\$20,659
SC 12R36-DFR	12 Row 36"	7,637 lbs.	\$37,047
SC 12R36-DFF	12 Row 36"	7,374 lbs.	\$36,885

*\*Folding units include cylinders and hoses to the center of the unit.*



# ROLLER CRIMPER



- Crimp mature cover crops to kill without chemical application.
- Crimp immature cover crops to provide mulch, which suppresses weeds.
- Lightly till in cover crop seeds; size residue at the same time.
- Full width coverage, using Dura-Reel.
- Sizes up to 12 row 30", folding and rigid toolbars.
- Unique bearing guard protects against wrapping/plugging.
- Blades will penetrate ground in uneven conditions to get full crimp.
- Setup on rear or front mount 3 point.
- Weight built into frame, 7x7 toolbar.
- Beveled blades require less weight than conventional crimpers that use flat bars.
- Aggressive blades can also be used to incorporate seed.

MODEL	Size	Tool Bar	Weight	List Price
SPR 6R30-DC	15'	Rigid	2,200 lbs	\$10,857
SPR 12R30F-DC	30'	Folding	4,400 lbs	\$29,055



Bearing Guard



15-foot option







PO Box 100  
Sauk City, WI 53583

608.643.3322  
888.627.8569

Learn more at  
[www.mcfarlaneag.com](http://www.mcfarlaneag.com)