



**ADDITIONAL 8% STEEL SURCHARGE
APPLIES TO BELOW PRICING.**

Land Rollers

Single Section Rollers – Quarter Turn

Features Include:

- 42" diameter roller
- 5/8" nominal roller thickness for additional weight and for maximum durability
- Rugged construction weighs up to 450 lbs per foot without water for ballast
- 850 lb hitch weight

Standard Equipment:

- 2.5" removable roller shafts
- Highway speed rated 235x75R17.5 tires
- Transports under 9 feet
- 213 series bearings in ductile iron housings
- Clearance lights
- Acre metre

Optional Equipment:

- Levelling blade to smooth over animal mounds, irrigation tracks
- Water fill kit to add water ballast of additional 575 lbs per foot
- Valmar 4056 airseeding attachment – factory installed with step
- Tecknik Plus 12 volt air seeder attachment with rate controller



Model #	Description	Price [USD]
800011	Single Section Quarter Turn Land Roller , 14 foot	\$24,360.00
803335	Ground Levelling Blade , 14 foot with hydraulic height	\$6,563.00
803310	Scraper Kit, 14 foot – Bolt on	\$788.00
800006	Single Section Quarter Turn Land Roller , 20 foot	\$27,563.00
805356	Ground Levelling Blade , 20 foot with hydraulic height	\$7,980.00
803240	Scraper Kit, 20 foot – Bolt on	\$945.00
Options		
803000	Water Fill Kit – 3" & 2" Banjo Quick Couplers	\$1,050.00
803022	Universal Seeder Mount Kit, Quarter Turn-No Seeder	\$6,563.00
	Quarter Turn Factory Set-Up	\$1,250.00

Disassembling Charge for Single Sections Rollers - \$450.00



PRICED IN U.S. DOLLARS

PRICES ARE FOB BENITO, MB – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE



**ADDITIONAL 8% STEEL SURCHARGE
APPLIES TO BELOW PRICING.**

Land Rollers Continued...

Single Section Rollers – Straight Hitch

Features Include:

- 42" diameter roller
- 5/8" nominal roller thickness for additional weight and for maximum durability
- Rugged construction weighs up to 450 lbs per foot without water for ballast

Standard Equipment:

- 2.5" removable roller shafts
- Highway speed rated 235x70R16 tires
- Transports 1 foot wider than working width
- 213 series bearings in ductile iron housings
- Clearance lights
- Acre metre

Optional Equipment:

- Levelling blade to smooth over animal mounds, irrigation tracks
- Water fill kit to add water ballast of additional 575 lbs per foot
- Valmar 4056 airseeding attachment – factory installed with step
- Tecknik Plus 12 volt air seeder attachment with rate controller



Model #	Description	Price [USD]
800004	Single Section Land Roller , 11.5 foot	\$15,225.00
805015	Ground Levelling Blade , 11.5 foot with hydraulic height	\$5,618.00
800007	Scraper Kit, 11.5 foot – Bolt on	\$735.00
800003	Single Section Land Roller , 14 foot	\$17,588.00
803335	Ground Levelling Blade , 14 foot with hydraulic height	\$6,563.00
804640	Scraper Kit, 14 foot – Bolt on	\$840.00
800005	Single Section Land Roller , 17 foot	\$18,270.00
805001	Ground Levelling Blade , 17 foot with hydraulic height	\$8,379.00
804286	Scraper Kit, 17 foot – Bolt on	\$945.00
800002	Single Section Land Roller , 20 foot	\$20,633.00
805356	Ground Levelling Blade , 20 foot with hydraulic height	\$7,980.00
804647	Scraper Kit, 20 foot – Bolt on	\$1,050.00
Options		
803000	Water Fill Kit – 3" & 2" Banjo Quick Couplers	\$1,050.00
	Single Section Factory Set-Up	\$1,000.00

Disassembling Charge for Single Sections Rollers - \$450.00



PRICED IN U.S. DOLLARS

PRICES ARE FOB BENITO, MB – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE



**ADDITIONAL 8% STEEL SURCHARGE
APPLIES TO BELOW PRICING.**

Land Rollers Continued...

Three Section Rollers

Features Include:

- 42" diameter roller
- 5/8" nominal roller thickness for additional weight and for maximum durability
- Rugged construction weighs up to 450 lbs per foot without water for ballast

Standard Equipment:

- 2.5" removable roller shafts
- Highway speed rated 235x70R16 tires
- Patented diagonal brace arm
- Hydraulic floating hitch
- 213 series bearings in ductile iron housings
- Clearance lights
- Acre metre
- Hydraulic folding rear wheels

Optional Equipment:

- Levelling blade to smooth over animal mounds, irrigation tracks
- Water fill kit to add water ballast of additional 575 lbs per foot
- Valmar 4056 or 6056 airseeding attachment – factory installed with step



Model #	Description	Price [USD]
800020	3 Section Land Roller , 31 foot	\$47,093.00
805007	Ground Levelling Blade , 31 foot with hydraulic height	\$16,275.00
802446	Scraper Kit, 31 foot – Bolt on	\$1,890.00
800009	3 Section Land Roller , 36 foot	\$49,718.00
805010	Ground Levelling Blade , 36 foot with hydraulic height	\$17,168.00
802447	Scraper Kit, 36 foot – Bolt on	\$2,100.00
800010	3 Section Land Roller , 42 foot	\$51,398.00
805011	Ground Levelling Blade , 42 foot with hydraulic height	\$18,638.00
802448	Scraper Kit, 42 foot – Bolt on	\$2,363.00
800018	3 Section Land Roller , 46 foot	\$54,705.00
805006	Ground Levelling Blade , 46 foot with hydraulic height	\$19,583.00
802449	Scraper Kit, 46 foot – Bolt on	\$2,625.00
800017	3 Section Land Roller , 52 foot	\$61,058.00
805012	Ground Levelling Blade , 52 foot with hydraulic height	\$20,633.00
802450	Scraper Kit, 52 foot – Bolt on	\$2,835.00
Options		
803040	Water Fill Kit – 3" & 2" Banjo Quick Couplers	\$4,100.00
803024	Universal Seeder Mount Kit, 3 Section – No Seeder	\$7,620.00
	3-Section Factory Set-Up	\$1,750.00

Disassembling Charge for Single Sections Rollers - \$450.00



PRICED IN U.S. DOLLARS

PRICES ARE FOB BENITO, MB – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE



**ADDITIONAL 8% STEEL SURCHARGE
APPLIES TO BELOW PRICING.**

Land Rollers Continued...

Three Section Rollers – Extreme Duty

Features Include:

- 42" diameter roller
- 21mm (almost 7/8") nominal roller thickness for additional weight and for maximum durability
- Rugged construction weighs up to 570 lbs per foot without water for ballast

Standard Equipment:

- 2 15/16" removable roller shafts
- Highway speed rated 235x70R16 tires
- Patented diagonal brace arm
- Hydraulic floating hitch
- Double Row Spherical Bearings
- Clearance lights
- Acre metre
- Hydraulic folding rear wheels

Optional Equipment:

- Water fill kit to add water ballast of additional 575 lbs per foot



Model #	Description	Price [USD]
875031	3 Section Land Roller , 31 foot	\$56,438.00
875036	3 Section Land Roller , 36 foot	\$59,168.00
875042	3 Section Land Roller , 42 foot	\$61,478.00
875046	3 Section Land Roller , 46 foot	\$64,838.00
875052	3 Section Land Roller , 52 foot	\$72,083.00
	3 Section Factory Setup	\$2,000.00
Please contact for current freight quote		

Disassembling Charge for Single Sections Rollers - \$450.00



PRICED IN U.S. DOLLARS

PRICES ARE FOB BENITO, MB – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE



AG SHIELD



**ADDITIONAL 8% STEEL SURCHARGE
APPLIES TO BELOW PRICING.**


Land Rollers Continued...

Five Section Rollers

Features Include:

- 42" diameter roller
- 5/8" nominal roller thickness for additional weight and for maximum durability
- Rugged construction weighs up to 450 lbs per foot without water for ballast

Standard Equipment:

- 2.5" removable roller shafts
 - Highway speed rated 235x70R16 tires
 - Patented diagonal brace arm
 - Hydraulic floating hitch
 - 213 series bearings in ductile iron housings
 - Clearance lights
 - Acre metre
 - Hydraulic folding wheels
- 

[illegible]

Disassembling Charge for Single Sections Rollers - \$450.00

**PRICED IN U.S. DOLLARS**

PRICES ARE FOB BENITO, MB – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE