

Canyon 271

27' Center Console



Canyon 271 Main Specifications

Beam Amidships	9'6" (2.89 m)
Center Line Length w/o Engines	26'10" (8.18 m)
Bridge Clearance	7'10" (2.39 m)
Cockpit Depth	27" (0.69 m)
Hull Draft	23" (0.58 m)
Transom Deadrise	20 degrees (SeaV² progression)
Maximum HP	600 (448 kW)
Fuel Capacity - Standard	186 gal. (704 l)
Weight w/o Engines	5914 lb. (2683 kg)

Canyon 271 Features & Options

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow grab rail - low profile 316 grade stainless steel

Captain Grady® - digital boat systems & operations guide for iPad & iPhone

Cockpit toe rails

Composite stringer system & transom - water impervious

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (4)

Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid SeaV² hull & deck

Anchor windlass w/remote switches at helm & windlass

Batteries (2) w/battery select switches (one per engine)

Cleats - flush mount (pull up)

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - blue LED

Integrated outboard mounting system w/swim platform & ladder

International lighting

Livewell - 32-gallon (121 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rod holders - cockpit (6), bow (2)

Rod storage - lockable horizontal (6)

Rubrail - high density PVC w/stainless steel insert

- Cutting board
- Deck hardware - 316 grade stainless steel through-bolted
- Drink holders - stainless steel (8)
- Engine flush system w/hose attachment aft (one per engine)
- Fish box - 198 qt. (218 l) aft insulated fish box w/light & ob drain
- Fish box - 85-qt. (80 l) forward port & starboard insulated fish box w/ob drain (2)
- Forward bolsters
- Hydraulic trim tabs w/indicator & retractor

Console

- Accessory outlet - 12V
- Accessory outlet - 5V duplex USB port
- Compass
- Console grab rail
- Console ventilator
- Cooler - 67-qt. (63 l) cooler under forward console seat
- Drink holders - stainless steel (2)
- Factory engine pre-rigging
- Flush mount electronics area

Deluxe Lean Bar

- Footrest - molded console footrest
- Knife & pliers holders
- Livewell - 42-gallon (159 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
- Painted rod holders (4)
- Rigging station - freshwater shower (recessed) & bait locker

- Seating - foldaway aft bench seat w/cushion
- Seating - port & starboard bow seating w/forward facing foldaway bolstered backrest (2)
- Stereo w/AM/FM tuner, MP3 auxiliary audio connections/amplifier, Bluetooth®, remote unit & flip down storage; speakers - cockpit (2), console forward (2), T-top (2)
- Stern eyes - 316 grade stainless steel
- Storage - forward anchor locker w/rode storage
- Transom door - fiberglass
- Washdown - pressurized raw water (forward & aft) w/hose
- Water tank - 18-gallon (68 l) freshwater

- Head - lockable console w/lighting, bulk storage, composite cherry & holly sole & marine head w/electric flush, 10-gallon (38 l) holding tank w/macerator, overboard discharge & deck pump out
- Seating - molded forward console seat w/cushion
- Steering - Helm Master EX® Digital Electric Steering
- Steering wheel - 316 grade stainless steel w/knob
- T-top (fiberglass) w/painted aluminum frame, integrated windshield, storage net, LED spreader lights, rod holders (4), tri-colored (red, blue, white) LED recessed lights (4), radar flat & outrigger plates
- Window - tinted frameless acrylic
- Windshield - scratch resistant acrylic windshield integrated w/T-top
- Windshield wiper w/washer

- Seating - backrest w/split flip-up bolster
- Storage - lockable storage drawer
- Storage - lockable w/tackle trays
- Storage - port net storage area

OPTIONAL FEATURES

Options

Bow thruster	Hull color - Celestial Blue, Coastal Fog Blue, Ocean Mist Blue, or Sea Glass gelcoat
Casting platform insert w/cushion	Lighting - underwater blue LED (3)
CE certification package (European Conformity)	Outrigger kit - 18-ft. (5.5 m) crank T-top mounted stainless steel outriggers w/carbon fiber poles
Cockpit step - starboard	Steering - Helm Master EX® w/Full Maneuverability (requires convenience package)
Convenience package - battery charger (1) & dockside power w/galvanic isolator	Table - fiberglass bow table (requires casting platform insert)
Engine paint - Yamaha factory-painted engine(s), pearlescent white	T-top color - underside of fiberglass T-top (requires matching gelcoat hull color option)

Canvas Options

Easy up bow shade (black or ivory mesh)	T-top wing curtains (black or ivory)
---	--------------------------------------