

# Canyon 336

## 33' Center Console



## Canyon 336 Main Specifications

Beam Amidships	11'7" (3.53 m)
Center Line Length w/o Engines	33'6" (10.21 m)
Bridge Clearance	9'4" (2.84 m)
Cockpit Depth	29" (0.74 m)
Hull Draft	26" (0.66 m)
Transom Deadrise	20 degrees ( <a href="#">SeaV<sup>2</sup></a> progression)
Maximum HP	900 (671 kW)
Fuel Capacity - Standard	361 gal. (1367 l)
Weight w/o Engines	10,100 lb. (4581 kg)

## Canyon 336 Features & Options

### STANDARD FEATURES

#### Safety

Automatic bilge pumps (2) (total 3000 GPH) (11356 LPH)

Basic flotation

Bow grab rail - low profile 316 grade stainless steel

Captain Grady® - digital boat systems & operations guide for iPad & iPhone

Cockpit toe rails

Composite stringer system & transom - water impervious

Fire extinguisher holder

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (6)

Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid SeaV<sup>2</sup> hull & deck

Anchor windlass w/remote switches at helm & windlass

Batteries (4) w/battery select switches (one per engine) & charger system (1)

Cleats - flush mount (pull up)

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - blue LED

Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

International lighting

Rod holders - cockpit (5), amidships (2), bow (4)

Rod storage racks - horizontal (3)

Rubrail - high density PVC w/stainless steel insert

Seating - foldaway aft bench seat w/cushion

Cockpit side door - port w/boarding ladder

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator

Drink holders - stainless steel (8)

Engine flush system w/hose attachment aft (one per engine)

Factory engine pre-rigging

Fish box - 204-qt. (193.1 l) port & starboard insulated fish box w/ob drain (2)

Fish box - 291-qt. (275.4 l) aft insulated fish box w/lights (2) & ob drain

Forward bolsters

Console

Accessory outlet - 12V

Accessory outlet - 5V duplex USB port

Compass

Console ventilator

Door - lockable acrylic console door

Drink holders - stainless steel (3)

Flush mount electronics area

Footrest - molded console footrest

Console Interior

Accessory outlet - 5V duplex USB port

Berth - cushioned berth forward w/flip-up backrest

Carbon monoxide detector

Composite cherry & holly sole

Drink holder - stainless steel (1)

Head - lockable console w/stand up head area, shower, Corian® countertop with sink, drawers, fold down seat & VacuFlush® head

Seating - port & starboard bow seating w/forward facing foldaway bolstered backrest (2)

Stereo - Deluxe stereo system w/AM/FM tuner, MP3 auxiliary audio connections/amplifier & Bluetooth®, remote unit & fold down storage; speakers - bow (2), cockpit (2), T-top (2)

Stern eyes - 316 grade stainless steel

Storage - aft transom box

Storage - forward anchor locker w/rode storage

Transom door - fiberglass

Washdown - freshwater (forward & aft)

Washdown - pressurized raw water (forward & aft) w/hose

Water tank - 38-gallon (144 l) freshwater

Phone charger (wireless) - helm mounted

Seating - molded forward console seat w/cushion

Steering - Helm Master EX® Digital Electric Steering

Steering wheel - 316 grade stainless steel w/knob

T-top (fiberglass) w/painted aluminum frame, integrated windshield, electronics/storage box, storage net, tri-colored (red, blue, white) LED recessed lights (4), fore/aft spreader lights (3), rod holders (4), speakers (2), radar flat & outrigger plates

Window - tinted frameless glass

Windshield - laminated glass integrated w/T-top frame

Windshield wiper - pantograph w/washer

Lighting - recessed

Rod storage - vertical (6)

Storage - bulk storage aft

Storage - cabinet with door aft

Storage - storage pockets

w/freshwater supply, 10-gallon (37.9 l) holding tank, overboard discharge & deck pump out

**Deluxe Lean Bar**

Footrests - fold down (2)

Knife & plier holders (2)

Livewell - 45-gallon (170.3 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station - lean bar station w/freshwater shower, 104-qt. (98.4 l) cooler & cutting board

Rod holders (6)

Seating - lean bar mounted Command Elite horizontally adjustable contoured helm chairs w/deluxe cushioning & flip-up bolsters (3)

Storage - lockable storage drawers

Storage - lockable w/tackle trays

**OPTIONAL FEATURES**

**Options**

Air conditioning - 6,000 BTU in console w/2 outlets at helm (requires generator option)

Bow thruster

Casting platform insert w/cushion

CE certification package (European Conformity)

Cockpit step - starboard

Engine paint - Yamaha factory-painted engine(s), pearlescent white or primer (425 HP only)

Freezer - aft refrigerator/freezer fish box w/digitally controlled thermostat & ob drain (requires generator option)

Generator - 5kW diesel, 12-gal. (45.4 l) fuel capacity

Grill - 1300W (requires generator) (in lieu of lean bar cooler)

Hull color - Celestial Blue, Coastal Fog Blue, Ocean Mist Blue, or Sea Glass gelcoat

International AC electrical conversion - 220V (50Hz)

Lighting - underwater blue LED (4)

Livewell - 26-gal. (98.4 l) livewell (replaces lean bar cooler)

Microwave - 120V (60Hz)

Outrigger kit - 18-ft. (5.5 m) crank T-top mounted stainless steel outriggers w/carbon fiber poles

Stabilizer - Seakeeper® 3 gyroscopic stabilization system (requires generator option)

Steering - Helm Master EX® w/Full Maneuverability

Stereo - Deluxe stereo system w/AM/FM tuner, MP3 auxiliary audio connections/amplifier, helm subwoofer & Bluetooth® remote unit & fold down storage; speakers w/LED lights - bow (2), cockpit (2), T-top (2)

SureShade® integrated electrically retractable shade w/Sunbrella® canvas (oyster)

Table - fiberglass bow table (requires casting platform insert)

T-top color - underside of fiberglass T-top (requires matching gelcoat hull color option)

Water heater - 6 gallon (22.7 l) (includes hot water cockpit shower) (requires generator option)

**Canvas Options**

Easy up bow shade (black or ivory)

T-top side wing curtains (black or ivory)