

Express 370

37' Express Cabin



Express 370 Main Specifications

Beam Amidships	13'2" (4.01 m)
Center Line Length w/o Engines	36'7" (11.15 m)
Bridge Clearance	10'9" (3.28 m)
Cockpit Depth	28" (0.71 m)
Hull Draft	29" (0.74 m)
Transom Deadrise	20 degrees (SeaVee® progression)
Maximum HP	1275 (951 kW)
Fuel Capacity - Standard	344 gal. (1302 l)
Weight w/o Engines	15,224 lb. (6905 kg)

Express 370 Features & Options

STANDARD FEATURES

Safety

Automatic bilge pumps (2) (total 3000 GPH) (11,356 LPH)

Basic flotation

Bow rail - 316 grade stainless steel

Captain Grady® - digital boat systems & operations guide for iPad & iPhone

Cockpit toe rails

Composite stringer system & transom - water impervious

Fire extinguisher holder

Nonskid fiberglass surfaces

Self-bailing cockpit w/cockpit drains (6)

Stainless steel through-hull fittings

Cabin

Accessory outlet - 110V duplex outlet (2)

Accessory outlet - 5V duplex USB port

Air conditioning - 16,000 BTU

Berth - aft double berth w/mattress

Berth - convertible dinette area

Berth - forward vee berth w/mattress

Cable TV inlet

Rod storage racks - aft berth (6)

Seating - dinette surround cushions

Shelf w/drink holders behind dinette

Stereo system w/AM/FM tuner, MP3 auxiliary audio connections/amplifier, Bluetooth®, remote unit & fold down storage; speakers w/LED lights - cabin (2), cockpit (2), hardtop (2)

Storage - cabinet w/rails & cherry doors over galley

Storage - cherry cedar-lined pullout hanging closet

Carbon monoxide detector

Door - lockable sliding door w/separate screen door

Forward hatch - low profile acrylic hatches w/retractable screen shade (2)

Galley - port galley w/sink, rail light, Corian® countertop & cutting board

Head - enclosed ventilated head area w/lighting, sink, Corian® counter top, shower w/teak shelf & grate, mirror, storage cabinet, cherry shelves (2) & VacuFlush® marine head w/freshwater supply, 18-gallon (68 l) holding tank, overboard discharge & deck pump out

Illuminated etched glass in bulkhead

Lighting - dome light

Lighting - reading light

Lighting - recessed (2)

Lighting - skylight

Lighting - step lights (2)

Microwave oven - 120V (60Hz)

Mirror

Refrigerator/freezer - stainless steel

Cockpit & Deck

100% hand laid SeaV² hull & deck

Accessory outlet - 12V

Accessory outlet - 5V duplex USB port

Air conditioning - 16,000 BTU at helm

Anchor windlass w/remote switches at helm & windlass

Batteries (5) w/battery select switches (one per engine) & charger system (2)

Bow pulpit w/roller

Bow thruster

Cleats

Cockpit bolsters

Cockpit freshwater shower w/hot & cold mixer (recessed)

Cockpit lights - blue LED

Cockpit side door - port w/boarding ladder

Storage - cherry dinette storage cabinet

Storage - cherry drawers & doors under galley

Storage - cherry pull out trash container area

Storage - molded-in fiberglass storage under dinette

Storage - molded-in fiberglass under berth compartments (3)

Storage - shelves

Storage - stacked cherry drawers under forward berth (2)

Stove - electric glass top

Table - cherry dinette w/adjustable stainless steel base (seats 4)

Teak & holly sole

TV - 28" LED flat screen w/AV input panel

Water heater - 11-gallon (41.6 l) 120V

Water level indicator gauge

Water tank - 54-gallon (204.4 l) freshwater

International lighting

Lighting - underwater blue LED (4)

Livewell - 48-gallon (181.7 l) starboard insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Phone charger (wireless) - helm mounted

Rigging station w/freshwater sink, pullout faucet, knife/pliers/bait rigs holder & lockable drawers (4)

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe Platinum vertically & horizontally adjustable helm chair w/flip-up bolster

Seating - foldaway aft bench seat w/cushion

Seating - port companion seat

Companion grab rails

Compass w/light

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator & 50 amp service outlets

Dockside water inlet

Drink holders - stainless steel (10)

Engine flush system w/hose attachment aft (one per engine)

Factory engine pre-rigging

Fender cleats - Phender Pro™ quick-release

Fighting chair reinforcement area

Fish box - 291-qt. (275.4 l) aft refrigerator/freezer fish box w/digitally controlled thermostat, lights (2) & ob drain

Footrest - helm

Fuel capacity - 344 gallons (177-gallon tank, 167-gallon tank) (1302 l)

Generator - 8 kW diesel, 23-gallon (87.1 l) fuel capacity

Grill - 1300W

Hardtop - AV²® hardtop enclosure w/painted aluminum frame, electromechanically sliding sunroof w/screen & shade, storage net, LED spreader lights, tri-colored (red, blue, white) LED recessed lights (8), storage compartments (2), side mounted rod holders (4), outrigger plates, SureShade® electrically retractable shade w/Sunbrella® canvas (oyster), Clear2Sea™ side curtains & drop curtains (black or ivory)

Hydraulic trim tabs (recessed) w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

Seating - starboard lounge seat w/convertible configurations & hideaway folding table

Stabilizer - Seakeeper® 5 gyroscopic stabilization system

Steering - Helm Master EX® w/Full Maneuverability

Steering wheel - 316 grade stainless steel w/knob

Stern eyes - 316 grade stainless steel

Storage - bulk storage under grill

Storage - chart storage at helm

Storage - drawers under starboard seat (2)

Storage - electromechanically operated electronics enclosure

Storage - forward anchor locker w/rode storage

Storage - helm net

Storage - removable transom storage bin

Storage - storage pockets

Storage - under helm footrest

Table - helm seat table

Transom door - fiberglass

Washdown - freshwater

Washdown - pressurized raw water w/hose (forward & aft)

Windshield - heavy-duty welded aluminum windshield w/tempered glass & electromechanically operated center vent

Windshield wipers - pantograph w/washer (3)

OPTIONAL FEATURES

- Options
- CE certification package (European Conformity)

Engine paint - Yamaha factory-painted engine(s), pearlescent white or primer

Hull color - Celestial Blue, Coastal Fog Blue, Ocean Mist Blue, or Sea Glass gelcoat

International AC electrical conversion - 220V (50Hz)

Outrigger kit - 18-ft. (5.5 m) crank hardtop mounted stainless steel outriggers w/carbon fiber poles

Seating - forward deck sun cushions

Seating - starboard side mount cockpit bench seat

TV - hardtop fold-down 19" LED flat screen