



COMMERCIAL-GRADE DECK

Steel decks are welded together for superior strength, durability and impact resistance.



STEERING TECHNOLOGY

Two independent steering levers provide infinite maneuverability.

EDGE[™]

IKON XD

APEX[®]

STRENGTH WITH A SOFTER SIDE.

STEP UP YOUR MOWING GAME.

Experience the comfort, convenience and versatility of a zero-turn mower backed by the quality and performance you expect from an Ariens. With its intuitive controls, the EDGE™ helps you maneuver in, around and through smaller yards with a fast, clean cut.

With a solid tubular frame and a wide range of cutting sizes, the IKON XD brings power and flexibility to all yard sizes. A plush high back seat and large tires provide comfort and a smoother ride, hour after hour.

The APEX® powers through the toughest mowing environments with the strength of professional engineering and the comfort you expect from an Ariens. As a residential zero turn, the APEX is in a class by itself with intuitive controls for precision performance.

POWER THROUGH WITH APEX.







MODEL OVERVIEW

DESIGNATION	EDGE 34	EDGE 34	EDGE 42	EDGE 42	EDGE 52	IKON XD 42	IKON XD 42	IKON XD 52	IKON XD 52	IKON XD 60	APEX 48	APEX 52	APEX 60
MODEL	915243	915251	915245	915253	915254	915265	915268	915266	915267	915273	991161	991159	991163
ENGINE					KAWASAKI® FR 21.5 HP / 726CC								
CUTTING WIDTH	34 IN	34 IN	42 IN	42 IN	52 IN	42 IN	42 IN	52 IN	52 IN	60 IN	48 IN	52 IN	60 IN
GROUND SPEED (FWD/REV)	6 MPH / 3 MPH	7 MPH / 3 MPH	7 MPH / 3 MPH	7 MPH / 3 MPH	7 MPH / 3 MPH	7 MPH / 3 MPH	8 MPH / 4 MPH	8 MPH / 4 MPH	8 MPH / 4 MPH				
FUEL CAPACITY	2 GAL.	2.8 GAL.	2.8 GAL.	2.8 GAL.	2.8 GAL.	2.8 GAL.	5.1 GAL.	5.1 GAL.	5.1 GAL.				



ZENITH[®]

PROFESSIONAL PERFORMANCE.

With a commercially-proven frame, the ZENITH is built to take on multiple yards with comfort features like a plush seat and isolators to keep you going all day.



MODEL OVERVIEW

DESIGNATION	ZENITH 60		
MODEL	991158		
ENGINE	24HP KAWASAKI® FX730V		
CUTTING WIDTH	60 IN		
GROUND SPEED (FWD/REV)	8.0 MPH / 4 MPH		
FUEL CAPACITY	5.1 GAL.		

WALK BEHIND

TAKE THE HARD WORK OUT OF YARD WORK.

Built to deliver season after season, the Walk Behind series starts easy and cuts cleanly. The efficiency of the 3-in-1 cutting system leaves your lawn looking spotlessly clean.



MODEL OVERVIEW

DESIGNATION	LM 21" PUSH	22" SELF- PROPELLED	22" SELF-PROPELLED, ELECTRIC START		
MODEL	911157	911158	911159		
ENGINE	ARIENS	ARIENS	ARIENS		
CUTTING WIDTH	21 IN	22 IN	22 IN		
GROUND SPEED	N/A	3.0 MPH	3.0 MPH		
FUEL CAPACITY	0.26 GAL.	0.26 GAL.	0.26 GAL.		

POWER BRUSH

THE DIFFERENCE IS CLEAR.

Sweep your driveway clean. The Ariens Power Brush clears slush, sleet, snow, leaves, sand and more all the way down to the pavement. The 40-degree pivoting brush head pushes it in the direction you want.



MODEL OVERVIEW

DESIGNATION	POWER BRUSH 28	POWER BRUSH 36	HYDRO POWER BRUSH 36	
MODEL	921056	926074	926075	
ENGINE	KOHLER® CH255, 177 CC	KOHLER® CH395, 277 CC	KOHLER® CH255, 177 CC	
STARTING SYSTEM	12V/RECOIL	120V/RECOIL	120V/RECOIL	
DRIVE TYPE	DISC-O-MATIC	DISC-O-MATIC	HYDROSTATIC	
BRUSH DIAMETER	18 IN	25 IN	25 IN	
CLEARING 28 IN WIDTH		36 IN	36 IN	





PARTS & ACCESSORIES





L.E.D. HEADLIGHT KIT





MULCH KIT



ARIENS.COM

© 2020 ARIENSCO. ALL RIGHTS RESERVED. 0120

Registered trademark and ™ trademark of AriensCo. Kohler®, Kawasaki®, and Hydro-Gear® are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit www.ariens.com for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of the product; actual product may vary.

WORRY-FREE FINANCING

Ariens customers have a variety of financing programs available through authorized independent finance companies.

ASK ABOUT OUR AVAILABLE FINANCING OPTIONS AND WE'LL HELP MOW THE WAY TO YOUR POWERFUL ARIENS OWNERSHIP EXPERIENCE.

