

# TECHNICAL SPECIFICATIONS

## 2026 KTM 990 DUKE

### ENGINE

Design 2-CYLINDER, 4-STROKE, PARALLEL TWIN

Displacement 947 CM<sup>3</sup>

Power 123 PS

Torque 103 NM

Transmission 6-SPEED

CO<sub>2</sub> emissions 110 G/KM

Cooling LIQUID COOLED WITH WATER/OIL HEAT EXCHANGER

Engine cylinder TWIN CYLINDER

EMS BOSCH EMS WITH RBW

Engine oil MOTOREX POWER SYNTH SAE 10W-50

Drive type COMBUSTION

Silencer STAINLESS STEEL PRIMARY AND SECONDARY SILENCER

## CHASSIS

Front brake disc diameter **300 MM**

Rear brake disc diameter **240 MM**

Front brake **2X RADIALLY MOUNTED 4 PISTON CALIPER**

Rear brake **SINGLE-PISTON FLOATING CALLIPER, BRAKE DISC**

Chain **520 X-RING**

Frame design **CHROMIUM-MOLYBDENUM-STEEL FRAME USING THE ENGINE AS STRESSED ELEMENT, POWDER COATED**

Steering head angle **65.8 °**

Rear subframe design **ALUMINIUM, POWDER-COATED**

Trail **100 MM**

Wheelbase **1476 MM**

## SUSPENSION

Front suspension **WP APEX 43**

Rear suspension **WP APEX - MONOSHOCK**

Suspension travel (front) **140 MM**

Suspension travel (rear) **150 MM**

## DIMENSIONS

Seat height	<b>825 MM</b>
-------------	---------------

Wheelbase	<b>1476 ± 15 MM</b>
-----------	---------------------

Tank capacity (approx.)	<b>14.8 L</b>
-------------------------	---------------

Ground clearance	<b>195 MM</b>
------------------	---------------

Weight (without fuel)	<b>179 KG</b>
-----------------------	---------------

Wheelbase tolerance	<b>15 MM</b>
---------------------	--------------

Front wheel diameter	<b>17 "</b>
----------------------	-------------

Rear wheel diameter	<b>17 "</b>
---------------------	-------------

Front wheel width	<b>3.5 "</b>
-------------------	--------------

Rear wheel width	<b>5.5 "</b>
------------------	--------------

Wheels	<b>3.5 X 17"; 5.5 X 17"</b>
--------	-----------------------------

Wheels	<b>CAST ALUMINIUM WHEELS</b>
--------	------------------------------