

TECHNICAL SPECIFICATIONS

2026 KTM 390 DUKE

ENGINE

Design	1-CYLINDER, 4-STROKE ENGINE
Displacement	398.7 CM ³
Power	45 PS
Torque	39 NM
Transmission	6-SPEED
CO ₂ emissions	79 G/KM
Cooling	LIQUID COOLED
Engine cylinder	SINGLE CYLINDER
EMS	BOSCH EMS WITH RBW
Engine oil	MOTOREX FORMULA 4T 15W/50
Engine stroke	4-STROKE

CHASSIS

Front brake disc diameter **320 MM**

Rear brake disc diameter **240 MM**

Front brake **FOUR-PISTON RADIAL FIXED CALLIPER**

Chain **520 X-RING**

Frame design **STEEL TRELIS FRAME, POWDER COATED**

Wheelbase **1357 MM**

SUSPENSION

Front suspension **WP APEX 43**

Suspension travel (front) **150 MM**

Suspension travel (rear) **150 MM**

Front suspension adjustment **COMPRESSION AND REBOUND ADJUSTABLE**

Rear suspension setting **REBOUND ADJUSTABLE**

Rear suspension addition **PRELOAD ADJUSTER**

DIMENSIONS

Seat height

820/800 MM

Weight fully fueled

165 KG

Front wheel diameter

3 "

Rear wheel diameter

4 "