

E19e Specs & Compare

▲ **E19e Key Specifications**

E19e

Operating Weight

4212 lbs

Maximum Dig Depth

101 in

Maximum Reach at Ground Level

165.9 in

Width

38.6 in

Battery Type

Lithium Ion

System Voltage

51.8 v

Gross Battery Capacity

17.3 kwh

▼ **Performance**

E19e

Operating Weight

4212 lbs

Weight Class

2 t

Travel Speed - Low

1.1 mph

Arm Digging Force

2086 lbf

Travel Speed - High

2.3 mph

Bucket Digging Force

4684 lbf

Rated Lift Capacity

1028 lbs

Lift Radius

118 in

Maximum Dig Depth

101 in

Max Dump Height

101 in

Maximum Reach at Ground Level

165.9 in

▼ **Hydraulic System**

E19e

Auxiliary Pressure

2610 psi

Auxiliary Std Flow

6.4 gpm

▼ Dimensions

E19e

Length

150.1 in

Overall Length in Travel Position

150.1 in

Width

38.6 in

Height with Operator Cab

90.5 in

Height

90.5 in

▼ Electrical System

E19e

Battery Type

Lithium Ion

System Voltage

51.8 v

Estimated Run Time

4 hr

Gross Battery Capacity

17.3 kwh

Motor Make

SCHABMULLER

External Sound Level According to ISO 6395

81 db

Interior Sound Level According to ISO 6396

71 db

Off-Board Charge Time

2 h

▼ Features

E19e

NEMA 14-50 Charge Cable

Not Applicable

On-Board Charger

Standard

Off-Board Charger

Optional

J1772 Charge Cable with NEMA 14-50 Plug

Not Applicable

NEMA 5-15 Charge Cable

Not Applicable

Air Conditioning

Not Applicable

Cab Enclosure

Not Applicable

Cab Heater

Not Applicable

Heater Air Conditioning

Not Applicable

Radio

Not Applicable

Auxiliary Hydraulics

Standard

Secondary Auxiliary Hydraulics

Standard

Quick Tach System

Not Applicable

Rubber Track

Standard

Selectable Auxiliary Hydraulic Flow

Not Applicable

Angle Blade

Not Applicable