

MT100 Specs & Compare

▲ MT100 Key Specifications

MT100

Engine Model

D902-E4B-BC-1

Horsepower

24.8 hp

Ground Pressure (Optional Tracks)

4 psi

Ground Pressure (Standard Tracks)

5.3 psi

Rated Operating Capacity with Bucket (Straight)

1000 lbs

Operating Weight

3390 lbs

Travel Speed - Forward

4.1 mph

Travel Speed - Reverse

2.9 mph

System Relief @ Quick Couplers

2900 psi

Auxiliary Std Flow

11 gpm

Length without Attachment

84.5 in

Width

35.6 in

Height to Bucket Hinge Pin

80.9 in

Reach @ Maximum Height

18.6 in

Track Width - Standard

7.1 in

Track Width - Wide

9.8 in

▼ **Engine**

MT100

Horsepower

24.8 hp

Engine Model

D902-E4B-BC-1

Displacement

55 cubic in

▼ **Performance**

MT100

Ground Pressure (Optional Tracks)

4 psi

Ground Pressure (Standard Tracks)

5.3 psi

Rated Operating Capacity with Bucket (Straight)

1000 lbs

Tipping Load

2898 lbs

Operating Weight

3390 lbs

Travel Speed - Forward

4.1 mph

Travel Speed - Reverse

2.9 mph

Travel Speed - Low

4.1 mph

Travel Speed - High

4.1 mph

▼ **Capacities**

MT100

Fuel Tank

7 gal

▼ **Hydraulic System**

MT100

System Relief @ Quick Couplers

2900 psi

Auxiliary Std Flow

11 gpm

▼ Dimensions

MT100

Length without Attachment

84.5 in

Width

35.6 in

Height to Bucket Hinge Pin

80.9 in

Reach @ Maximum Height

18.6 in

Track Width - Wide

9.8 in

Track Width - Standard

7.1 in

▼ Features

MT100

Bob-Tach Attachment System

Optional

Common Industry Interface

Optional