

NXT ENCLOSED CARGO/SNOW

FLEXHAUL SERIES

TRITON
TRAILERS



6x12 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (612R Models)
- > Torsion Axle (612R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (1) Interior Dome Light w/ Switch
- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	6x12 SILVER MOD (RAMP)	6x12 ALUMINUM (RAMP)	6x12 SILVER MOD (RAMP-TORSION)	6x12 ALUMINUM (RAMP-TORSION)
Model Number	NXT-612R-S	NXT-612R-A	NXT-612R-TR-S	NXT-612R-TR-A
Subframe	2"x3"	2"x3"	2"x3"	2"x3"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	72"x12'	72"x12'	72"x12'	72"x12'
Interior Height	73"	73"	73"	73"
Rear Door Opening (WxH)	64"x70-1/2"	64"x70-1/2"	64"x70-1/2"	64"x70-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	1-3500# Idler	1-3500# Idler	1-3500# Torsion Idler	1-3500# Torsion Idler
GVWR	2990#	2990#	2990#	2990#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x66"	32"x66"	32"x66"	32"x66"
Coupler Rating/Ball Size	Class III / 2"	Class III / 2"	Class III / 2"	Class III / 2"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 5000#	(2) 5000#	(2) 5000#	(2) 5000#
Curb Weight	955#	955#	955#	955#
Payload	2035#	2035#	2035#	2035#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 72")
Add 6" Height (rear opening of 75")
Add 9" Height (rear opening of 78")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers

ACCESSORIES
Quickslide in Floor (2) Rows
INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade To 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

6x12 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (612S Models)
- > Torsion Axle (612S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (1) Interior Dome Light w/ Switch
- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	6x12 SILVER MOD (BARN)	6x12 ALUMINUM (BARN)	6x12 SILVER MOD (BARN-TORSION)	6x12 ALUMINUM (BARN-TORSION)
Model Number	NXT-612S-S	NXT-612S-A	NXT-612S-TR-S	NXT-612S-TR-A
Subframe	2"x3"	2"x3"	2"x3"	2"x3"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	72"x12'	72"x12'	72"x12'	72"x12'
Interior Height	73"	73"	73"	73"
Rear Door Opening (WxH)	64"x68-1/2"	64"x68-1/2"	64"x68-1/2"	64"x68-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	1-3500# Idler	1-3500# Idler	1-3500# Torsion Idler	1-3500# Torsion Idler
GVWR	2990#	2990#	2990#	2990#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x66"	32"x66"	32"x66"	32"x66"
Coupler Rating/Ball Size	Class III / 2"	Class III / 2"	Class III / 2"	Class III / 2"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 5000#	(2) 5000#	(2) 5000#	(2) 5000#
Curb Weight	955#	955#	955#	955#
Payload	2035#	2035#	2035#	2035#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 72")
Add 6" Height (rear opening of 75")
Add 9" Height (rear opening of 78")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers

ACCESSORIES
Quickslide in Floor (2) Rows
INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade To 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7x14 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (7R Models)
- > Torsion Axle (7R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7x14 SILVER MOD (RAMP)	7x14 ALUMINUM (RAMP)	7x14 SILVER MOD (RAMP-TORSION)	7x14 ALUMINUM (RAMP-TORSION)
Model Number	NXT-714R-S	NXT-714R-A	NXT-714R-TR-S	NXT-714R-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	84"x14'	84"x14'	84"x14'	84"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	76"x79-1/2"	76"x79-1/2"	76"x79-1/2"	76"x79-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1480#	1480#	1480#	1480#
Payload	5520#	5520#	5520#	5520#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7x14 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (7S Models)
- > Torsion Axle (7S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7x14 SILVER MOD (BARN)	7x14 ALUMINUM (BARN)	7x14 SILVER MOD (BARN-TORSION)	7x14 ALUMINUM (BARN-TORSION)
Model Number	NXT-714S-S	NXT-714S-A	NXT-714S-TR-S	NXT-714S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	84"x14'	84"x14'	84"x14'	84"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	76"x77-1/2"	76"x77-1/2"	76"x77-1/2"	76"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1480#	1480#	1480#	1480#
Payload	5520#	5520#	5520#	5520#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7x16 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (7R Models)
- > Torsion Axle (7R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7x16 SILVER MOD (RAMP)	7x16 ALUMINUM (RAMP)	7x16 SILVER MOD (RAMP-TORSION)	7x16 ALUMINUM (RAMP-TORSION)
Model Number	NXT-716R-S	NXT-716R-A	NXT-716R-TR-S	NXT-716R-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	84"x16'	84"x16'	84"x16'	84"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	76"x79-1/2"	76"x79-1/2"	76"x79-1/2"	76"x79-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1580#	1580#	1580#	1580#
Payload	5420#	5420#	5420#	5420#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7x16 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (7S Models)
- > Torsion Axle (7S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7x16 SILVER MOD (BARN)	7x16 ALUMINUM (BARN)	7x16 SILVER MOD (RAMP - TORSION)	7x16 ALUMINUM (RAMP - TORSION)
Model Number	NXT-716S-S	NXT-716S-A	NXT-716S-TR-S	NXT-716S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	84"x16'	84"x16'	84"x16'	84"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	76"x77-1/2"	76"x77-1/2"	76"x77-1/2"	76"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1580#	1580#	1580#	1580#
Payload	5420#	5420#	5420#	5420#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.4x12

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction
- > 24" Stone Guard
- > Torsion Braked Zero Degree Axle
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead) [7412R Models]
- > Double Barn Door w/ Full Length Locking Bar [7412S Models]
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.4x12 SILVER MOD	7.4x12 ALUMINUM	7.4x12 SILVER MOD (TORSION)	7.4x12 ALUMINUM (TORSION)
Model Number	NXT-7412R-TR-S	NXT-7412R-TR-A	NXT-7412S-TR-S	NXT-7412S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	88"x12'	88"x12'	88"x12'	88"x12'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	81-1/2"x79-1/2"	81-1/2"x79-1/2"	81-1/2"x77-1/2"	81-1/2"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1610#	1610#	1610#	1610#
Payload	5390#	5390#	5390#	5390#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.4x14

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction
- > 24" Stone Guard
- > Torsion Braked Zero Degree Axle
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead) [7414R Models]
- > Double Barn Door w/ Full Length Locking Bar [7414S Models]
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.4x14 SILVER MOD	7.4x14 ALUMINUM	7.4x14 SILVER MOD (TORSION)	7.4x14 ALUMINUM (TORSION)
Model Number	NXT-7414R-TR-S	NXT-7414R-TR-A	NXT-7414S-TR-S	NXT-7414S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	88"x14'	88"x14'	88"x14'	88"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	81-1/2"x79-1/2"	81-1/2"x79-1/2"	81-1/2"x77-1/2"	81-1/2"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1750#	1750#	1750#	1750#
Payload	5250#	5250#	5250#	5250#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Box Tube and 16" O/C Package
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.4x16

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction
- > 24" Stoneguard
- > Torsion Braked Zero Degree Axle
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead) [7416R Models]
- > Double Barn Door w/ Full Length Locking Bar [7416S Models]
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.4x16 SILVER MOD	7.4x16 ALUMINUM	7.4x16 SILVER MOD (TORSION)	7.4x16 ALUMINUM (TORSION)
Model Number	NXT-7416R-TR-S	NXT-7416R-TR-A	NXT-7416S-TR-S	NXT-7416S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	88"x16'	88"x16'	88"x16'	88"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	81-1/2"x79-1/2"	81-1/2"x79-1/2"	81-1/2"x77-1/2"	81-1/2"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1890#	1890#	1890#	1890#
Payload	5110#	5110#	5110#	5110#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.4x18

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction
- > 24" Stone Guard
- > Torsion Braked Zero Degree Axle
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead) [7418R Models]
- > Double Barn Door w/ Full Length Locking Bar [7418S Models]
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.4x18 SILVER MOD	7.4x18 ALUMINUM	7.4x18 SILVER MOD (TORSION)	7.4x18 ALUMINUM (TORSION)
Model Number	NXT-7418R-TR-S	NXT-7418R-TR-A	NXT-7418S-TR-S	NXT-7418S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	88"x18'	88"x18'	88"x18'	88"x18'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	81-1/2"x79-1/2"	81-1/2"x79-1/2"	81-1/2"x77-1/2"	81-1/2"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	2030#	2030#	2030#	2030#
Payload	4970#	4970#	4970#	4970#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x12 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (75R Models)
- > Torsion Axle (75R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x12 SILVER MOD (RAMP)	7.5x12 ALUMINUM (RAMP)	7.5x12 SILVER MOD (RAMP-TORSION)	7.5x12 ALUMINUM (RAM -TORSION)
Model Number	NXT-7512R-S	NXT-7512R-A	NXT-7512R-TR-S	NXT-7512R-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x12'	90"x12'	90"x12'	90"x12'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1650#	1650#	1650#	1650#
Payload	5350#	5350#	5350#	5350#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x12 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (75S Models)
- > Torsion Axle (75S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x12 SILVER MOD (BARN)	7.5x12 ALUMINUM (BARN)	7.5x12 SILVER MOD (RAMP-TORSION)	7.5x12 ALUMINUM (RAMP-TORSION)
Model Number	NXT-7512S-S	NXT-7512S-A	NXT-7512S-TR-S	NXT-7512S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x12'	90"x12'	90"x12'	90"x12'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1650#	1650#	1650#	1650#
Payload	5350#	5350#	5350#	5350#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x14 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (75R Models)
- > Torsion Axle (75R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x14 SILVER MOD (RAMP)	7.5x14 ALUMINUM (RAMP)	7.5x14 SILVER MOD (RAMP-TORSION)	7.5x14 ALUMINUM (RAMP-TORSION)
Model Number	NXT-7514R-S	NXT-7514R-A	NXT-7514R-TR-S	NXT-7514R-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x14'	90"x14'	90"x14'	90"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1790#	1790#	1790#	1790#
Payload	5210#	5210#	5210#	5210#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x14 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (75S Models)
- > Torsion Axle (75S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x14 SILVER MOD (BARN)	7.5x14 ALUMINUM (BARN)	7.5x14 SILVER MOD (RAMP-TORSION)	7.5x14 ALUMINUM (RAMP-TORSION)
Model Number	NXT-7514S-S	NXT-7514S-A	NXT-7514S-TR-S	NXT-7514S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x14'	90"x14'	90"x14'	90"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1790#	1790#	1790#	1790#
Payload	5210#	5210#	5210#	5210#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x16 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (75R Models)
- > Torsion Axle (75R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x16 SILVER MOD (RAMP)	7.5x16 ALUMINUM (RAMP)	7.5x16 SILVER MOD (RAMP-TORSION)	7.5x16 ALUMINUM (RAMP-TORSION)
Model Number	NXT-7516R-S	NXT-7516R-A	NXT-7516R-TR-S	NXT-7516R-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x16'	90"x16'	90"x16'	90"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1930#	1930#	1930#	1930#
Payload	5070#	5070#	5070#	5070#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x16 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stoneguard
- > Leaf Spring Axle w/ 4" Drop (75S Models)
- > Torsion Axle (75S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x16 SILVER MOD (BARN)	7.5x16 ALUMINUM (BARN)	7.5x16 SILVER MOD (RAMP-TORSION)	7.5x16 ALUMINUM (RAMP-TORSION)
Model Number	NXT-7516S-S	NXT-7516S-A	NXT-7516S-TR-S	NXT-7516S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x16'	90"x16'	90"x16'	90"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1930#	1930#	1930#	1930#
Payload	5070#	5070#	5070#	5070#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

8.5x14

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (85R Models)
- > Torsion Axle (85R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x14 SILVER MOD	8.5x14 ALUMINUM	8.5x14 SILVER MOD (TORSION)	8.5x14 ALUMINUM (TORSION)
Model Number	NXT-8514R-S	NXT-8514R-A	NXT-8514R-TR-S	NXT-8514R-TR-A
Subframe	2"x5"	2"x5"	2"x5"	2"x5"
Floor & Roof Studs	16" O/C	16" O/C	16" O/C	16" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	99"x14'	99"x14'	99"x14'	99"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"
V-Nose	36"	36"	36"	36"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	2005#	2005#	2005#	2005#
Payload	4995#	4995#	4995#	4995#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

8.5x16

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (85R Models)
- > Torsion Axle (85R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x16 SILVER MOD	8.5x16 ALUMINUM	8.5x16 SILVER MOD (TORSION)	8.5x16 ALUMINUM (TORSION)
Model Number	NXT-8516R-S	NXT-8516R-A	NXT-8516R-TR-S	NXT-8516R-TR-A
Subframe	2"x5"	2"x5"	2"x5"	2"x5"
Floor & Roof Studs	16" O/C	16" O/C	16" O/C	16" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	99"x16'	99"x16'	99"x16'	99"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"
V-Nose	36"	36"	36"	36"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	2125#	2125#	2125#	2125#
Payload	4875#	4875#	4875#	4875#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

8.5x18

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (85R Models)
- > Torsion Axle (85R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x18 SILVER MOD	8.5x18 ALUMINUM	8.5x18 SILVER MOD (TORSION)	8.5x18 ALUMINUM (TORSION)
Model Number	NXT-8518R-S	NXT-8518R-A	NXT-8518R-TR-S	NXT-8518R-TR-A
Subframe	2"x5"	2"x5"	2"x5"	2"x5"
Floor & Roof Studs	16" O/C	16" O/C	16" O/C	16" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	99"x18'	99"x18'	99"x18'	99"x18'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"
V-Nose	36"	36"	36"	36"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	2240#	2240#	2240#	2240#
Payload	4760#	4760#	4760#	4760#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

8.5x20

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (85R Models)
- > Torsion Axle (85R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x20 SILVER MOD	8.5x20 ALUMINUM	8.5x20 SILVER MOD (TORSION)	8.5x20 ALUMINUM (TORSION)
Model Number	NXT-8520R-S	NXT-8520R-A	NXT-8520R-TR-S	NXT-8520R-TR-A
Subframe	2"x5"	2"x5"	2"x5"	2"x5"
Floor & Roof Studs	16" O/C	16" O/C	16" O/C	16" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	99"x20'	99"x20'	99"x20'	99"x20'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"
V-Nose	36"	36"	36"	36"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	2370#	2370#	2370#	2370#
Payload	4630#	4630#	4630#	4630#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

ENCLOSED CARGO POPULAR OPTIONS

SIDE DOORS & STEPS

Window in Side Access Door

Screen Door in Side Access Door

Keyless Entry For Side Access Door

Spring Door Chain Kit

Lighted Grab Handle w/Switch

Side Door Custom Color Charge - Per Door

Side Door Lock

Move Side Door To V-Nose

Additional 66" Side Door

Additional 72" Side Door

CAR ACCESS DOOR

Car Access Door 48"x60"

Car Access Door Custom Color Charge (other than Black/White/Pewter/Gray)

CONCESSION DOOR

Concession Door 36"x48" Rough Opening

Concession Door 36"x72" Rough Opening

SIDE DOOR

24"x18" Side Window

20"x30" Side Window

FUEL DOORS

Square Fuel Door

Fuel Door Lock

RAMP ACCESSORIES

Aluminum Ramp Extension Kit - 7W

WHITE LAUAN INTERIOR (INCLUDES COVE PANS)

White Lauan Interior - PR147

White Lauan Interior - PR167

3/8 PLYWOOD WALLS/WHITE LAUAN CEILING

3/8" Plywood Walls/White Lauan Interior Ceiling

ALUMINUM WHITE SKIN INTERIOR (INCLUDES COVE PANS)

White Aluminum Skin Interior - 147

White Aluminum Skin Interior - 167

INTERIOR BLACK ACCENTS (BLACK COVE, NOSE, SPRING PANS)

Black Interior Accents - 147

Black Interior Accents - 167

COMBO WALL (COST IS PER ROW OF COMBO WALL)

Combo Wall 1 Row - 14'

Combo Wall 1 Row - 16'

INSULATED WALLS & CEILING (MUST BE ORDERED W/ INTERIOR WALLS & CEILING)

Insulated Walls & Ceiling - 14'

Insulated Walls & Ceiling - 16'

INSULATED FLOOR

Insulated Floor - 14'

Insulated Floor - 16'

DIAMOND PLATE KICK PANEL (RECOMMEND QUICKSLIDE ON WALLS)

Diamond Plate Kick Panel - 14'

Diamond Plate Kick Panel - 16'

DIAMOND PLATE ON WALLS (RECOMMEND QUICKSLIDE ON WALLS)

Diamond Plate on Walls - 24" High 14'

Diamond Plate on Walls - 24" High 16'

BLACK QUAD FLOORING

Quad Ply Floor, Rear Ramp Door, Front Ramp Door - PR 147

Quad Ply Floor, Rear Ramp Door, Front Ramp Door - PR 167

BLACK QUAD KICK PANEL

Quad Ply Kick Panel - 14'

Quad Ply Kick Panel - 16'

QUICKSLIDE ON WALLS

Quickslide on Walls 14'

Quickslide on Walls 16'

QUICKSLIDE DOWN MIDDLE (3RD ROW - PER ROW)

Quickslide Down Middle -14'

Quickslide Down Middle -16'

POWER SUPPLIES

12V 15A Basic Converter Package (No Lights)

12V-15A Premium Converter Package (No Lights)

12V-20A Premium Converter Package (No Lights)

12V-30A Premium Converter Package (No Lights)

Pass Thru 15AMP

Pass Thru 20AMP

BATTERY OPTIONS

Battery, Standard

Battery, Double Box Standard

Battery w/V Cabinet Location Standard

OUTLETS

(1x) 110V Decora Wall Outlet

(1x) 110V Decora Cove Outlet

Exterior Outlet w/ Interior Outlet

POWER ACCESSORIES

30 Amp Power Cord, 25'

Battery Charger/Tender Kit

Charging Center Kit

Solar Charger (Battery Trickle Charger)

RADIO

Single Din Stereo - Includes Radio, Mount, 2 Pairs of Speakers & #18285 AM/FM Antenna. Helmet Cabinet Required to Mount; Sirius XM Compatible.

Double Din Stereo - Includes Touch Screen Radio/Video Player, Mount, 2 Pairs of Speakers & #18285 AM/FM Antenna. Helmet Cabinet Required to Mount; Sirius XM Compatible.

Satellite Antenna Sirius XM Control Unit

INTERIOR LIGHTING 12V

Lights - (2x) LED Dome - Roof - 920 Lumens Per Light

Lights - (12x) LED Round Lights - Roof

Lights - (4x) Rectangle LED - Roof - 2100 Lumens Per Light

Lights - (2x) 16' LED Strip Lights - Roof - 1068 Lumens Per Light

Lights - (4x per side) LED Round Lights - Cove

Lights - (1 per side) 16' LED Strip - Cove - 1068 Lumens Per Strip

Cove Pans - Use w/Cove Light Kit & No Interior, 14'

Cove Pans - Use w/Cove Light Kit & No Interior, 16'

EXTERIOR LIGHTING 12V

Light, (1x) 1x3 LED Load w/Switch - Center Above Man Door

Light, (1x) 1x3 LED Load w/Switch - Center Above Rear Ramp Door

Light, (2x) 1x3 LED Load w/Switch - Corners Above Rear Ramp Door

LED Load Light - Rear Ramp Door Spring Pan Location w/Switch (Must Order Interior)

Exterior Scene Lights w/Switch (2 Lights on CS or RS) - 2500 Lumens Per Light

Exterior Scene Lights w/Switch (2 Lights on CS or RS) - 1400 Lumens Per Light

Rear Back-Up Light (Includes 2 Lights) - 1400 Lumens Per Light

Clear Exterior Lights with Rear Load - 500 Lumens Per Light

Backup Light w/LED Upgrade (XT Series)

Backup Light w/LED Upgrade (Prestige, LB, LBHD)

LIGHTING CIRCUITS / SWITCHES

(1x) 2-Way Switched Light Circuit - (12V)

(2x) 2-Way Switched Light Circuits - (12V)

(3x) 2-Way Switched Light Circuits - (12V)

Auto-On Door Switch - (12V)

Single Switch Wired to Aux Light as Load light

HVAC

Prep for A/C Unit - 7W (Extra Roof Bows & Run Power Wire)

AC Roof 13.5k BTU - 7W (includes 10464)

Floor Drain

EXTERIOR OPTIONS

Stabilizer Scissor Jack (Pair w/Handle)

Rear Frame Rollers (2)

Roof Rack Kit (Sold Individually)

Electric Tongue Jack Option

Upgrade to Flat Pad Jack

VENTS

Roof Vent

Roof Vent w/Fan

Roof Vent w/Fan (Fantastic Fan)

Side Vents (Pair)

Roof Vent Cover

MULTI COLOR EXTERIOR SKIN

Multi Color Custom Charge

Multi Color, 6' High

Multi Color, 6'6" High

Multi Color, 7' High

Multi Color, 7'6" High

UPGRADED EXTERIOR SKIN

Trailer Only Custom Color Charge

3' High Diamond Plate Stone Guard

4' High Diamond Plate Stone Guard

Diamond Plate to Top of V

.040 Exterior Skin - 14'

.040 Exterior Skin - 16'

.040 Exterior Skin - V-Front Only

.050 Exterior Skin - 14'

.050 Exterior Skin - 16'

.050 Exterior Skin - V-Front Only

ANODIZED SKIRT

12" High Anodized Skirt - 14'

12" High Anodized Skirt - 16'

16" High Anodized Skirt - 14'

16" High Anodized Skirt - 16'

SIDE AWNING

16' Side Awning (Standard Color - Onyx)

RACKS / CABINETS / SHELVES

Cabinet, X 32 - White

Cabinet, X 48 - White

Cabinet, X 48 - Black

Clothes Hanger Kit for 32" or 48" Helmet Cabinet

Wheel Well Cabinet - White

Wheel Well Cabinet - Black

Cabinet, Helmet 14"D x 49.5"W x 16" Framed - Black

Cabinet, Base 16"D x 55"W x 36" Framed - Black

Paper Towel Rack

Two Shelf Oil Rack

Three Shelf Combo Rack

Work Bench Shelf (41" Off Floor)

Folding Seat (17-1/4" Off Floor to Top of Seat)

Jack-Knife Couch (**Must order Quickslide on Walls if Factory Installed; Cannot Install in Beavertail Area)

Workstation/Cabinet

Trimmer Rack Kit

Fuel Jug Rack Kit

Coat Rack

SPARE TIRE RACKS/CLOSET

Spare Tire Carrier (Diamond Plate)

Spare Tire Carrier (Hoop Style)

SPARE TIRES & UPGRADES

Tire Upgrade, #06193 14" Aluminum Rim (8'-Wide, Tandem Axle)

Tire & Wheel, ST205/75R14 Alum. (7'-Wide)

Tire & Wheel, ST205/75R14C White (7'-Wide)

Tire & Wheel, 175/R13D Alum. (8'-Wide)

Tire & Wheel, 175/R13D White (8'-Wide)

Tire & Wheel, ST205/75 R15C Alum. (Low Boy)

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST22575R15E White

Tire & Wheel, ST22575R15E Alum. (LBHD)

TIE DOWNS / KITS

Quickslide Tie Down Kit, Eyebolt (2 pcs.)

Quickslide Tie Down Kit, Flush (2 pcs.)

HD Tie Down Ring, Installed

Tie Down Kit (4 pcs.)

Combo Companion Kit (8 pcs.)

Combo Quick Release Tie Down Kit (4 pcs.)

Tie Down Bar Stool Kit (2 pair)

CLOSET

V-Nose Closet - 7'-Wide

MOTORCYCLE ACCESSORIES

Quickslide Motorcycle Wheel Chock Kit *Includes: (1) #03666 18" MCT Chock, (2) #08843 1/2-13 x 1 BHSCS Z/Y, (2) #07728 Keeper Block

Flush Mount Wheel Chock Option

ADDITIONAL LIGHT OPTIONS

DESCRIPTION

Light, 2 1/2" Round Amber Clearance

Light, 2 1/2" Round Red Clearance

Grommet, 2 1/2" Round

Bracket, License Plate Light Kit

Tail Light, Oval

Bracket, License Plate (Plastic)

Light, 2" Round Red Clearance

Grommet, 2" Round

Lens, Side and Tail - LXT/XTV

Reflector, Amber

Light, 2" Round Amber Clearance

Grommet, Rectangle Clearance Light

Light, Rectangle License Plate, Clear

Reflector, Red

Grommet, Oval Tail

Light, Rectangle Clearance, Red

Light, Rectangle Clearance, Amber

Tail Light, RH (LXT/XTV/DOP)

Tail Light, LH (LXT/XTV/DOP)

Reflector, Amber - AUT

Light, ID Bar

Light, 2 1/2" Round Red Clearance - WCII

Grommet, 2 1/2" Closed Black

Amber Clearance Light - WAVE (2015)

Red Clearance Light - WAVE (2015)

DESCRIPTION

Light, Rect. Clearance Red - Enc.

Light, Rect. Clearance Amber - Enc.

Bracket, W/180 Bullet - (07846/07847)

LED Light, 2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Amber

LED Light, Oval Tail Light

Light, Clearance Amber STICKON - LXT

Lens, Amber LXT

LED Light, Clearance - 4" Rec. Red - Enc.

LED Light, Clearance - 4" Rec. Amber - Enc.

LED Light, Clearance - 2 1/2" Rec. Red - Enc.

LED Light, Clearance - 2 1/2" Red - Super 10

LED Light, Clearance - 2" Round, Amber

LED Light, Clearance Rect., Amber

Light, Halogen

Light, Fender Clearance Combo

LED Light, License Plate

LED Light, Round White Flush Mount

LED Tail Light, Bar w/Reflex

LED Marker Light, Bullet Red W/Grom

LED Marker Light, Bullet Amber W/Grom

Tail Light Bar LED - Vault/Enc.

LED, CID Bar

Tail Light Oval LED - WAVE

ADDITIONAL TIRE OPTIONS

DESCRIPTION

Tire & Wheel, 18.5X8C Silver

Tire & Wheel, 20.5X10C Silver

Tire & Wheel, ST175/80D13C Silver

Tire & Wheel, 4.80X8C Silver

Tire & Wheel, 5.30X12C Silver

Tire & Wheel, ST205/75R14 Alum.

Tire & Wheel, 4.80X12C Silver

Tire & Wheel, ST205/75D14 Silver

Tire & Wheel, ST175/80R13D White

Tire & Wheel, 20.5X10E Silver

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST145/R12E Silver

DESCRIPTION

Tire & Wheel, ST175/80R13D Alum.

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST145/R12E Alum.

Tire & Wheel, ST225/75R15E Alum.

Tire & Wheel, ST205/75 R-15 D-5 White

Tire & Wheel, ST205/75R-15 D-5 Alum.

Tire & Wheel, ST175/80R13C Silver

Tire & Wheel, ST175/80R13C Alum (use 09475)

Tire & Wheel, ST205/75R14C Silver

Tire & Wheel, ST225/75R15E White

Tire & Wheel, 20.5X10E Alum. Gun Face

Tire & Wheel, 20.5X10E Alum. Gun Inlay

GALVANIZED TIRE/RIMS

Tire & Wheel, ST175/80D13C Galvanized

Tire & Wheel, 5.30X12C Galvanized

Tire & Wheel, 4.80X12C Galvanized

Tire & Wheel, ST145/R12E Galvanized

SPARE PARTS

Spare Tire Mount - U Bolt Style

Spare Tire Carrier

Hardware Kit For #22008 If Not Mounted to Jack

Acorn Lugnut (10/Bag)

Hub Cap End - ABS