

GEHL®

	RS8-44 GEN:4 Created on February 22, 202	·	
Capacities		Metric	
Max. capacity		3628.73 kg	
Max. lifting height		13.41 m	
Max. outreach		9.27 m	
Weight and dimensions			
Length to face of forks	12	5.82 m	
Overall width	b1	2.50 m	
Overall height	h17	2.39 m	
Wheelbase	у	3.05 m	
Ground clearance	m4	406 mm	
Tilt-up angle	a4	12 °	
Tilt-down angle	a5	112 °	
External turning radius	Wa3	4.17 m	
Unladen weight (with forks)		0659.40 kg	
Overall weight		10660 kg	
Standard tires		13 x 24	
Frame leveling longitudinal +/-		10 °	
Frame leveling corrector	a9	10 °	
Engine			
Engine brand		Deutz	
Engine norm		Tier 4 final	
Engine model		TCD 3.6 L4	
I.C. Engine power rating - Power (kW)		120 Hp / 89 kW	
Max. torque / Engine rotation		480 Nm @ 1600 rpm	
Transmission	1881	@ 1000 ipin	
Transmission type	Torque converte	Torque converter with powershift gearbox	
Number of gears (forward / reverse)		3/3	
Travel speed (laden)		31.54 km/h	
Max. travel speed		31.50 km/h	
Parking brake		SAHR	
Service brake	We	Wet disc brakes	
Axle Manufacturer		Dana	
Hydraulics		Dana	
Hydraulic pump type		iear pump	
Hydraulic flow / Pressure		157 l/min-207 bar	
Tank capacities	157	, mm 207 bui	
Hydraulic oil		117.35 l	
Fuel tank		17.55 t	
DEF tank capacity		19 l	
Miscellaneous		121	
Steering wheels (front / rear)		2 / 2	
Drive wheels (front / rear)		2/2	
Safety cab homologation		ROPS/FOPS	
Controls		Single joystick with FNR	
CONTROL	Single	OYSLICK WILII FINK	





Siège Social P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095 Tel: (262) 334-9461 - Fax: (262) 338-7517 www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend