



IMPROVING LIFE & LAWNCARE

In 1964, Hustler Turf introduced the world's first twin-lever zero-turn lawn mower. Ever since, Hustler Turf has been improving on the original design by implementing a rigorous R&D program to engineer, test, and push the envelope on what was possible with a zero-turn mower for the commercial market.

Hustler Turf is a one-stop shop for moving professionals with sit-downs to stand-ons to walk-behinds, and deck sizes ranging from 34-inches to 104-inches.



THE HUSTLER® ADVANTAGE

SMOOTHTRAK™ STEERING

Developed over decades of experience. Precision control designed to help trim and maneuver easily around obstacles.



INTEGRATED PARK BRAKE

Hustler was the first to integrate the parking brake into the twin-lever design. This design was patented for years and continues to be a great safety feature for operators.



FABRICATED DECKS

Our fabricated welded-steel decks are designed to handle harsh conditions. Heavy-gauge steel and reinforced impact areas help prolong the life of the deck.



TOUGH FRAMES

Fabricated welded-steel frames, thick front axles and forks with heavy-duty caster yokes help your mower last for years. Our frames are tested for thousands of hours on concrete test tracks with inclines and embankments.



SIMPLE DESIGN

Who wants something you can't work on yourself? More engineering doesn't always mean more parts or more complexity. Quite the opposite. We engineer our mowers for easy serviceability with flip-up seat pans, removable floor pans, and vented pulley covers.



PRECISION CUT QUALITY

Our decks are not only tough, but engineered to provide a clean, crisp cut. This comes from decades of learning how the airflow inside the deck stands grass blades up during the cut. The result is an even cut and defined stripes.



HUSTLER TECHNOLOGY

COMMERCIAL MOWERS

OVERVIEW

MID-MOUNT MOWERS STAND-ON

WALKBEHIND

FASTRAK® FASTRAK® SDX X-ONE® SUPER Z® **HYPERDRIVE®** DIESEL Z SUPER 104

SURFER PRO

SUPER S®

SUPER SF

TRIMSTAR®

OTHER PRODUCTS AVAILABLE

RESIDENTIAL MOWERS

GENERATORS AND INVERTERS

PRESSURE WASHERS







HYPERDRIVE SYSTEM

Reducing the temperature of the oil in your wheel motors is key to extending the life of your hydraulic system. Hustler's exclusive HyperDrive system helps do just that with temperature regulation and tough components designed to keep your mower at peak performance. Featuring a 5-year / 3,000-hour limited warranty** on the hydraulic system (warranty available on the HyperDrive mower only).



9" Fan & High Capacity Oil Cooler with Hot Oil Shuttle



Parker Wheel Motors




Large Oil Reservoir



Industrial-Grade Slipper **Piston Pumps**

Available on the following mowers: **HYPERDRIVE** SUPER 104



Warranty available on HyperDrive mower only

VX DECK TECHNOLOGY

The Hustler VX Deck is engineered for extreme vacuum. The deck is designed to draw grass and leaves up into the mower blades helping achieve a consistent cut.

Available on the following mowers:

X-ONE Super Z SUPER S HyperDrive SUPER SF

- 4 Anti-scalp Wheels
 Located outside the deck to help keep the air channel unobstructed.
- **"Cut-off" Baffle**Designed to help throughput and balance of airflow through the deck.
- **(Sharp" Wrapper Intersections**Help minimize air flow across the back of the deck.

- High Sail Blades
 Helps generate lift.
- 8 Front of the Deck 11 ga. bull nose/ramp.




- Blade Bolt Protectors
 Helps protect the bolts
 from being sheared off
 from uneven ground or
 hard debris.
- 7 ga. Deckplate with 7 ga.
 Stamped Spindle Mounts
 Designed for durability and long
 life in sandy conditions.



Front Wall to Blade Distance Opened to allow for adequate grass throughput and aid in providing even clipping dispersal.





VX4° DECK TECHNOLOGY

The VX4 Deck combines four performance features to help provide a quick, clean, and professional looking cut: Versatility, Velocity, Vacuum and Volume. The combination allows professionals to move grass through the deck efficiently and consistently.

Available on the following mowers:

Super Z HyperDrive Diesel Z

DECK FEATURES

- Formed Discharge Stiffener
 For rigidity to help movement
 at the discharge opening.
- Deckplate Reinforcement
 7 ga. steel along the top of the deck is engineered to provide continuous support from front to back and to help prevent the deck from bending.
- Stamped Deck Doublers
 Stamped 7 ga. steel around the spindle mount areas creates a 3.8" total thickness designed to support the spindle and add strength to the deck.





4 Formed Bump Bar
Angled contact surface formed and engineered to help protect the deck by deflecting impacts.

5


Wear Guard

Poly replaceable wear plate helps protect deck trim edge and obstacles from damage.



Deck Guards

%" thick guard helps protect the integrity of the deck from side impacts.



UNDERSIDE OF DECK FEATURES

Adjustable Front Baffle

Allows for adjusting the deck according to mowing season and grass type for a precise cut.

Deck Wrappers

7 ga. deck wrappers help fortify the deckplate.

Front Anti-Scalp Wheel
Anti-scalp wheels with internal bushings help protect turf from scalping damage or uneven terrain.

4 Heavy Gauge Mounts

%" guard helps protect the integrity of the deck from side impacts.

SPINDLE IMPROVEMENTS

Debris Shield

Designed to protect the top bearing from water, dirt, and debris.

Relief Fitting

Designed to protect seals from overpressure when filling with grease.

Ductile Cast Iron Housing

Helps provide protection for the spindles.

Grease Zerk

Easy access to grease the spindles.

Blade Bolt Protectors

Designed to protect the bolts from being sheared off from uneven ground or hard debris.

FASTRAK

Engine	Deck Sizes Available		
22HP* - Kawasaki® FT691	48", 48" RD, 54", 54" RD		
24HP* - Kawasaki FT730	60"		
27HP* - KOHLER® 7500 EFI	54", 60"		

RD = Rear Discharge

4yr / 750hr limited warranty**









High-back Suspension Seat
High-back seat with suspension
to help shield the operator
from bumps and EVC cushion
designed to help take pressure
off the tailbone and lower back.



Commercial-Grade Kawasaki® FT Engine With Vortical Air Filtration. Cleans debris to help extend engine life.



Dual Roto-Molded Fuel Tanks 8.5 gallon fuel capacity and dual fuel gauges.

UPGRADES FOUND ON THE

FASTRAK SDX

Compared to FasTrak

Engine	Decks Sizes Available		
22HP* - Kawasaki FX691	48", 54"		
23.5HP* - Kawasaki FX730	60"		

- Extra High-Back Suspension Seat
 Higher backrest and more bolstered back cushion
- ★ Kawasaki® FX Engine
 Full commercial remote canister air cleaner
- **Larger Transmissions** Hydro-Gear® ZT-3400™
- ✓ More Warranty Coverage
 4yr/1000hr compared to 4yr/750hr limited warranty**









^{*}As rated by the engine manufacturer **See owner's manual for warranty details and information. Certain restrictions apply.

^{*}As rated by the engine manufacturer

^{**}See owner's manual for warranty details and information. Certain restrictions apply.

FASTRAK SERIES -

FASTRAK & FASTRAK SDX SHARED FEATURES


- **Magnetic Top Pin** Deck Lift System Adjust the deck height between 1.5" -4.5" with your foot.
- SmoothTrak[™] Steering Precision control designed to help trim and maneuver easily around obstacles.
- **Cast Deck Hangers** Designed to help improve durability.





fabricated frame with front and rear tie downs.









- **Easy Serviceability** Flip-up seat pan, removable floor pan, and toolless removable pulley covers to make maintenance easy and simple.
- **Less Clutter Under Seat** Provides airflow aiding in keeping transmissions cooler.
- **Transmissions** Serviceable Hydro-Gear® Transmissions.
- **Welded Steel Deck** 10 ga. welded fabricated steel.
 - worked directly with the tire manufacturer on this product.

X-ONE

Engine	Deck Sizes Available		
25HP* - KOHLER® Command Pro	52", 60"		
27HP* - Kawasaki® FX850	52", 54" RD, 60", 60" RD, 72"		
29.5HP* - Kawasaki FX850 EFI	60", 72"		
28HP* - Vanguard® BigBlock™ w/ Oil Guard	60"		

RD = Rear Discharge





5yr / 1200hr limited warranty** (First 2 years no hour limit)



VX™ Deck

Fabricated 7 ga. steel engineered for extreme vacuum to deliver an excellent after cut appearance.



I3M™ Suspension Seat High-back seat with adjustable

armrests and 3-inch travel range.



Kawasaki® FX, Vanguard® BigBlock™ w/Oil Guard, and

Commercial-Grade Engines KOHLER® Command Pro Engine options backed by 3-year limited warranties**.



- **Fabricated Frame** 1.5" x 3.0" steel single piece fabricated frame.
- SmoothTrak[™] Steering Precision control to help trim and maneuver easily around obstacles.
- Foot Operated Deck Lift Easily adjust the deck height between 1"- 5.5" with your foot.

- VX Deck Fabricated 7 ga. steel engineered for extreme vacuum for performance and cut quality.
- **Commercial-Grade Torque** Hydro-Gear ZT-4400™.
- I3M™ Seat High-back seat with adjustable armrests and 3-inch suspension travel range.

SUPER Z

Engine	Deck Sizes Available		
27HP* - Kawasaki® FX850	54", 60",		
35HP* - Kawasaki FX1000	60", 60" RD, 66", 72", 72" RD		
38.5HP* - Kawasaki FX1000 EFI	60", 72"		
40HP* - Vanguard® BigBlock™ w/ Oil Guard	60", 72"		

RD = Rear Discharge





5yr / 1200hr limited warranty** (First 2 years no hour limit)



Commercial-Grade Torque Hydro-Gear 21cc PY pumps and Parker TG wheel motors.



Heavy-Duty Hydraulics with 3 gal. oil reservoir, oil cooler w/ fan & hot oil shuttle.



Kawasaki FX & Vanguard Big Block EFI Engines Kawasaki FX1000 EFI also available.



- VX4® Deck
 Fabricated 7 ga. steel deck
 engineered to help move
 grass at high speed while
 maintaining cut-quality.
- SmoothTrak™ Steering
 Precision control to help
 trim and maneuver easily
 around obstacles.
- Foot Operated Deck Lift
 Easily adjust the deck
 height between 1"- 5.5"
 with your foot.
- Large Fuel Capacity
 Dual fuel tank w/ 12
 gallon total fuel capacity.
- I3M™ Suspension Seat High-back seat with adjustable armrests and 3-inch travel range.
 - Easy Serviceability
 Flip-up seat pan, removable floor pan, and vented pulley covers for easy and simple maintenance.

HYPERDRIVE

HUSTLER EXCLUSIVE 😭


HYPERDRIVE

Engine	Deck Sizes Available		
35HP* - Kawasaki® FX1000	60", 72"		
40HP* - Vanguard® BigBlock EFI w/ Oil Guard	60", 72"		
38.5HP* - Kawasaki FX1000 EFI	60", 60 RD", 66", 72", 72" RD		

5yr / 1200hr limited warranty** (First 2 years no hour limit)









HyperDrive® Hydro System Features industrial-grade pumps and motors to handle tough jobs and long days.



Optional Vanguard® Big Block™ Engine w/ Oil Guard 500 hour oil change.



Industrial-Grade Slipper Piston Pumps These kinds of pumps are typically found on larger equipment like skid steers.



- SmoothTrak™ Steering Precision control designed to help trim and maneuver easily around obstacles.
- **Ample Torque** Danfoss DDC-20 pumps and Parker TG wheel motors.
- **Foot Operated Deck Lift** Easily adjust the deck height between 1"- 5.5" with your foot.
- I3M™ Suspension Seat With Upholstered Armrests High-back seat with adjustable armrests and 3-inch travel range.
- VX4® Deck Fabricated 7 ga. steel deck engineered to help move grass at high speed while maintaining cut-quality.
- **Easy Serviceability** Flip-up seat pan, removable floor pan, and vented pulley covers for easy and simple maintenance.

DIESEL Z

Engine	Deck Sizes Available			
25HP* - Perkins®	60" RD, 60", 72", 72" RD			

RD = Rear Discharge





5yr / 1200hr limited warranty** (First 2 years no hour limit)



Service Access Removable back cover for maintenance access.



I3M™ Suspension Seat High-back seat with adjustable armrests and 3-inch travel range.



Patented Belt Drive System Helps provide long-life to the machine.

DIESEL Z

- **Formed Bump Bar** Angled contact surface formed and engineered to protect the deck by deflecting impacts.
- **Reinforced Edge** 1.5" x .375" steel bar.
- 14.4 US Gallon **Fuel Capacity**
- VX4® Deck Fabricated 7 ga. steel deck engineered to help move grass at high speed while maintaining cut-quality.
- **Top Access** Top hatch opens for access to service points.
- Filter Access Easy access to slide out filter.







SUPER 104



Engine	Deck Sizes Available
40HP* - Vanguard® BigBlock EFI w/ Oil Guard	104" RD
38.5HP* - Kawasaki® FX1000 EFI	104" RD
	RD = Rear Discharge
	0

✓ 5yr / 1200hr limited warranty**
 (First 2 years no hour limit)



HyperDrive® Hydro System Features industrial-grade pumps and motors to handle tough jobs and long days.



104" Width of CutWidest zero-turn available from Hustler Turf.



80" Transport WidthFits most trailers making it easy to transport from job-to-job.

SUPER 104

HyperDrive® Hydro System
Features industrial-grade
pumps and motors to handle
tough jobs and long days.



80" Transport Width

Fits most trailers making it easy to transport from job-to-job.

104" Width of Cut Widest zero-turn available from Hustler Turf.

SURFER

Deck Sizes Available



Kawasaki FS Engine 15hp* Commercial FS541 V-Twin Engine.




Fabricated Deck
Heavy duty construction.



Ideal for Commercial Contractors and Homeowners For tight spaces and fenced backyards with gates.

Semi Pneumatic Front Tires 11" front tires.





- 18" Drive Tires
 Helps provide stability
 and traction.
- Small Footprint
 Just 59" in length for easy storage and trailering.
- Park Brake
 Hand operated lever to set the park brake.
- Kawasaki FS541 Engine
- 8 Hydro-Gear ZT-1800® Transmissions
- Cut Height Adjustment
 Hand operated lever and pin to
 easily adjust deck/cutting height.

SUPER S

Engine	Deck Sizes Available		
15HP* - Kawasaki® FS541	36"		
19HP* - Kawasaki FX600	36"		
22HP* - Kawasaki FX691	48"		
27HP* - Kawasaki FX850	52", 60"		
29.5HP* - Kawasaki FX850 EFI	52", 60"		
28HP* - Vanguard w/ Oil Guard	52"		



5yr / 1200hr limited warranty**
 (First 2 years no hour limit)



Compact StancePerfect for tight spaces and trailering from job-to-job.



VX Deck
Fabricated 7 ga. steel deck,
engineered for extreme vacuum
performance and cut quality.



SmoothTrak™ Steering
Precision control designed to
help trim and maneuver easily
around obstacles.

SUPER S

Pulley Covers
Toolless removable pulley covers for easy maintenance.



- Cut Height Adjustment
 Hand operated lever and pin
 to adjust deck/cutting height.
- Wide Operator Platform
 For mowing comfort and operator stability.
- Adjustable Foot Platform
 Spring loaded suspension
 platform designed for
 all-day comfort.
- Service Friendly Design
 Designed to make maintenance and service fast and easy.
- Adjustable Speed Controls
 Allows you to go at your own
 pace for control. Also helps with
 training new operators.

SUPER SE

Engine	Deck Sizes Available
38.5HP* - Kawasaki® FX1000 EFI	60", 72"
40HP* - Vanguard® BigBlock EFI w/ Oil Guard	60", 72"
	RD = Rear Discharg

5yr / 1200hr limited warranty**
 (First 2 years no hour limit)

>> Up to 15mph top speed




Strong Hydraulics Hydro-Gear® 21cc pumps and Parker TG wheel motors



VX Deck
Fabricated 7 ga. steel deck,
engineered for extreme
vacuum performance
and cut quality.



Dual Fuel Tanks 13.9" gal fuel capacity





- Electric Actuator Deck Lift
 Easily adjust your cutting
 height from 2.0" to 5.5".
- Kawasaki FX EFI and Vanguard EFI Oil Guard Engine 38.5 and 40 hp* options.
- Hydro Oil Cooler 8" fan and 6-quart reservoir capacity.
- Service Friendly Design
 Designed to make maintenance and service fast and easy.
- Speed Control Bar Adjustment
 Up to 15 mph with reduced speed up to 10 mph.

TRIMSTAR

Engine	Deck Sizes Available
15HP* - Kawasaki® FS541 (Electric Start)	36"
18.5HP* - Kawasaki FS600 (Electric Start)	48"
22HP* - Kawasaki FS651 (Electric Start)	54"
23HP* - Kawasaki FS691 (Electric Start)	60"

5yr / 1200hr limited warranty** (First 2 years no hour limit)







Welded Steel Deck

10 ga. plus 11 ga. reinforced steel with 11 ga. formed channel rolled edge. (36 in. deck is 7 ga. plus 7 ga. reinforced steel)




Dual Hydro System


Hydro-Gear ZT-2800® transmissions aid in traction and performance.



Compact Stance

trailering from job-to-job.







SmoothTrak[™] Steering

Precision control designed to help trim and maneuver easily around obstacles.

- 3.4 US Gallon **Fuel Capacity**
- **Deck Lift** Easy-to-operate deck lift makes deck height adjustment a breeze.
- **Service Friendly Design** Designed to make maintenance and service simple and easy.
- 20" Drive Tires



ACCESSORIES & OTHER PRODUCTS (each sold separately)



2-BAG POWERED BAGGER

Bagger has a 7.2-bushel capacity.

Available on FasTrak® and FasTrak® SDX.



STEEL SIDE BAGGER

Bagger has a 3.5-bushel capacity. Available on FasTrak, FasTrak SDX, X-ONE, Super S®, and TrimStar®.



BACVAC

Electric actuated DFS bagger system. The BACVAC has a 10-bushel capacity. Available on X-ONE, Super Z, and HyperDrive.



3-BAG POWERED BAGGER

Bagger has a 12-bushel capacity. Available on X-ONE®, Super Z^{\otimes} , and HyperDrive®.



MESH SIDE BAGGER

Bagger has a 3-bushel capacity. Available on FasTrak, FasTrak SDX, X-ONE, Super S, and TrimStar.



MICHELIN® X® TWEEL® TURF

Airless radial tires designed to help minimize downtime caused by flat tires and unseated beads. Available on X-ONE, Super Z, HyperDrive, and Diesel Z.



FLEX FORKS®

Designed to provide operator comfort and an even cut, especially over uneven terrain or at high speeds.



STEERING EXTENSION KIT

Allows for height adjustment of steering levers to help make your mowing experience as comfortable as possible.



LIGHT KIT

MULCH KIT

Recycles clippings back into the soil

to reclaim nutrients for your lawn.

Help extend productivity into late hours. Kit contains two high-quality 12-volt lights with a switch that mounts in the instrument panel.



STRIPE KIT

Helps provide a professional, manicured finish to your lawn. Depending on the mower, rubber flap or steel cylinder options are available.



SEMI-PNEUMATIC TIRES

Designed to help protect against flat tires.

FASTRAK®

FASTRAK SDX

X-ONE®

	MINISTER OF THE PARTY OF THE PA	MINISTER	NOSSILET STATE OF THE PARTY OF			AVAILABLE AT CERTIFIED DEALERS	AVAILABLE AT CERTIFIED DEALERS
CUTTING WIDTHS	48", 54" & 60" Side-discharge 48"& 54" Rear-discharge	48", 54" & 60" Side-discharge	52", 60" & 72" Side-discharge 54" & 60" Rear-discharge	54", 60", 66" & 72" Side-discharge 60" & 72" Rear-discharge	60", 66" & 72" Side-discharge 60" & 72" Rear-discharge	60" & 72" Side-discharge 60" & 72" Rear-discharge	104" Rear-discharge
ENGINE Configurations	Kawasaki® 22hp* FT691 24hp* FT730 KOHLER® 27hp* 7500 EFI	Kawasaki 22hp* FX691 23.5hp* FX730	Kawasaki 27hp* FX850 29.5hp* FX850 EFI KOHLER 25hp* Command Pro Vanguard® 28hp* Big Block with Oil Guard	Kawasaki 27hp* FX850 35hp* FX1000 38.5hp* FX1000 EFI Vanguard 40hp* Big Block EFI with Oil Guard	Kawasaki 35hp* FX1000 38.5hp* FX1000 EFI Vanguard 40hp* Big Block EFI with Oil Guard	Perkins® 25hp*	Kawasaki 38.5hp* FX1000 EFI Vanguard 40hp* Big Block EFI with Oil Guard
DECK Height	Foot-operated. 1.5" to 4.5" (1/4" increments)	Foot-operated. 1.5" to 4.5" (1/4" increments)	Foot-operated. 1" to 5.5" (1/4" increments)	Foot-operated. 1" to 5.5" (1/4" increments)	Foot-operated. 1" to 5.5" (1/4" increments)	Foot-operated. 1" to 5.5"(1/4" increments)	Hydraulic. 1" to 5.5"(1/4" increments)
DRIVE System	Commercial-duty Hydro-Gear ZT-3200°. Serviceable w/ spin-on filters.	Commercial-duty Hydro-Gear ZT-3400®. Serviceable w/ spin-on filters.	Hydro-Gear ZT-4400	Hydro-Gear 21cc pumps, Parker TG high torque wheel motors, 3 gal. reservoir, oil cooler w/ fan & hot oil shuttle.	HyperDrive industrial Danfoss slipper piston pumps, Parker TG high torque wheel motors, 3 gal. reservoir, oil cooler w/ 9" fan & hot oil shuttle.	Tandem Hydro-Gear 21cc pumps, Parker TG wheel motors, oil cooler with 8" fan	HyperDrive industrial Danfoss slipper piston pumps, Parker TG high torque wheel motors, 3 gal. reservoir, oil cooler w/ 9" fan & hot oil shuttle.
SPEED (FWD)	Up to 10 mph	Up to 10 mph	Up to 12 mph	Up to 14 mph	Up to 16 mph	Up to 11.5 mph	Up to 11 mph
FUEL CAPACITY	8.5 US gallons	8.5 US gallons	Dual fuel tank with 12 US gallon total capacity.	Dual fuel tank with 12 US gallon total capacity.	Dual fuel tank with 12 US gallon total capacity.	14.4 US gallons	12 US gallons
*As rated by the engine manufacturer Specifications are	 Mulch kit Dump From Seat bagger (8 bushels) Grass bagger (2-bag powered 7.2 bushels) Mesh side bagger (3 bushels) Steel side bagger (3.5 bushels) Steering lever extension kit FlexForks® Light kit Stripe kit High vacuum kit 	 Mulch kit Dump From Seat bagger (8 bushels) Grass bagger (2-bag powered 7.2 bushels) Mesh side bagger (3 bushels) Steel side bagger (3.5 bushels) Steering lever extension kit FlexForks® Light kit Stripe kit High vacuum kit 	 Semi pneumatic front tires Steering lever extension kit Deck rear anti-scalp wheels 3-bag powered bagger (12 bushels) BacVac bagger (10 bushels) Mesh side bagger (3 bushels) Steel side bagger (3.5 bushels) Flex Forks® Mulch kit Light kit Stripe kit Electric deck lift Hitch kit Michelin® X® Tweel® Turf 	 Semi pneumatic front tires Steering lever extension kit Deck rear anti-scalp wheels 3-bag powered bagger (12 bushels) BacVac bagger (10 bushels) Flex Forks® Mulch kit Light kit Sand kit Stripe kit Beacon kit Flasher kit Electric deck lift Hitch kit Michelin® X® Tweel® Turf 	 Semi pneumatic front tires Steering lever extension kit Deck rear anti-scalp wheels 3-bag powered bagger (12 bushels) BacVac bagger (10 bushels) Flex Forks® Mulch kit Light kit Sand kit Stripe kit Beacon kit Flasher kit Electric deck lift Hitch kit Michelin® X® Tweel® Turf 	 Semi pneumatic front tires Steering lever extension kit Single/dual anti-scalp wheels Flex Forks® Mulch kit Light kit Sand kit Stripe kit Beacon kit Flasher kit Electric deck lift Hitch kit Michelin® X® Tweel® Turf 	 ▶ Semi pneumatic front tires ▶ Steering lever extension kit ▶ Flex Forks® ▶ Mulch kit ▶ Light kit ▶ Beacon kit ▶ Flasher kit ▶ Hitch kit ▶ Anti-scalp kit Visit hustlerturf.com
subject to change without notice.				► IVIICNEIIN® X® TWEEI® TUTT	► Michelin® X® I weel® Turf		for more specs.

SUPER Z[®]

HYPERDRIVE®

DIESEL Z

SUPER 104^{**}

SUPER S®

SUPER SF

TRIMSTAR®









CUTTING WIDTHS	34" & 48" Side-discharge	
ENGINE Configurations	Kawasaki 15hp* FS541	
DECK Height	Hand-operated. 2" to 4.75" (1/4" increments)	
DRIVE System	Hydro-Gear ZT-1800	
SPEED (FWD)	Up to 6 mph	
FUEL CAPACITY	2.0 US gallons	
ACCESSORIES	 Mulch kit Mesh side bagger (3 bushels) Light Kit Stripe kit 	

*As rated by the engine manufacturer

Specifications are

subject to change without notice.

36", 48", 52", & 60" Side-discharge	60" & 72" Side-discharge	36", 48" 54" & 60" Side-discharge
Kawasaki 15hp* FS541 22hp* FX691 27hp* FX850 29.5hp* FX850 EFI Vanguard® 28hp* Big Block with Oil Guard	Kawasaki38.5hp* FX1000 EFIVanguard40hp* Big Block EFI with Oil Guard	15hp* FS541 18.5hp* FS600 22hp* FS651 23hp* FS691
Hand-operated. 1.5" to 5.5" (1/4" increments)	Hand-operated. 2" to 5.5" (1/4" increments)	Hand-operated. 1.5" to 4.5" (1/4" increments)
36": Hydro-Gear 10cc pump and Parker TL wheel motor. 48/52/60": Hydro-Gear 12cc pump and Parker TL wheel motor.	Hydro-Gear 21cc pumps and Parker TG wheel motors	Hydro-Gear ZT-2800® w/ spin-on filters.
36": Up to 8 mph 48/52/60": Up to 9 mph	Up to 15 mph	Up to 6.3 mph
36": 6.5 US gal. 48/52/60": 7.3 US gal.	13.9 US gallons	3.4 US gallons
 Mulch kit Mesh side bagger (3 bushels) Steel side bagger (3.5 bushels) Light kit Stripe kit Trash basket Cup holder 	 Mulch kit Mesh side bagger (3 bushels) Stripe kit Mud Flap kit Light kit 	 Mulch kit Mesh side bagger (3 bushels) Steel side bagger (3.5 bushels) Stripe kit High vacuum kit



HUSTLER FLUID PRODUCTS

Hustler Turf's motor oil, fuel stabilizer and hydrostatic transmission oil products will help keep your machine running smoothly. Ask your local dealer about availability of these products.



for more specs.

hustlerturf.com/find-a-retailer to locate your nearest dealer.

FLEET PROGRAM

The Hustler fleet program is one of the most aggressive in the industry. We value loyalty and reward our customers for it. To qualify you only need to purchase 2 units.

Once you're in the program, your fleet pricing is good for a rolling 12 months. If you need to add a single unit 6 months from your original purchase, you get the fleet discount for that 1 unit and your 12 months starts over.



# of Units Purchased	Fleet Discount
2 Units	25% off MSRP
4 or More Units	27% off MSRP

Details & Guidelines:

- If you purchase an additional eligible unit within 12 months of the original invoice date, the same rebate % originally paid per unit will be applied.
- You can continue to extend your fleet discount with purchase of at least one eligible unit during each subsequent 12-month period.
- This additional sale does not increase the original # of units sold. You
 retain your original bracket discount, subject to current published MSRP at
 the time of additional sale.
- · Retail financing may be used unless otherwise stated in program.
- Programs cannot be used in conjunction with other rebates or promotions unless specifically stated.

Eligibility:

Customers who purchase 2 or more eligible products on the same invoice.

Eligible Units:

FasTrak (2021 model and newer)
FasTrak SDX
X-ONE
Super Z
Super Z HyperDrive
Hustler Diesel Z
TrimStar
Super S
Super 88
Super 104*
Super SF
Surfer Pro**

STLER Scan to View Video

*max discount on Super 104 is 25%

**Will count toward fleet program minimum but not eligible for discount pricing

