

2025 GOLF PRODUCT GUIDE

Trusted by the Best



JOHN DEERE



ALL THE SIGNALS ARE NOW CLEAR.

John Deere Connectivity Solutions

Over the years, we've learned a few things. Most notably, this:

When everything is connected, data drives efficiency and productivity. And suddenly everything gets so much more manageable. Here's how:

CONNECT. Get the most with John Deere Connectivity solutions. You'll find mowers that know when they're in need of routine maintenance, that tell you where they've been and where they are, and even let you know how long they've been working.

GUIDE. Let the data guide you. You'll have GPS Sprayer Solutions that offer unparalleled levels of precise application, efficiency and productivity, and information about labor and equipment management right at your fingertips. With this data, you can work with your dealer to create new levels of excellence.

MANAGE. Thanks to cutting-edge John Deere Golf Course Equipment Management Solutions, you'll bring it all together, doing what you do every day, just more easily. You'll even discover technologies that help minimize variations in performance from operator to operator.

The future of golf is connected.

Be part of the future of golf. We're looking forward to connecting with you about your course, soon.

Visit [Explore.deere.com/golf](https://www.deere.com/golf) for more information. Or talk to your local dealer today.

What’s New is Electric. And Cutting Edge.



2775 E-Cut™ Electric Triplex Mower

2775 E-Cut™ Electric Triplex Mower

Say goodbye to hydraulic leaks, operating emissions, and noise pollution — without sacrificing the power you need to handle the tough conditions on your course. Thanks to 4 58.1-volt lithium-ion batteries, the 2775 E-Cut™ Triplex Mower can mow at least 22 greens on a single charge. And with an industry-leading 14.24 kwh (MAX) capacity, it packs enough strength to also tackle verticutting and scalping.

The innovative, industry-exclusive Whisper Link™ System lifts and lowers the cutting units in virtual silence. Powered by integrated smart motors connected to flexible links, this system provides the same outstanding contour following as the 2700 and 2750 PrecisionCut™ and E-Cut™ Hybrid Triplex Mowers to handle the toughest conditions.

You’ll also see a superior cut Independent Reel Selection that allows for custom mowing patterns, including a walk greens mower striping appearance, or triplex ring elimination. Plus, everything is tracked from the palm of your hand with remote activity monitoring from John Deere Operations Center™ Pro Golf.



Gator GS Electric Lithium

Gator GS Electric Lithium

No more gasoline fill-ups. No more oil changes. No more emissions. The new Gator™ GS Electric Lithium Utility vehicle is a powerful addition to your lineup featuring a 1500 lb* towing capacity and spacious 800 lb* cargo box capacity — all with nearly silent operation.

A narrow stance and top speed of 19.5 mph lets you quickly and efficiently navigate the course. And you’ll be cruising in comfort thanks to high-back bucket seats, low-effort steering, and a suspension system that delivers a smooth ride while staying rugged enough to handle tough terrain.

*Cargo box capacity and payload capacity (includes 200-lb operator, 200-lb passenger, and loaded attachment).



John Deere Operations Center™ PRO Golf

The Comprehensive Golf Course Management Solution

John Deere PRO Golf is an online management system that collects, stores, and provides access to your fleet, labor, and course data anywhere, anytime through PC, tablet, or phone. Fleet management includes:

- Monitor location and performance of your fleet from any connected device, allowing you to work from any location
- Automatic equipment hours and service tracking updates with clear, color-coded progress bars visually indicating upcoming services based on priority
- Diagnostic trouble codes with priority ratings (blue, grey, yellow, and red) to communicate urgency
- Parts Alerts informs when inventory is low; quick link to John Deere online catalog makes restocking easy
- Additional machine information includes equipment location histories for up to two years operator comfort features, like foot-operated tilt steering and a deluxe suspension seat with multiple adjustments for all-day productivity.

Peace of Mind

"With John Deere PRO Golf, we can track jobs in progress and know when tasks have been completed. We can tell what areas got sprayed, by what operator, and which machine. It's no longer crew members saying, 'I thought you sprayed that.' We can check the data and confirm accurate applications. It's peace of mind."

John Jeffreys, Golf Course Superintendent, Pinehurst No.2



Constant Communication & Support

Imagine knowing what every machine and crew member is doing, is scheduled to do, or has completed. With just a few clicks, you can get answers to your job, fleet, and labor questions, and make quick adjustments when necessary.

Confidently Making Your Case

- Easily create and share automated reports to provide the documentation you need
- Clearly show labor, course, or equipment costs to justify course expenditures
- Data to assist budgeting for next year and reinforce your fleet and labor recommendations

Partnering For Greater Success

- Allow your John Deere dealer to view your equipment data
- Analyze data and receive guidance with your fleet and maintenance strategies
- Simplify your life with one platform and expert quality support from your John Deere dealer

Labor Management Made Easy

- Run your crew like never before: assign work, make adjustments, and view progress from any device, from any location, as long as you're connected
- Priorities change. Now you can make easy job board adjustments from any location, enabling real-time updates to be viewed by your staff
- Alerts and color-coded indicators assist you with managing staffing costs. Know when overtime costs are approaching, so you can act quickly
- See how efficiently your operation is running with automated reports. Quickly compare weeks or seasons to see patterns. All data exports to Microsoft Excel



Take Command of Your Equipment

With the power of the new John Deere Operations Center™ PRO Golf platform, you'll know exactly where your equipment is, how much it's being used and when it needs maintenance. And you can see it all in one customizable dashboard.

Fairway, Rough and Trim and Surrounds Mowers

Now your presence can be felt on every part of your course. That's the control you get with the latest mowers from John Deere. Thanks to our Connectivity Solutions, you'll get the latest in golf course labor and fleet management technology. Then there's our passcode-protected TechControl display to easily program your mowers to mow and turn at preset speeds, transport at preset speeds and lock in fuel savings, no matter who is operating the mower. You can also plug in service reminders and get diagnostic feedback quickly and accurately. All so your operators can perform more confidently and consistently.

But that's only part of the story. There's the proven technology you get with our E-Cut™ Hybrid Fairway mowers, including the 6700A E-Cut™ Mower and 7700A E-Cut™ Mower, with QA7 reels designed for mowing, scalping and vericutting excellence. The versatility of our Trim and Surrounds mowers. The superior contouring deck system on our Rough mowers. The excellent after-cut appearance and comfortable operator stations. And so much more.

Tier 4-compliant engines
Engines above 25 hp include a diesel oxidation catalyst and diesel particulate filter. Engines below 25 hp save on up-front purchasing costs as these components are not required.



Automotive-style operation

The AutoPedal™ system features ergonomic twin pedals that control both forward and reverse direction, as well as the engine, eliminating the need for a separate throttle. Similar to a car, the further the pedal is pressed, the more the engine speed and travel speed of the unit increases in transport.



Reliable and durable

The front internal wet disc brakes on these models do not have brake linkages or need adjustments, reducing the need for routine maintenance. And each machine has enhanced corrosion-resistance features throughout.



Faster entry and exit

Getting on and off these machines is now a breeze thanks to the conveniently-placed fore and aft steps. And nothing could be more comfortable than getting in the seat. There's more leg room, a wider front platform, tilt steering, and a deluxe seat.



Efficient maintenance = increased uptime

With our Quick Adjust cutting units, adjustments take mere minutes. And when you consider all the diagnostic features of our TechControl display, your technicians can better manage service timelines and keep your fleet up and running.



8900A PrecisionCut



6700A PrecisionCut

PrecisionCut™ Fairway Mowers

The PrecisionCut Fairway Mowers offer several features that separate them from the competition, like the eHydro™ transmission and large capacity motors for serious hill-climbing capabilities. But that’s just for starters. Optional on the 7500A, 7700A and 8700A and standard on the 6500A, 6700A and 8900A, the GRIP All-Wheel Drive Traction System minimizes wheel slippage to protect fairways everywhere. Then, there’s LoadMatch™, which helps cut through wet, lush grass evenly by slowing down the traction speed to provide more power to the cutting units. Plus, all are compatible with John Deere Connectivity Solutions for the latest in Golf Course Management technology.

Getting on or off these mowers is no problem, thanks to easy entry and exit points. And there are plenty of operator comfort features, like foot-operated tilt steering and a deluxe suspension seat with multiple adjustments for all-day productivity.

Our 3-wheel mower lineup includes the 6500A and 6700A. These reasonably priced, 24.7 hp (18.2 kW) units have a lot going for them—the passcode-protected TechControl display allows you to control mow speed, turn speed, and more—LoadMatch™ for excellent cut quality in tough conditions, and our direct drive eHydro™ traction system, electronically controlled with no belts or linkages. Plus, all three units are built on a true fairway mower frame for toughness.

7500A

- Passcode-protected TechControl
- Set mowing, turn and transport speeds
- AutoPedal™ system
- 41.6 hp (31.0 kW)⁶ diesel engine
- 5-in. (12.7 cm) diameter reels
- 100-in. (254 cm) cutting width
- US/CAN Tier 4 compliance

7700A

- Passcode-protected TechControl
- Set mowing, turn and transport speeds
- AutoPedal™ system
- 41.6 hp (31.0 kW)⁶ diesel engine
- 7-in. (17.8 cm) diameter reels
- 100-in. (254 cm) cutting width
- US/CAN Tier 4 compliance

8700A

- Passcode-protected TechControl
- Set mowing, turn, and transport speeds
- AutoPedal™ system
- 55.1 hp (41.1 kW)⁶ diesel engine
- 7-in. (17.8 cm) diameter reels
- 100-in. (254 cm) cutting width
- US/CAN Tier 4 compliance

8900A

- Passcode-protected TechControl
- Set mowing, turn and transport speeds
- AutoPedal™ system
- 55.1 hp (41.1 kW)⁶ diesel engine
- 7-in. (17.8 cm) diameter reels
- 114-in. (289.6 cm) or 130-in. (330.2 cm) cutting width
- US/CAN Tier 4 compliance

6500A

- Passcode-protected TechControl
- Set mowing, turn and transport speeds
- 3-wheel, smooth tire configuration
- Standard GRIP AWD
- 24.7 hp (18.4 kW)⁶ diesel engine
- 5-in. (12.7 cm) diameter reels
- 100-in. (254 cm) cutting width
- US/CAN Tier 4 compliance

6700A

- Passcode-protected TechControl
- Set mowing, turn and transport speeds
- 3-wheel, smooth tire configuration
- Standard GRIP AWD
- 24.7 hp (18.4 kW)⁶ diesel engine
- 7-in. (17.8 cm) diameter reels
- 100-in. (254 cm) cutting width
- US/CAN Tier 4 compliance



6700A E-Cut Hybrid

E-Cut™ Hybrid Fairway Mowers

John Deere E-Cut™ Hybrid Fairway Mowers take high-performance hybrid technology to the next level. Our E-Cut™ Hybrid technology uses a 56-V alternator to power the cutting units via electric motors, eliminating all hydraulic leak points from the reel circuit, where 90 percent of all hydraulic leaks occur. Also, the 8000A, 7500A and 7700A can be set through the passcode-protected TechControl display to automatically operate at a reduced throttle of 2300 rpm for noise reduction and fuel savings. Plus, all are compatible with John Deere Connectivity solutions for the latest in Golf Course Management technology.

Fairway hybrid units include the 6080A, 6500A and 6700A E-Cut™ Hybrid Fairway Mowers as well. All three are 24.7 hp (18.2 kW⁵) and feature 80-in or 100-in cutting widths in a 3-wheel, smooth tire configuration.

With our 6700A and 7700A E-Cut™ Hybrid Fairway mowers, the lineup has never been better positioned for mowing, scalping and vericutting excellence.

6700A E-Cut™ Hybrid

Passcode-protected TechControl

Mow, scalp and verticut capabilities

3-wheel smooth tire configuration

56 volt, 240 amp alternator

24.7 hp (18.4 kW) diesel engine

7-in. (17.8 cm) diameter reels

100-in. (254 cm) cutting width

US/CAN Tier 4 compliance

7700A E-Cut™ Hybrid

Passcode-protected TechControl

Mow, scalp and verticut capabilities

AutoPedal system

56 volt, 240 amp alternator

41.6 hp (31.0 kW) diesel engine

7-in. (17.8 cm) diameter reels

100-in. (254 cm) cutting width

US/CAN Tier 4 compliance

6080A E-Cut™ Hybrid

Passcode-protected TechControl

Set mowing, turn and transport speeds

3-wheel smooth tire configuration

24.7 hp (18.4 kW)⁶ diesel engine

5-in. (12.7 cm) diameter reels

80-in. (203 cm) cutting width

US/CAN Tier 4 compliance

7500A E-Cut™ Hybrid

Passcode-protected TechControl

Set mowing, turn and transport speeds

AutoPedal™ system

41.6 hp (31.0 kW)⁶ diesel engine

5-in. (12.7 cm) diameter reels

100-in. (254 cm) cutting width

US/CAN Tier 4 compliance

6500A E-Cut™ Hybrid

Passcode-protected TechControl

Set mowing, turn and transport speeds

3-wheel smooth tire configuration

24.7 hp (18.4 kW)⁶ diesel engine

5-in. (12.7 cm) diameter reels

100-in. (254 cm) cutting width

US/CAN Tier 4 compliance

8000A E-Cut™ Hybrid

Passcode-protected TechControl

Set mowing, turn and transport speeds

3-wheel, low-PSI smooth tire configuration

41.6 hp (31.0 kW)⁶ diesel engine

5-in. (12.7 cm) diameter reels

80-in. (203 cm) cutting width

US/CAN Tier 4 compliance



6500A E-Cut Hybrid

No Mowers Generate More Confidence

Eliminating the possibility of a hydraulic leak in the reel circuit is just the beginning. The reel speed always stays rock steady for a consistently ideal quality of cut, so your course always looks pleasing to the eye and plays evenly as well. Then, there's John Deere Connectivity Solutions for the latest in Golf Course Management technology.

No one else in the golf course industry can match our experience and expertise with hybrid mowers. And, our Connectivity Solutions are second to none. From fairway mowers to triplex mowers to walking greens mowers, only John Deere can give you the trust and confidence that comes with these remarkable technologies. Your fairways and greens are the highlights of your course. Give them the technology they deserve to look their very best—every day, every season, every year.



Exceptional cut quality, consistently

E-Cut™ Hybrid technology delivers a cut that can be generated only by electricity. The reel speed always stays rock steady for a consistently ideal quality of cut.



Simple for your crew to make the switch

Thanks to maintenance-free electric motors, no hydraulic lines in the reel circuit and all the standard benefits of John Deere reel mowers like Quick Adjust cutting units.



Proven hybrid performance

Since 2005, E-Cut™ Hybrid technology has been earning the trust of courses all over the world, thanks to design features like separating controllers from the motors to prevent overheating.



More sustainable technology

With E-Cut™ Hybrid technology, these mowers can run at reduced throttle to save fuel and reduce noise levels.



7200A PrecisionCut

7200A PrecisionCut™ and 7400A TerrainCut™ Trim & Surrounds Mowers

These two mowers change the way trim and surrounds areas are maintained. Both the 7200A and 7400A are Final Tier 4 compliant and feature the exclusive Width On Demand system, right at the operator's fingertips.

Operators can change the width of cut on the go with the simple toggle of a switch. And both mowers also have the Reach Trimming System, which allows you to extend either the front left or front right deck up to 15 in. beyond the outside edge of the tire, so you can trim around bunkers and other areas.

7200A PrecisionCut Trim & Surrounds

TechControl Display
LoadMatch™ system
Width on Demand
Reach trimming system for bunkers
24.7 hp (18.4 kW) ⁶ diesel engine
7-in. (17.8 cm) diameter reels
68-in. (173 cm) to 72-in. (183 cm) cutting width
US/CAN Tier 4 compliance

7400A TerrainCut Trim & Surrounds

TechControl Display
LoadMatch™ system
Width on Demand
Reach trimming system for bunkers
41.6 hp (31 kW) ⁶ diesel engine
27-in. (68.6 cm) rotary decks
68-in. (173 cm) to 74-in. (188 cm) cutting width
US/CAN Tier 4 compliance



ADVANCED CUTTING TECHNOLOGY



Rear roller power brush
Prevents accumulation of grass clippings and other debris on the rear roller.



Fairway/Greens Tender™ conditioner
Slices stolons, controls grain, and delivers a truer playing surface.



Rollers
A full selection of spiral-grooved, continuous-grooved and solid options.

A Revolution in Time Savings

Speed Link™ Height of Cut

The reels on all our greens, trim and fairway mowers make all adjustments quick and easy, thanks to a revolutionary Speed Link system that makes it possible to adjust height of cut to both sides of the rear roller in no time. A linking bar connects both sides of the rear roller to a high-reduction ratio worm gear, allowing one-thousandth-of-an-inch adjustments to be made to both sides of the roller simultaneously just by using a cordless drill (or 16-mm. wrench).



14-blade reel

QA5 5-inch Diameter Reel

Ideal for lower heights of cut
18- or 22-in. widths
Quick bedknife-to-reel adjustment
7-, 11-, or 14-blade reels
Interchangeable across the line and a real cost-saver

QA7 7-inch Diameter Reel

Ideal for warm-and lush cool-season grasses on tees, fairways surrounds, approaches and roughs
22-, 26-, or 30-in. widths
Quick reel-to-bedknife adjustment
8- or 10-blade reels



9009A TerrainCut™ Rough Mower

Until now, using a wide-area mower in the rough meant compromising on your quality of cut. But, with our 9009A TerrainCut mower, you can maximize both your productivity and cut quality.

With a 108-inch/9-foot cutting width, the 9009A is a five-gang, 27-inch (68.58 cm) independent rotary deck mower. A double-point yoke system on all five decks increases deck movement fore and aft, allowing for greater contour following and an even cut. And the 9009A has a greater deck overlap for superior side hill mowing.

The 9009A also sports a deeper deck design with a rear discharge for greater dispersion and a cleaner cut. And, our exclusive LoadMatch™ system lets you mow in thick, lush conditions. The 9009A also features the same passcode-protected TechControl display found on our Fairway mowers.

The TechControl lets you set precise mow, transport and turn speeds, while also allowing for quick and easy diagnostics.

Plus, the 9009A is compatible with John Deere Connectivity Solutions for the latest in Golf Course Management technology.

9009A TerrainCut Rough Mower

TechControl display
LoadMatch™ system
Optional mulch kit
Optional rear roller scraper kit
55.1 hp (41.1 kW) ⁶ diesel engine
27 in. (68.6 cm) rotary decks
9-ft. / 108-in. (2.74 m) cutting width
US/CAN Tier 4 compliance



All height of cut adjustments on the 9009A can be performed with a single tool, and utilize an innovative notch system for precision and accuracy.



The double yoke on the 9009A means the rotary decks follow the contours in the most undulating terrain for an exceptional quality and consistency of cut.



Our unique rear deck design allows for greater clippings dispersion and the deeper shell stands grass up for an even cut.



Passcode-protected TechControl display lets you precisely set mowing speed, turning speed or transport speed for consistent performance.

The Rotary Deck Rear Discharge Design

9009A and 7400A TerrainCut™ 27-in. (68.6-cm.) Mower decks feature an asymmetric rear discharge cutout design and molded chute to streamline airflow. These help with exceptional clipping dispersal and cut quality. In addition, the unique shape of the deck shell cutout has a heavily rounded opening on one side that gradually transitions to a larger opening on the other side. This helps the grass to exit the deck evenly with little-to-no deck congestion.

The design also features a deck structure along the bottom of the discharge area to help reduce sound power without interfering with cut quality. Plus, the design acts as a foot guard, eliminating the need for an external guard which can cause external grass build up that can be dropped in the mowing pass over time.

Cut quality is connected.

Second to none in cut quality and performance, the combination of the asymmetric deck shell discharge shape and asymmetric discharge chute minimizes clumping with smooth transitions while spreading discharge material in a dispersed pattern. The end result? Less clean up and blowing, allowing machines to mow earlier in the day. That can you save you time and labor.

Remember, proper blade selection for heights of grass, grass type and sharp blades is key to an improved cut quality and dispersal. The removal of no more than one third of the grass blade is recommended for healthy turf. Heavy growth times may require changing blades, mowing more often or raising the height of cut to improve clipping dispersal.





8800A TerrainCut™ Rough Mower

The 8800A has powerful features that allow it to stand out from other rough mowers, like a robust, 55.1 hp turbocharged diesel engine, an eHydro™ hydrostatic pump—combined with large displacement wheel motors—to deliver performance for excellent hill climbing.

The exclusive LoadMatch™ to help cut through thick, lush rough while maintaining a consistent traction speed and internal wet-disc brakes that reduce maintenance and down time.

The 8800A features five solid, 21-in. rotary decks with optimal overlapping, rear roller striping, and tooled height of cut adjustments. A double-acting, single-rod hydraulic steering cylinder makes keeping straight lines a breeze and steering effortless. Plus, the 8800A is compatible with John Deere Connectivity solutions for the latest in Golf Course Management technology.

8800A TerrainCut™ Rough Mower

TechControl display
LoadMatch™ system
55.1 HP (41.1 kW) ⁶ diesel engine
21-in. (53 cm) rotary decks
88-in. (223 cm) cutting width
US/CAN Tier 4 compliance



eHydro™

Thanks to the eHydro™ traction pump and large-capacity wheel motors, the 8800A can handle hill climbing with ease.



LoadMatch™

The LoadMatch™ setting through the Tech Control display allows the 8800A to achieve a consistent cut, even in long, lush conditions.



Power plant

The powerful 8800A has a maximum-rated horsepower of 55.1 and it is FT4 compliant.



Double-yoke design

The double-yoke design on the 8800A rotary decks allows for excellent contouring for the front decks.





220SL PrecisionCut™



225 E-Cut™ Electric

SL PrecisionCut™ Walk Greens Mower: Fewer Steps to a Better Cut

Some of the lightest mowers in their class, the SL PrecisionCut walk greens mowers allow effortless turning and better engagement with the turf for a consistent cut and straighter tracking. Well-engineered cutting unit geometry provides the cleanest cut with minimal impact to the grass plant.

A new level of comfort and control

With updated 10-position fore/aft adjustable handlebars, operators can maximize performance while experiencing more comfort and easier maneuverability.

Fewer steps to adjust, easier to maintain

You can set height of cut with a cordless drill and switch rollers by simply removing two bolts.

Better turning, smoother steering

On SL PrecisionCut walk greens mowers, the distance from the rear drum to front roller is deliberately short. This, along with the low weight of the machine, reduces the effort needed to make turns and minimizes opportunities for scalping.



180/220/260SL

3.2 HP (2.4 kW), 122 cc^{2.5} gas engine

2.7 U.S. qt. (2.5 L)

5.2 mph (8.4 km/h) with transport wheels

5-in. (12.7 cm) diameter reels

18-in., 22-in. and 26-in. cutting widths

E-Cut™ Hybrid and E-Cut Electric Walk Mowers: Follow Undulations Like Never Before

Available in both 18- and 22-inch (45.7 cm and 55.9 cm) widths of cut, our 180 and 220 E-Cut Hybrid walk greens mowers offer an unparalleled ability to follow contours and steer around the cleanup pass. Thanks to the signature ball joint mounting system, the cutting unit can rotate in any direction. Plus, with our E-Cut™ Electric Walk Mowers, you can mow up to 50,000 square feet per charge with zero emissions and quiet operation.

180/220 E-Cut Hybrid

3.2 HP (2.4 kW), 122 cc^{2.5} gas engine

Electric motor drive reel cutting unit

1-QA5 18-in. or 22-in. cutting unit

2.7 U.S. quart fuel tank

Contour head design

Adjustable frequency of clip

Onboard backlapping

185/225 E-Cut™ Electric

58 volt, 3.56 Max kwh Lithium-ion battery

Electric traction and reel drive

1-QA5 18-in. or 22-in. cutting unit


Up to 50,000 sq ft on a single charge

Contour head design

Frequency of Clip Control

Clean Up Pass mode

Advanced passcode-protected TechControl display



Signature ball joint

Thanks to the signature ball joint mounting system, the cutting unit can rotate in any direction — fore/aft, laterally side to side and 6 degrees of steering right and left.



All electric and maximum control

The E-Cut™ Electric Mower passcode-protected TechControl™ display lets you precisely set mowing speed or turning speed for consistent performance.



Onboard backlapping

The motor can run the reel in reverse, eliminating the need to remove the reel or attach a separate motor.



Adjustable contouring

The limit chains also on the 180, 185, 220 and 225 E-Cut can be adjusted for a range of motion that can match the contours of any green.



2700 PrecisionCut™



2750 PrecisionCut™

Now, Every Operator Can Be Your Best Operator

Imagine a triplex mower that you can set up for a rookie operator to perform like a seasoned veteran. It's possible with any PrecisionCut™ or E-Cut™ mower in our lineup. The key is the passcode-protected TechControl display system, giving you control over everything—mow speed, turn speed, even the cleanup pass. Plus, with the Frequency of Clip mode, you can achieve the same level of cut quality as a walk-behind mower, even on a hydraulic machine—a John Deere industry exclusive. And, no one matches this level of cutting unit contour following: 21 degrees up or down. In addition, the 2700, 2750 and 2775 E-Cut Electric are compatible with John Deere Connectivity Solutions for the latest in Golf Course Management technology.

2775 E-Cut™ Electric

14.24 kwh (MAX) Lithium-ion battery pack

Electric reel drive, lift / lower, steering, and traction

Same cut quality, regardless of operator

TechControl advanced supervisory controls

Independent Reel Selection

Whisper Link™ system with premium contour following

2700 PrecisionCut™

19.0 hp (14.2 kW), 694 cc²⁻³ EFI gas engine with electronic throttle control

Same cut quality, regardless of operator

TechControl advanced supervisory controls

Exclusive Frequency of Clip mode

Premium contour following

2700 E-Cut™ Hybrid

19.0 hp (14.2 kW), 694 cc²⁻³ EFI gas engine with electronic throttle control

Same cut quality, regardless of operator

TechControl advanced supervisory controls

Frequency of Clip mode

Premium contour following

Electric Reel Drive

2750 PrecisionCut™

19.0 hp (14.2 kW)⁶ diesel engine with electronic throttle control

Same cut quality, regardless of operator

TechControl advanced supervisory controls

Exclusive Frequency of Clip mode

Premium contour following

2750 E-Cut™ Hybrid

19.0 hp (14.2 kW)⁶ diesel engine with electronic throttle control

Same cut quality, regardless of operator

TechControl advanced supervisory controls

Frequency of Clip mode

Premium contour following

Electric Reel Drive



Frequency of Clip

In FOC mode, the reel speed automatically adjusts to the requested ground speed from the foot pedal. This means consistent cut quality from hole to hole all day long, regardless of operator.



Eco mode

In Eco mode, the engine will run as low as 2250 rpm with the PTO engaged. The result is up to 30 percent in fuel reduction. And, you'll see up to three decibels less in sound levels.¹



A better grass catcher

The grass catchers on these triplexes feature an innovative hook design. To remove it, simply push the catcher toward the operator station, then lift up using only one hand. Available in yellow and traditional black.



Contour following

With its innovative 3-axis lift system, these triplexes stay on contours like no other. The cutting units feature 42 degrees of total upward and downward movement. And, 36 degrees of steering and cutting unit lateral roll movement.



2550 E-Cut™ Hybrid



2400 PrecisionCut™

Eliminate Triplex Ring, One Green at a Time

The 2550 E-Cut™ Hybrid, the 2400 PrecisionCut™ and the 2550 PrecisionCut™ Triplex Mowers feature offset cutting units that virtually eliminate triplex ring with a simple change in direction. They also deliver a consistent height of cut through contour following, weight transfer and cutting unit suspension. Plus, they are compatible with John Deere Connectivity solutions for the latest in Golf Course Management technology.

2400 PrecisionCut™

- 19.0 hp (14.2 kW), 694 cc²⁻³ gas engine
- 62-in. (157.5 cm) cutting width
- 3 cutting units; offset design
- Bedknife-to-reel adjustment
- 3-QA5 22-in. (59.9 cm) cutting units
- 2-pedal hydrostatic transmission

2550 PrecisionCut™

- 19.0 hp (14.2 kW)⁶ liquid-cooled diesel engine
- 62-in. (157.5 cm) cutting width
- 3 cutting units; offset design
- Bedknife-to-reel adjustment
- 3-QA5 22-in. (59.9 cm.) cutting units
- 2-pedal hydrostatic transmission


2550 E-Cut™ Hybrid

- 19.0 hp (14.2 kW)⁶ liquid-cooled diesel engine
- 62-in. (157.5 cm) cutting width
- 3 cutting units; offset design
- Bedknife-to-reel adjustment
- 3-QA5 22-in. (59.9 cm) cutting units
- 2-pedal hydrostatic transmission
- Electric reel motors



Exclusive offset design

The offset cutting units greatly reduce triplex ring with a simple change in direction.



Superb contour following

The exclusive ball joint suspension system provides exceptional contour following, steering with up to 18 degrees of side-to-side motion and can rotate in any direction.



Grass catcher

Choose between direct-mounted catchers, that are easy to take on and off, and our unique weight-transferring catchers, which put less weight on the cutting unit.



Reduce double rolling

The tires are located well inside the cutting units to reduce or eliminate double rolling during straight-line passes.



Aercore™ 800



1200A Bunker Rake



TruFinish 1220

Got a Lot of Aeration Ahead of You? Put One of These Behind You.

John Deere aerators employ a Flexi-Link design to ensure the tines stay perpendicular longer for a higher-quality hole—without sacrificing efficiency. Easily accessible belts power the systems instead of chains, making them quieter and easier to maintain. For fast, quality results, they deliver every time.



Precision Tine Series

Our expanded lineup of aeration tines includes three tiers—Standard, Plus and Ultra—making it easy for you to get the precise tine for your application. Machined from carbon alloy steel, every tine undergoes a proprietary heat treating process so you experience a strong, long-lasting tine with precise core integrity.



Aercore™ 800 Walk-Behind Aerater

- Flexi-link coring system
- 25.0 hp (18.6 kW), 725 cc^{2.3} gas engine
- 31.5-in. (80 cm) coring swath
- Up to 3.5-in. (88.9 mm) coring depth
- Matched dual V-belts head drive
- Lightweight design



TC125 Collection System

Makes cleaning up cores a breeze. A 25-cubic foot and 48-inch collection swath can clear the average green in 15 minutes. The adjustable roller height allows for varying turf and prevents aggressive brush wear.

A Timeless Design. A Tireless Workhorse.

Putting the finishing touches on a golf course bunker or a new-course construction project requires a delicate touch and excellent maneuverability. John Deere has two options that offer both—the gear-driven 1200A and the hydraulic-driven TruFinish™ 1220 Utility Rake. Quiet, reliable and comfortable for operators, these workhorses are relied on by courses all over the world.



1200A Bunker Rake

- 13.5 hp (10.1 kW), 401 cc^{2.4} gas engine
- Up to 12.6 mph (0-20.3 km/h) travel speed
- 78-in. (1981 mm) rake width
- Mechanical transmission with Kanzaki
- Rake, cultivator, front blades, scarifier, scrapers, field finisher

TruFinish™ 1220 Utility Rake

- 18 hp* (13.4 kW) engine
- Up to 12-mph (0-19 km/h) travel speed
- 72-in. (183 cm) rake width
- 2WD/3WD selectable hydrostatic transmission
- Multiple front, mid and rear attachments available



2020A GPS PrecisionSprayer



HD200 SelectSpray™ Sprayer

The Focus is Pristine Greens and Fairways. With Precision, of Course.

Get to know the ProGator™ GPS PrecisionSprayers. The most accurate and proven GPS sprayers you can put on your course. So, what separates these sprayers from the rest? Start with the AutoTrac™ Guidance System. The unit steers itself and sprays only where it needs to. Individual nozzle control reduces spray overlap and saves time and money. The G5^{Plus} Universal Display captures essential data and the StarFire 6000 receiver utilizes cutting-edge Global Navigation. Now, that's connected.

ProGator™ 2020A GPS PrecisionSprayer

34.0 hp (25.4 kW), 970 cc^{2.4} 4-cyl,
liquid-cooled gas engine

AutoTrac™ Guidance System

Individual nozzle control

StarFire 6000 receiver

G5^{Plus} Universal Display

ProGator™ 2030A GPS PrecisionSprayer

24.7-hp (18.4 kW) 3-cylinder,
liquid-cooled diesel engine

AutoTrac™ Guidance System

Individual nozzle control

StarFire 6000 receiver

G5^{Plus} Universal Display



AutoTrac Guidance

Save time. Save money. Keep your hands free and your sprayer perfectly aligned. All with an easy-to-set-up system fully backed by your local John Deere dealer.

More Choices Than Any Other Line of Sprayers

The SelectSpray™ Series spray system is built around flexibility and control. You can choose to equip one with a high-quality centrifugal or diaphragm pump and choose between automatic and manual rate controllers. When you need to move on to the next job it all detaches in minutes, without tools.

HD200/H300 SelectSpray™

200 U.S. gal. (757 L) - HD200
300 U.S. gal. (1135 L) - HD300

Hydraulically driven centrifugal or diaphragm pump

97 gpm (centrifugal), 30.1 gpm (diaphragm)

18-ft. boom option

15/21-ft. boom option

Automatic or manual rate controller

Triple nozzle bodies

Electrohydraulic lift system

Bidirectional breakaway boom system



TX Turf Gator



ProGator™ 2020A



You Can't Have Enough Gator™ Utility Vehicles On Your Course

Step up to the enhanced Gator™ TX Turf and you'll appreciate a deluxe cargo box that includes 16.4 cubic feet of capacity, pick-up style tailgate, 20 tie-down points and a gas-assist shock for easier lifting and dumping.

And, if you want to go electric, the TE can run all day on a single overnight charge and haul up to 500 pounds with the same deluxe cargo box you'll find on the TX. Plus, it's so quiet you won't believe your ears.

Then there's the new lithium ion battery option for the GS Electric Utility Vehicle. The GS Electric has a narrow stance and an 800-lb (363 kg) cargo box capacity. A gas model is also available.

If you're looking for Gator™ Utility Vehicles off the course, we have a full line of crossover and recreational utility vehicles as well.

Engineered for the Long Haul

Let the heavy hauling begin. The 2020A features the only four-cylinder EFI gas engine in the category. With 34 hp* and 970 cc of hill-climbing torque, you'll get strength, raw power, performance, and easy maintenance. No wonder the gas 2020A and diesel 2030A are ideal for heavy hauling and top dressing. Done hauling? These vehicles can be converted to a SelectSpray™ sprayer in just minutes, without tools.



GS Gas

402 cc electronic, fuel-injected (EFI) gas engine
800-lb. (363 kg) cargo box capacity
19.5 mph (31.4 km/h) top speed

TX Turf

13.5 hp (10.1 kW), 401 cc^{2.4} gas engine
600-lb. (272 kg) cargo box capacity
15.5-mph (25 km/h) top speed

GS Electric

48V lead acid batteries or 51V lithium ion battery
800-lb. (363 kg) cargo box capacity
19.5 mph (31.4 km/h) top speed

TE

48-volt electric system
500-lb. (227 kg) cargo box capacity
15-mph (24.1 km/h) top speed

ProGator™ 2020A Utility Vehicle

34.0 hp (25.4 kW), 970 cc^{2.4} 4-cyl, liquid-cooled gas engine
5-speed synchromesh transmission
Up to 3,510-lb. (1592 kg) payload w/standard suspension and 4,251-lb. (1928 kg) payload w/ 2WD, heavy-duty suspension, 4-post ROPS, and wide rear tire kit. Includes 200-lb. operator, 200-lb. passenger, and loaded attachment.
19.1-mph (30.7 km/h) top speed

ProGator™ 2030A Utility Vehicle

24.7-hp (18.4 kW)⁶ 3-cyl, liquid-cooled diesel engine
5-speed synchromesh transmission
Up to 3,514-lb. (1549 kg) payload w/standard suspension and 4,255-lb. (1886 kg) payload w/ 2WD, heavy-duty suspension, 4-post ROPS, and wide rear tire kit. Includes 200-lb. operator, 200-lb. passenger, and loaded attachment.
19.1-mph (30.7 km/h) top speed



2653B PrecisionCut™

The 2653B is a Reel Mower to Rely On

The technology is simple. The cut is exceptional. With QA7 Quick Adjust cutting units specially designed for lush, dense turf and a smooth hydraulic drive system for even traction, excellent contour-following and high power-to-weight ratio. The all-around 2653B offers a pristine cut anywhere on your course.

2653B PrecisionCut Trim and Surrounds Mower

19.6 hp (14.6 kW)⁶ diesel engine
26-in. or 30-in. QA7 cutting units
72-in. (183 cm) or 84-in. (213 cm) mowing width



John Deere Financial is a dependable link

It's important to have your financing work as hard as your equipment does. John Deere Financial offers value no other lender can—a deep understanding of the golf industry, unmatched equipment expertise, and personalized financial solutions that can be quickly arranged through your dealer at the time of your purchase. Golf course after golf course, we've been here to make equipment financing easy and affordable. And we'll be here for you—for the long haul.



Service and support is on call

With one of the most connected dealer networks in the world, we build trust with our Golf Course Superintendent partners, one golf course at a time. Our dealer network is our key to connect a fleet, helping you use data to guide decisions and manage your course with the latest tools and information. Of course, 24/7 parts and Onsite Mobile service helps too.



The Connections are Multiplying

Put a full lineup of John Deere equipment on your course. Talk with your dealer about digging into projects with John Deere Compact Utility Tractors for loader work or aerating. Or, bring in ZTrak™ Zero-Turn Mowers to quickly handle large tracks of common areas. Then, trust our compact construction equipment to help bring the odd renovation every course seems to have now and then to completion.



The latest options, attachments, implements and accessories are key

Equipping your fleet right for every task on your golf course is easy. We offer a variety of attachments and accessories from aerators and top dressers to tire options, windshields and rearview mirrors. You need it? Chances are, we've got it. Work with your dealer to find the right tools for your tasks on your course today.

ShadePro™ canopy

Take your crew's comfort to the next level with a ShadePro™ canopy. This attachment can help you and your crew stay cooler on hot summer days. Along with overhead protection, ShadePro also features an adjustable fan to enhance air flow and limit free-flying grass, dust and debris. Be cool. Stay cool.

Talk to your dealer today
or visit [deere.com/golf](https://www.deere.com/golf)

Community and Industry Support



The First Tee®

John Deere Golf is proud to be a trustee of The First Tee, a youth development organization that uses the game of golf to impact the lives of millions of young people. Besides supporting The First Tee network, we've supported a golf maintenance career-oriented curriculum with the PGA TOUR.®



Green Start Academy

Since 2005, John Deere Golf has run the Green Start Academy for Assistant Superintendents in partnership with Bayer. Green Start gives them the opportunity to network with peers and participate in discussions with industry experts.



GCSAA Turf Bowl

Since 2010, John Deere Golf has sponsored this collegiate competition at the Golf Industry Show that engages hundreds of undergraduate students in the areas of mathematics, turf grass growth and development and identification of soils, diseases, weeds, insects, and turf grass species.



This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options, and accessories NOT AVAILABLE in all countries or regions and, in some countries, products and accessories may require modifications or additions to ensure compliance with local regulations. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification, design, and price of the products described in this literature without notice. John Deere's green and yellow color scheme, the leaping deer symbol, and JOHN DEERE are trademarks of Deere & Company.

¹ Compared to previous models
² The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information.
³ @ 3600 RPM engine manufacturer rated gross power per SAE J1940, tested in accordance with SAE J1995.
⁴ @ 3600 RPM engine manufacturer rated gross power, tested in accordance with SAE J1995.
⁵ @ 3600 RPM engine manufacturer rated net power, tested in accordance with SAE J1349.
⁶ Rated gross power, tested in accordance with SAE J1995.



Trusted by the Best

explore.deere.com/golf | explore.deere.ca/golf



