

5M Tractors

Mid-Sized Tractor, Massive Versatility and Value



JOHN DEERE



MID-SIZED TRACTOR, MASSIVE VERSATILITY AND VALUE

The 5M tractors provide massive versatility to meet the needs of your operation. Choose from multiple transmission options, premium or standard cab or open operator station (OOS) options.

Whatever model you choose, you'll find options for the premium features you want and need, or more standard options if that better fits your operation. Either way, you're sure to find a mid-sized tractor that matches your jobs with the 5M.

PREMIUM FEATURES

Now you can shift gears easier with less foot clutching with PowrQuad™ PLUS and Powr8™ transmission options on the 5M Tractors. These transmission options let you select what works best for you. You can also pull heavier implements with higher horsepower (hp) options, up to 130 hp on the 5130M. Do it all while reducing overlaps, saving on inputs, and staying on track with AutoTrac™ technology available using a Precision Ag Display on the redefined 5M.

RIGHT-SIZED TRACTOR

You'll get the premium features in a maneuverable tractor that best meets the needs of your operation. The 5M continues to have great maneuverability, whether you are cleaning alley ways or moving materials into narrow spaces. The visibility remains great, too. Whether you're hauling bales or doing loader work, you'll enjoy the great loader visibility and the Panorama roof available on the premium cab models. Whether you need a climate-controlled cab or OOS, low- to high-clearance and a wide variety of tire sizes, the 5M tractors provide you the variety of offerings you demand. With these features, it's easy to see how the 5M fits in any operation.



5M UTILITY TRACTORS 75-130 HP*

Whether it's mowing hay, moving snow or roadside mowing, the 5M Utility Tractors get the job done. Choose from five horsepower options.

5075M

Featuring a John Deere PowerTech™ Diesel 3-cylinder engine and requiring no diesel exhaust fluid (DEF), the 5075M is available with a PowrReverser™ transmission and open operator station (OOS) or climate controlled cab, MFWD front axle, and a rear flange axle.

5095M

Handle heavier chores with the 5095M, which features a John Deere PowerTech Diesel 4-cylinder engine, cab or OOS and multiple transmission options. The 5095M is available with a MFWD and with bar or flange axles.

5105M

Loaders, moving bales and pulling implements are no problem for the 5105M. PowrReverser, PowrQuad PLUS and Powr8 transmission options are available on the 5105M with a 4-cylinder John Deere PowerTech Diesel Engine, MFWD, climate-controlled cab or OOS choices, and with bar or flange axles.

5120M

Mow, bale and more with the 5120M featuring the John Deere PowerTech Diesel 4-cylinder engine and PowrReverser, PowrQuad PLUS or Powr8 transmission options. The 5120M is available in MFWD, climate-controlled cab or OOS options, and with bar or flange axles.

5130M

Pull heavier implements with the powerful 5130M with a John Deere PowerTech Diesel 4-cylinder engine, with PowrQuad PLUS or Powr8 transmission options available in MFWD and cab options only. The 5130M is available with bar or flange axles.

* Engine power PS (hp ISO) at max engine power speed (ECE-R120). John Deere Standard RES10080, SAE Standards J1995.

5 SERIES UTILITY TRACTORS. WHICH IS RIGHT FOR YOU?

5E 50 - 100 HP: If you need a simple, reliable tractor to handle chores around the farm, property, or roadside, the 5E Tractors may be right for you. Available in 3- or 4-cylinder models.

5M PowrReverser™ 75 - 130 HP: The two-lever shift strategy of the PowrReverser transmission works well for jobs without frequent shifting, for example, loader work, mowing or spraying. The PowrReverser comes standard with 16 forward and 16 reverse speeds (16F/16R) with an optional Hi-Lo splitting each forward gear for a 32F/16R. Baling and headland turns get easier with a 20-percent increase or decrease in speed in each forward gear with the Hi-Lo push-button shifting.

5M PowrQuad™ PLUS 95-130 HP: The PowrQuad PLUS is ideal for baling, loader work, tillage, and frequent transport. A single range shift lever is all you need to get the job done in 16F/16R speeds with the PowrQuad PLUS transmission. Easily change gears with a push of the upshift/downshift buttons and change ranges without foot clutching using the hand de-clutch button on the same lever. Tune your speed to your work's range with the 20-percent change in speed of each of the four speed shifts in each range. Make connections to ISOBUS implements and GreenStar™ Displays simpler with ISOBUS/ GreenStar Ready option or upgrade to an integrated AutoTrac™ experience with available AutoTrac Ready.

Powr8™ 95-130 HP: Baling, tillage, loader work and frequent transport are a breeze with the Powr8 transmission. Transport at up to 24 mph (40 km/h) at reduced engine speed saving you fuel costs, while delivering the power to get the job done with ECO shift. Get 32 forward and 16 reverse (32F/16R) speeds with a single shift lever with the Powr8 transmission. Easily change gears with a push of the upshift/downshift buttons and change ranges without foot clutching using the hand de-clutch button on the same lever. Enjoy a finer adjustment of speed to tune your work's range with the speed shift, giving you a 10-percent change in speed. Feeding cattle or working in high-value crops are easier with the optional creeper, giving you two additional slow working ranges. Make connections to ISOBUS implements and GreenStar™ Displays simpler with ISOBUS/ GreenStar Ready option or upgrade to an integrated AutoTrac™ experience with available AutoTrac Ready.

CONNECT WITH WHAT COUNTS

Your land, your herd, your fleet, and your crop are important to you. You chose this work and this lifestyle because you care about it. John Deere 5 Series Tractors and their technology help you connect with the things you care about more deeply.

JDLink™ puts you in control of being more connected to your tractor*. Being connected gives property owners more time to play or work with their tractor, the convenience of having all the information they need to run their tractor when they want, and the confidence that if a problem arises, they'll know what to do or have remote support available from their dealer if they need more help. Dairy and livestock producers gain more time to work on their farm and with their animals and make data-driven decisions by being connected. For high-value crop growers, or other businesses managing a fleet of tractors, being connected provides visibility to their whole fleet in one place, so they can tell where it is and what it needs, as well as information about equipment location and performance to enable training and improved efficiency. No matter your needs, JDLink helps you manage your land, your fleet, your crop, or your herd.

STAY ON TRACK WITH AUTOTRAC™
Save fuel, reduce overlaps and inputs with AutoTrac™ technology options. Stay on track in straight-line mowing jobs, or more efficiently spray pastures thanks to AutoTrac.

*Activation required. JD Link hardware comes standard with the machine. You can turn on JDLink connected service in your John Deere Operations Center account for free. Some additional accessories and/or components may be required. JDLink requires a cellular connection to transfer information from machine to JDLink website. Consult your John Deere Dealer for coverage availability.

FEATURES THAT REDEFINE THE 5M MORE TRANSMISSION OPTIONS

Effortlessly switch directions without manually clutching or braking thanks to the electrohydraulic Left-Hand Reverser available on all 5M Tractors. Shift on-the-go and under load with the fully synchronized ranges and gears available on all 5Ms. Transport faster at up to 24 mph (40 km/h) with a PowrReverser™ transmission.

PowrReverser™

The two-lever shift strategy of the PowrReverser transmission works well for jobs without frequent shifting, for example, loader work, mowing or spraying. The PowrReverser comes standard with 16F/16R speeds with an optional Hi-Lo splitting each forward gear for a 32F/16R. Baling and headland turns get easier with a 20-percent increase or decrease in speed in each forward gear with the Hi-Lo push-button shifting.

Available on 5075M, 5095M, 5105M, 5120M

PowrQuad™ PLUS

The PowrQuad™ PLUS is ideal for baling, loader work, tillage, and frequent transport. A single range shift lever is all you need to get the job done in 16 forward and 16 reverse speeds (16F/16R) with the PowrQuad PLUS transmission. Easily change gears with a push of the upshift/downshift buttons and change ranges without foot clutching using the hand de-clutch button on the same lever. Tune your speed to your work's range with the 20-percent change in speed of each of the four speed shifts in each range. **Available on** 5095M, 5105M, 5120M and 5130M

Powr8™

Baling, tillage, loader work and frequent transport are a breeze with the Powr8 transmission. Transport at up to 24 mph (40 km/h) at reduced engine speed saving you fuel costs, while delivering the power to get the job done with ECO shift. Get 32 forward and 16 reverse (32F/16R) speeds with a single shift lever with the Powr8 transmission. Easily

change gears with a push of the upshift/downshift buttons and change ranges without foot clutching using the hand de-clutch button on the same lever. Enjoy a finer adjustment of speed to tune your work's range with the speed shift, giving you a 10-percent change in speed. Feeding cattle or working in high-value crops are easier with the optional creeper, giving you two additional slow working ranges, providing you eight speeds in each forward and four in each reverse gear, so you can choose the speed you need.

Available on 5095M, 5105M, 5120M and 5130M

BAR AXLES & CAST WHEELS

Get flexible wheel spacing to better align with row widths and dual rear wheel capabilities thanks to the bar axles and cast wheels available on the 5M Utility Tractors. Cast wheels provide additional ballasting and rear weight options. You can also choose steel wheels and flange axles, providing massive flexibility on the 5Ms. **Available on** 5095M, 5105M, 5120M and 5130M

MORE HORSEPOWER

John Deere 5M tractors now boast an additional five horsepower, allowing you to pull heavier implements at up to 130 hp with the redefined 5130M. The 5M 4-Cylinder models feature the same proven engine as the 6M in the same maneuverable tractor with great visibility you've come to expect from the 5Ms. **Available on** 5095M, 5105M, 5120M, 5130M



COMFORT AND CONVENIENCE

CAB WITH A VIEW

Enjoy a panoramic view that offers clear sightlines and easier operation when lifting bales or doing loader work above the cab with the Panorama roof on the premium cab.

1. IMPROVED DASHBOARD DISPLAY

5M Tractors feature a three-screen digital display, available on models with PowrQuad™ PLUS or Powr8™ transmissions. The three-screen dashboard features the vital information you need, plus one fully customizable LCD that can show functions, such as reverser modulation speed available on the PowrQuad™ PLUS or Powr8™ models.

2. COMFORT & CONTROLS AT YOUR FINGERTIP

Operate in comfort and with ease, with color-coded controls at your fingertips. Cabs provide ultimate comfort with top-of-the-line air-conditioning/heating included and optional seat upgrades. Bluetooth radio is available in the premium cab, while the standard cab is radio ready.

3. LIGHT THE NIGHT WITH LED LIGHTING

Available full LED lighting package on both headlights and work lights provide better visibility and productivity in low light conditions. Get maximum visibility, productivity, and energy efficiency with optional LED lighting or choose economical halogen lights, if you prefer.

4. FRONT HITCH & PTO

Operate snow blowers, mowers and more with the front hitch and PTO. The factory-installed option adds even more versatility to the 5M models featuring PowrQuad PLUS and Powr8 transmissions.

5. READY FOR TECHNOLOGY

Whether it's added on or available from the factory, an abundance of technology options are available on 5M Utility Tractors. From AutoTrac™ to JDLink™ to GreenStar™/ISOBUS ready, your John Deere Dealer can help you decide what technology options are available to bring more efficiency to your operation.



PROVEN 5M FEATURES

MAXIMUM MANEUVERABILITY

The 5M can maneuver into tight spaces, like barns, alley ways, through gates or mowing around obstacles. With a maximum steering angle of 50 degrees and a shorter turning radius of 12.6 ft. (3.85 m), the 5M is designed for tight areas. The brake valve on the 5M reduces the stopping distance when the brakes are applied, helping you maneuver and stop with greater precision and ease.

RELIABILITY YOU CAN COUNT ON

Built for long hard days in the field, the heavy-duty axles withstand tough fields conditions, delivering dependable performance, the 5Ms give you reliability you can count on.

POWERFUL ENGINE

John Deere PowerTech™ turbocharged diesel engines are designed to meet stringent Final Tier 4 (FT4) emissions requirements while still delivering powerful low-end torque. The responsive power and outstanding torque reserve of the 5Ms let you pull heavy loads and handle challenging field conditions.

PROVEN PERFORMANCE

Perform multiple functions when you need hydraulic power the most, thanks to the 5M open-center hydraulic system. The dual-pump provides dedicated flow for steering and brakes simultaneously to the implement and loader hydraulics. You'll get excellent performance in tough conditions, thanks to the radial tire options. Great traction and increased payload of the redefined 5M means you'll make fewer trips and get more done in less time.

EXCLUSIVE MID-FRAME DESIGN

Enjoy the additional heft when hauling heavy bales or transporting heavy 3-point implements, thanks to the rugged cast iron design of the 5M. The design provides extra strength and rigidity and a heavier tractor, giving you more stability for loader work, putting more power to the ground and improving traction in tough field conditions.

RIDE IN COMFORT IN CAB OR OPEN OPERATOR STATION

Whether you choose a cab or open operator station (OOS), the 5Ms are designed with fingertip controls, and all-day comfort and convenience. The OOS gives you a smooth ride with great visibility and extended entrance ladders from both the left- and right-hand sides of the tractor. The cab provides a quiet ride with an optional premium high-backed, heated seat with low frequency suspension, so you'll feel like you're riding on air.



BUILT TO LOAD

Tractor and cast iron loader frames work together to lift and distribute heavy loads. When you combine a 5M with one of six loader options you'll get positive, aggressive filling and fast, complete emptying. For applications where a level bucket is ideal, like pallet fork work, a mechanical self-leveling (MSL) loader fits the bill. For applications requiring more lift capacity at max height, select from our non-self-leveling (NSL) options. Carry loads over hay fields and other uneven ground with ease, thanks to the optional loader suspension system available either when you order your loader or later as a kit. You'll enjoy the easy-to-use joystick, optional 3rd function controls, and hydraulic hookups with multi-coupler or single-point hydraulic connections.

TRACTOR/LOADER COMPATIBILITY

	NON SELF-LEVELING (NSL)	MECHANICAL SELF-LEVELING (MSL)
540M	MFWD	MFWD
540R	MFWD	MFWD
H310	MFWD	NOT COMPATIBLE



FIND THE RIGHT IMPLEMENT TO DO THE JOB

The 5Ms are right in nearly any application, but to do the job right, you need the right implement. That's where John Deere and Frontier™ Equipment can help. Contact your John Deere Dealer to learn more.

1. ROUND BALERS

Find the right round baler to meet your operation and livestock needs with John Deere offerings. Maintain uniform bale density with the vertical forming chamber available on all John Deere round balers.

2. MOWER-CONDITIONERS

Whether you need a side-pull or center-pivot Mower-Conditioner, with cutting widths from 8 ft. 2 in. (2.5 m) to 16 ft. 4 in. (5 m) and up to four conditioning options, John Deere has a machine for you.

3. BALE SPEARS

Frontier offers a full line of loader-mounted and 3-point bale spears to move round and large square bales. The loader-mounted bale spears will fit your loader carrier type with no tools required to install or remove the bale spear from John Deere loaders.

4. PALLET FORKS

Move pallets, fence posts, or other bulky material easily with Frontier pallet forks with a strong steel frame. Add even more versatility to your pallet forks with a grapple attachment to complete even more jobs, such as hauling logs.

5. LAND PLANE

Level land with Frontier Land Planes that are iMatch™ quick-hitch compatible, ensuring a super-quick connection. Frontier land planes are a great tool for maintaining a gravel drive, smoothing a horse arena, leveling a garden and more.

6. BOX BLADES

Level uneven ground and simplify grading tasks with Frontier Box blades. Hook up the blade and lock and unlock the hitch from the seat in many tractors with the easy attachability and optional quick hitch compatibility.

7. ROTARY CUTTERS

Meet the needs of your job with the full line of John Deere rotary cutters. You'll find fast, reliable mowing and trimming at a friendly price with the standard duty rigid Frontier cutters. If you need added strength or to tackle tough weeds Frontier medium and heavy-duty cutters fit the bill.

8. DISC MOWERS

Easily hook up John Deere and Frontier disk mowers to the three-point hitch. You can hook them up from the tractor with the quick hitch compatibility.

9. RAKING EQUIPMENT

Meet your hay raking needs with two different types of rakes from Frontier. Reduce crop plugging for increased productivity in the field with the high-clearance frame with maximum distance between the transport and raking wheels that allows a high-volume of crop to flow through the Frontier wheel rakes. Increase hay quality, reduce hay dry down time, and enhance baler productivity with the Frontier rotary rake.

10. GRAPPLES

Move debris, brush, rocks, trees and more with Frontier grapple options. Easily install and remove the Frontier grapples and increase the versatility to complete more tasks with your tractor and loader.

11. DISK HARROWS

Break up the ground and distribute the soil with adjustable gangs that allow you to match the aggressiveness of the disk harrow blades to meet your application. Whether preparing a seedbed or a food plot, Frontier disk harrows are a great tool for your property or small farm.

12. ROTARY TILLERS

Prepare your seedbed with Frontier rotary tillers offered in forward or reverse tine configurations. Set the tilling depth to meet your needs with adjustable skid shoes and the rear tailgate provides a smooth finish. All Frontier rotary tillers are gear driven for better efficiency and reliability.

13. 3-POINT SNOW BLOWER

Snow removal from long driveways, barn yards, and parking lots is made easy with a Frontier three-point mounted snow blower.



SUPPORT AND SERVICE

JOHN DEERE CONNECTED SUPPORT™

John Deere equipment features technology that can help you resolve maintenance challenges quickly. John Deere Connected Support™ senses potential issues and can alert you promptly – anywhere you are. Your dealer can also receive alerts and, with your permission, connect to your equipment remotely for further diagnostics.

With John Deere Connected Support

You Can:

- Monitor alerts from your machine remotely
- Monitor engine hours and utilization
- View machine location and get driving directions to the site
- Monitor fuel level and idle time.

Your Dealer Can:

- Monitor alerts coming from your machine
- Remotely connect to your machine for real-time diagnosis
- Leverage Expert Alerts from John Deere to address potential future downtime
- Perform software updates from the dealership.

THE JOHN DEERE DIFFERENCE

Your 5M Tractor and other John Deere equipment are long-term investments. John Deere understands that and provides more parts and an unrivaled dealer network to support you. We're committed to what we call the John Deere Difference and consists of providing you with:

- The Right Part for Any Budget
- Highly Trained Expert Technicians
- 12 Months Parts & Labor Warranty
- Short & Long Term Financing Options.

PROTECT YOUR INVESTMENT

John Deere provides one of the best warranties in the business. With PowerGard™ Protection Plan, you can purchase additional protection beyond the normal factory warranty term.

JOHN DEERE FINANCIAL

John Deere Financial offers value no other lender can – a deep understanding of your industry, unmatched equipment expertise, and personalized financial solutions that can be quickly arranged through your dealer at the time of your purchase. **Visit [JohnDeereFinancial.ca](https://www.johndeerefinancial.ca) to learn more.**

John Deere Financial has many solutions to your business or personal needs.

EQUIPMENT LOANS

Own John Deere equipment with competitive rates, and flexible terms. You can bundle equipment, parts, service, attachments and more on the same note.

EQUIPMENT LEASES

Preserve your capital, adapt to seasonal workloads, and run more efficiently with the latest John Deere technology.

MULTI-USE ACCOUNT

Use this account to handle all of your day-to-day purchases including equipment parts, service, attachments, and more. Talk to your dealer about flexible finance offers and payment options designed to meet your seasonal cash flow needs.



		PowrReverser™ 16F/16R or 32F/16R Hi-Lo				PowrQuad™ PLUS/Powr8™ PLUS 16F/16R or Powr8™ 32F/16R			
		5075M	5095M	5105M	5120M	5095M	5105M	5120M	5130M
Operator Station		Open Operator Station (OOS) or Cab				Cab only			
Rated Engine HP @ 2200 rpm		73.9 hp (55.0 kW)	93.9 hp (70.0 kW)	103.8 hp (77.4 kW)	118.7 hp (88.5 kW)	93.9 hp (70.0 kW)	103.8 hp (77.4 kW)	118.7 hp (88.5 kW)	128.5 hp (95.8 kW)
Rated Power Take-Off (PTO) HP @ 2100 rpm		57.7 hp (43 kW)	80 hp (58.8 kW)	90 hp (66.2 kW)	105 hp (77.2 kW)	80 hp (58.8 kW)	90 hp (66.2 kW)	105 hp (77.2 kW)	115 hp (84.5 kW)
PowerTech™ Engine Type		3-cylinder (2.9 L) EWX 4-cylinder - 4045 (4.5 L) EWL							
Aftertreatment		DOC/DPF DOC/SCR							
Rear Power Take-off (PTO)		Standard: 540 at 2100 rpm/540E at 1645 rpm Optional: 540 at 2100 rpm/540E at 1645 rpm/1000 at 2100 rpm with reversible stub shaft							
Remote selective control valves (SCVs)		Rear: 2/up to 3 total with Mechanical Lever control Mid: 2/up to 3 total with Mechanical Joystick control							
Total pump rated output		24.7 gpm (94 L/min)				25.6 gpm (97 L/min)			
Hitch draft control type		Mechanical or Electrohydraulic				Electrohydraulic			
Rear Hitch Category 2 (convertible to 1)	Lift capacity*	Standard: 2336 kg (5,150 lb) Optional: 2699 kg (5,950 lb)				Standard: 3164 kg 6,975 lb Optional: 3569 kg 7,868 lb			
	Lift capacity*	Not Available	1931 kg (4,257 lbs.) ** Category 2			1931 kg (4,257 lbs.) Category 2			
Optional Front Hitch & PTO	Front PTO	Not Applicable				1000 rpm @ 2200 rpm			
Front Axel		MFWD only							
Turning Radiu	w/brakes	3.85 m (12.6 ft)							
	w/o brakes	4.0 m (13.1 ft)							
Rear Axle		Flange	Standard: Flange Optional: Rack-and-pinion (Bar)						
Wheelbase		2350 mm (92.5 in)							
Fuel tank capacity	OOS	148.4 L (39.2 gal)Opt**: 178.3 L (47.1 gal)	142.7 L (37.7 gal)			Not Applicable			
	Cab	165.4 L (43.7 gal) Opt**: 196.8 L (52 gal)	165.4 L (43.7 gal)						
Diesel exhaust fluid (DEF) tank capacity		Not Applicable	12.0 L (3.17 Gal)						

*Hitch lift capacity measured at 24 in behind lift point using Electrohydraulic (EH) hitch.

**Field Install Kit only

DISCOVER THE REDEFINED 5M TRACTOR AT
[JOHNDEERE.CA/5M](https://www.johndeere.ca/5m)

This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options and accessories NOT AVAILABLE in all regions. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification, design and price of the products described in this literature without notice. John Deere's green and yellow color scheme, the leaping deer symbol, and JOHN DEERE are trademarks of Deere & Company. Copyright 2025 Deere & Company.



JOHN DEERE