

### NT 40/1 Tact Te L CUL

Compact and easy to transport: the NT 40/1 Tact Te wet and dry vacuum cleaner with Tact filter cleaning system and 40-litre bumpered container for long, uninterrupted operation.

#### 1 Suction hose connection in the machine head

- The suction hose port in the machine head enables a larger usable container capacity.
- Easy emptying of the container by connecting the hose and machine head.

#### 3 Optional push handle

The optional push handle can be mounted quickly and easily for convenient transport to the location of use.

#### 2 Storage rack and fixing options


- Tool boxes can be placed on the flat machine head without slipping thanks to its rubberised surfaces.
- Transport eyelets facilitate secure fixing with conventional anchoring straps.

#### 4 Moisture-resistant PES flat pleated filter

- The PES flat pleated filter for dust class M reliably holds back 99.9% of all particles.
- Whether for wet or dry application: it is not necessary to change the PES filter.

# **TECHNICAL DATA AND EQUIPMENT**





### NT 40/1 Tact Te L CUL

- PES flat pleated filter
- Antistatic preparationOptional push handle

Order no.		1.148-316.0		
EAN code		886622021711		
Air flow rate	I/s	71		
Vacuum	mbar / kPa	242 / 24.2		
Container capacity	1	40		
Max. rated input power	W	1380		
Standard nominal width		ID 35		
Sound pressure level	dB(A)	68		
Container material		plastic		
Number of motors		1		
Frequency	Hz	60		
Voltage	V	120		
Weight	kg	14.4		
Dimensions (L × W × H)	mm	560 × 370 × 655		
Equipment				
Equipment Suction hose	m	4	Sturdy bumper	
	m	4 fleece	Sturdy bumper Safety class	1
Suction hose	m mm			• •
Suction hose Filter bag		fleece	Safety class	I
Suction hose Filter bag Wet and dry floor nozzle		fleece 360	Safety class	I
Suction hose Filter bag Wet and dry floor nozzle Crevice nozzle		fleece 360	Safety class	I
Suction hose Filter bag Wet and dry floor nozzle Crevice nozzle Power tool connection adaptor Automatic switch-off at max. filling		fleece 360	Safety class	I
Suction hose Filter bag Wet and dry floor nozzle Crevice nozzle Power tool connection adaptor Automatic switch-off at max. filling quantity Automatic on/off switch for power		fleece 360	Safety class	I
Suction hose Filter bag Wet and dry floor nozzle Crevice nozzle Power tool connection adaptor Automatic switch-off at max. filling quantity Automatic on/off switch for power tools		fleece 360	Safety class	I
Suction hose Filter bag Wet and dry floor nozzle Crevice nozzle Power tool connection adaptor Automatic switch-off at max. filling quantity Automatic on/off switch for power tools Antistatic preparation		fleece 360	Safety class	I

Included in the scope of supply.

**Technical data** 

### NT 40/1 TACT TE L CUL 1.148-316.0































		Order no.	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter, PES									
Flat pleated filter, PES	1	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof poly- ester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	•
HEPA, dust class H filter		'						,	
HEPA flat pleated filter	2	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass- fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	
Plastic sacks for dust-free disposal									
Plastic bag for dust-free disposal	3	2.889-158.0	10 piece(s)					PE plastic sack for dust-free disposal.	
Fleece filter bags (three-ply)									
Fleece filter bags	4	2.889-155.0	5 piece(s)					Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	
Bend, plastic		,		1		, ,			
Bend Adv	5	2.889-170.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system.	•
Bend	6	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	
Bend Adv, electrically conductive	7	2.889-168.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	
DN 40 bend	8	2.889-171.0	1 piece(s)	ID 40				Bend for the new clip system in nominal size DN 40.	
Elektricky vodivé koleno, DN 40	9	2.889-172.0	1 piece(s)	ID 40				Ohyb pro nový klipový systém o velikosti DN 40. Elektricky vodivý design. Speciálně vhodný pro vysoké koncentrace jemného prachu	′ _
Floor nozzles			'					177	
Wet and dry floor nozzle Adv	10	2.889-152.0	1 piece(s)	ID 35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	=
Wet and dry floor nozzle	11	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	
Multi-purpose nozzle, wet/dry	12	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
Wet and dry floor nozzle	13	2.889-118.0	1 piece(s)	ID 35		400 mm		Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.	
Wet/Dry floor nozzle standard	14	2.889-173.0	1 piece(s)	ID 35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	
Podlahová hubice, antracit DN40	15	2.889-174.0						Standardní podlahová hubice, antracit, s průměrem 40, s kartáčovými lištami a stěrkami. Vhodné pro všechny mokré i suché aplikace.	
Crevice nozzles									
Crevice nozzle NT Tact DN 35	16		1 piece(s)	ID 35	225 mm			Crevice nozzle ID 35, for new Tact range.	
Crevice nozzle NT Tact DN 40	17	2.889-160.0	1 piece(s)	ID 40	225 mm			Crevice nozzle ID 40, for new Tact range.	
Suction tubes, stainless steel		2.889-175.0	1 piece(s)	ID 35	505 mm			Stainless steel suction tube set, NW 35, 2-part, each 0.55	

<sup>■</sup> Included in the scope of supply. 

Available accessories.

# NT 40/1 TACT TE L CUL 1.148-316.0































		Order no.	Quantity	ID	Length	Width	Price	Description	
Set suction tube stainless steel	19	2.889-192.0	1 piece(s)	ID 35	550 mm			Stainless steel suction tube set (2 × 0.55 m)	
NW35 55 Set suction tube stainless steel	20	2.889-194.0	1 piece(s)	ID 40	550 mm			-	
NW 40 55  Complete suction hoses (clip system	m)								_
Suction hose	21	2.889-135.0	1 piece(s)	ID 35	4 m	I	I	4 m suction hose with new bayonet and clip fastener.	I
Soction nose	22		1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.	
	23	2.889-134.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new bayonet and clip fastener.	
Electrically conductive suction hose	24	2.889-136.0	1 piece(s)	ID 35	2.5 m			Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	
nose	25	2.889-137.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener. Elec-	
Suction hose DN 40, length 4 m	26	2.889-138.0	1 piece(s)	ID 40	4 m			trically conductive.  4 m suction hose with new bayonet and clip fastener.	
Suction hose	27	2.889-139.0	1 piece(s)	ID 40	2.5 m		-	Suction hose with new bayonet and clip fastener. Length:	
SUCCION NOSE	21		1 piece(s)	10 40	2.3 111			2.5 m.	
Suction hose, oil-resistant	28	2.889-140.0	1 piece(s)	ID 40	4 m			Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	- 0
hose	29	2.889-141.0	1 piece(s)	ID 40	4 m			4 m, electrically conductive suction hose with new bayonet and clip fastener.	
	30	2.889-142.0	1 piece(s)	ID 40	2.5 m			Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	
Suction hose	31	2.889-161.0	1 piece(s)	ID 35	2 m			Flexible, robust and durable suction hose with new clip fastening. Ideal for our dry vacuum cleaners. 2 m long. Nominal width: DN 35.	
Connection adapter for power tool	s, clip-	on, electrically c	onductive						
Tool collar DN 35, clip-on	32	2.889-151.0	1 piece(s)	ID 35				Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	•
Flat pleated filter, paper		l						toots.	$\vdash$
Dry flat pleated filter	33	6.904-367.0	1 piece(s)					Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	
Flat pleated filter, PTFE								coarse and from dost classes 2 and in.	
Ultimate flat pleated filter	34	6.907-455.0	1 piece(s)					Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	
Coarse dirt filter for wet vacuumin	g		,						
Coarse dirt filter	35	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	
Fabric filter							•		
Membrane filter for the new Tact and Ap range	36	2.889-281.0						Additional membrane filter made from non-woven fabric fo machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	r
Wood cartridge filter	37	2.414-000.0						Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quan tities of wood and fibre dust from dust classes M and L.	- 0
All-purpose brushes			,				•		
All-purpose brush	38	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	

# NT 40/1 TACT TE L CUL 1.148-316.0































-									_
		Order no.	Quantity	ID	Length	Width	Price	Description	
C		0.00.00	400	1.5					$\perp$
Car cleaning nozzles	ا مم	6.906-108.0	4 =:===(=)	Librae	1		ı	A soled flat plantic and provide that the short of any	
Car nozzle	39	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Combi-nozzles, dry		1	<b>'</b>	<b>'</b>					
Combi-nozzle, dry	40	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher	
								6.905-417.0 and DN 35 connection.	
Suction brushes		1	_	_		,			
Suction brush	41	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	
Suction tubes, metal		l	1	1			ı		_
Suction tube set, chrome-plated, NW 35 550 mm	42	2.889-191.0	1 piece(s)	ID 35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	
Repair kits			•	•					
Repair kit ID 35	43	2.889-149.0	1 piece(s)	ID 35				Repair kit ID 35 for the new clip system.	
Repair kit ID 40	44	2.889-150.0	1 piece(s)	ID 40				Repair kit ID 40 for the new clip system.	
Suction hoses (clip system)									
Suction hose	45	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	
Extension hoses (clip system)									
Extension hose	46	2.889-145.0	1 piece(s)	ID 35	2.5 m			Extension hose for new clip system ID 35. Length: 2.5 m.	
	47	2.889-146.0	1 piece(s)	ID 40	2.5 m			Extension hose for new clip system ID 40. Length: 2.5 m.	
Other					,	,			
Push handle for NT 40/1 Tact Te L	48	2.643-868.0	1 piece(s)					Ergonomic push handle for NT 40/1 Tact Te L.	
Drilling dust nozzle	49	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	
Adapter for electric power tools, so	rewab	le	1	•	,	'	·		
Adapter for electric power tools, screwable, ID 35	50	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	
Target-group-specific accessory kit	s for v	acuum cleaners							
Universal trade and industrial set	51	2.637-595.0		ID 35				Accessory kit for trade and industry.	
Heating boiler cleaning kit	52	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	
Car cleaning accessory kit	53	2.862-166.0		ID 35				Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.	

<sup>■</sup> Included in the scope of supply. 

Available accessories.