



HD 2.3/24 P

The Liberty cart design is a compact sturdy cold water pressure washer that offers a reliable Honda GX engine and 7-year Kärcher direct-drive crankcase pump.

HD 2.3/24 P

Technical data


Order no.		1.575-100.0
Working pressure	PSI	max. 2400

Equipment

Anti-twist system (AVS)	-
Electro start	-
Quick Connect Kärcher standard nozzles	-
Servo Control	-
Vario Power spray lance	-

HD 2.3/24 P 1.575-100.0

KÄRCHER



	Order no.	ID	Max. working pressure	Length	Price	Description	
Standard with unions on both sides							
High-pressure hose, 10 m, ID 8, 315 bar, extension	1	6.391-342.0	ID 8	315 bar	10 m	To extend the operating radius with the high-pressure cleaner. Connection on both sides M22 x 1.5.	▲
Longlife 400 with unions on both sides							
High-pressure hose Longlife 400, 10 m, ID 8, extension	2	6.391-354.0	ID 8	400 bar	10 m	To extend the operating radius with the high-pressure cleaner. Connection on both sides M22 x 1.5.	▲
High-pressure hose Longlife 400, 15 m, ID 8, including rotary coupling	3	6.389-709.0	ID 8	400 bar	15 m	With rotary coupling, 2 x M 22 x 1.5	▲
High-pressure hose 1.5 m, ID 8, including connectors	4	6.390-178.0	ID 8	400 bar	1.5 m	1.5 m high-pressure hose (DN 8, M 22 x 1.5) with kink protection and connectors at both ends. For connecting to hose reels with appropriate connector (M 22 x 1.5).	□
Longlife food design with screw connections at both ends							
High pressure hose food ID 8, 10 m	5	6.391-864.0	ID 8	400 bar	10 m	Longlife HP hose for use in the food industry. Außen-decke## animal-grease-resistant, non-colour-bleeding material. With rotary coupling, 2 x M 22 x 1,5	▲
High-pressure hose food industry 400 bar, 20 m, ID 8, including rotary coupling	6	6.391-887.0	ID 8	400 bar	20 m		▲
Longlife 400							
High-pressure hose Longlife 400, 10 m, ID 8, AVS trigger gun connection	7	6.391-351.0	ID 8	400 bar	10 m	With patented AVS connection in the trigger gun (rotatable) and hand screw connection, M 22 x 1.5 with kink protection. With double steel reinforcement.	□
Special hoses							
High-pressure hose, 1.5 m, ID 8, incl. connection parts, curved outflow	8	6.388-886.0	ID 8	400 bar	1.5 m	Connection hose in longlife quality with 2x M22 x 1.5, with angled connection on one side.	□

□ Available accessories. ▲ Extension hose.

HD 2.3/24 P 1.575-100.0



		Order no.	Flow rate				Price	Description	
Trigger guns									
High-end HP trigger gun	1	4.775-823.0						High-end spray guns with optimised flow. Small pressure losses also with water volumes up to 2500 l/h. Robustness and durability for professional use. Food-safe and salt-water-resistant materials offer the best conditions for use in the food sector and in industry. Connector for HP hoses M 22 x 1.5.	<input type="checkbox"/>
Quick connect									
Quick coupling	2	6.401-458.0						For fast changes between different spray lances/accessories. Perfect for Kärcher spray unit, suitable for trigger gun/spray lance interface. With M 22 x 1.5 internal thread.	<input type="checkbox"/>
Male coupling	3	6.401-459.0						Hardened stainless steel male coupling for quick coupling 6.401-458. With M 22 x 1.5 external thread.	<input type="checkbox"/>

Available accessories. ▲ Extension hose.

HD 2.3/24 P 1.575-100.0



		Order no.	Max. working pressure	Length		Price	Description	
Spray lance								
250 mm lance, non-rotatable	1	4.760-667.0		250 mm			250 mm stainless steel lance. With manual coupling. Non-rotatable.	<input type="checkbox"/>
Gutter cleaner								
Gutter cleaning lance	2	2.642-305.0					The lance is suited for cleaning of gutter systems. Because of the shape of the lance and the special nozzle the gutter can be cleaned without removing the cover plates.	<input type="checkbox"/>

Available accessories. ▲ Extension hose.

HD 2.3/24 P 1.575-100.0



		Order no.					Price	Description	
Rotary coupling									
Rotary coupling	1	4.401-091.0						Reliably prevents twisting of HP hoses. Connection M 22 x 1.5 m. Handle protection	<input type="checkbox"/>

Available accessories. Extension hose.