



KHD 3.3/35 AGB

Honda-powered aluminum-series cold water pressure washers. Easily configure from cart to skid to match your cleaning application.

KHD 3.3/35 AGB

- Compact, light and very mobile
- Crankshaft pump

Technical data


Order no.	9.807-724.0	
EAN code	886622017516	
Flow rate	l/h / GPM	3.5
Working pressure	PSI	3500
Max. pressure	PSI	3500
Weight	kg	127
Dimensions (L × W × H)	41 × 22 × 24	

Equipment

Spray gun	standard	
High-pressure hose	ft	50
ANTI!Twist	-	
Pressure cut-off	-	
Servo Control	-	

KHD 3.3/35 AGB 9.807-724.0

KÄRCHER



	Order no.	ID	Max. working pressure	Length	Price	Description	
Standard with unions on both sides							
High-pressure hose, 10 m, ID 8, 315 bar, extension	1	6.391-342.0	ID 8	315 bar	10 m	To extend the operating radius with the high-pressure cleaner. Connection on both sides M22 x 1.5.	▲
High-pressure hose, 30 m, ID 8, incl. rotary coupling	2	6.390-293.0	ID 8	315 bar	30 m		▲
Longlife 400 with unions on both sides							
High pressure hose ID 6, 10 m, including rotary coupling	3	6.391-883.0	ID 6	400 bar	10 m	With rotary coupling, 2 x M 22 x 1.5	▲
High-pressure hose Longlife 400, 10 m, ID 8, extension	4	6.391-354.0	ID 8	400 bar	10 m	To extend the operating radius with the high-pressure cleaner. Connection on both sides M22 x 1.5.	▲
High-pressure hose Longlife 400, 15 m, ID 8, including rotary coupling	5	6.389-709.0	ID 8	400 bar	15 m		With rotary coupling, 2 x M 22 x 1.5
High-pressure hose Longlife 400, 30 m, ID 8, including rotary coupling	6	6.390-294.0	ID 8	400 bar	30 m		▲
High-pressure hose 1.5 m, ID 8, including connectors	7	6.390-178.0	ID 8	400 bar	1.5 m	1.5 m high-pressure hose (DN 8, M 22 x 1.5) with kink protection and connectors at both ends. For connecting to hose reels with appropriate connector (M 22 x 1.5).	□
Longlife food design with screw connections at both ends							
High pressure hose food ID 8, 10 m	8	6.391-864.0	ID 8	400 bar	10 m	Longlife HP hose for use in the food industry. Außen-decke## animal-grease-resistant, non-colour-bleeding material. With rotary coupling, 2 x M 22 x 1,5	▲
High-pressure hose food industry 400 bar, 20 m, ID 8, including rotary coupling	9	6.391-887.0	ID 8	400 bar	20 m		▲
Standard							
High-pressure hose, 10 m, ID 6, 300 bar, AVS trigger gun connection	10	6.391-875.0	ID 6	300 bar	10 m	With patented AVS connection in the trigger gun (pivot-mounted) and hand screw union. M 22 x 1.5 with anti-kink protection. NW 6/155°C/300 bar	□
Longlife 400							
Longlife 400 high-pressure hose, 10 m, DN 6, M 22 x 1.5	11	6.391-882.0	ID 6	400 bar	10 m	With patented AVS connection in the trigger gun (pivot-mounted).	□
High-pressure hose Longlife 400, 10 m, ID 8, AVS trigger gun connection	12	6.391-351.0	ID 8	400 bar	10 m	With patented AVS connection in the trigger gun (rotatable) and hand screw connection, M 22 x 1.5 with kink protection. With double steel reinforcement.	□
Special hoses							
High-pressure hose, 1.5 m, ID 8, incl. connection parts, curved outflow	13	6.388-886.0	ID 8	400 bar	1.5 m	Connection hose in longlife quality with 2x M22 x 1.5, with angled connection on one side.	□

□ Available accessories. ▲ Extension hose.

KHD 3.3/35 AGB 9.807-724.0



		Order no.	Flow rate				Price	Description	
Trigger guns									
High-end HP trigger gun	1	4.775-823.0						High-end spray guns with optimised flow. Small pressure losses also with water volumes up to 2500 l/h. Robustness and durability for professional use. Food-safe and salt-water-resistant materials offer the best conditions for use in the food sector and in industry. Connector for HP hoses M 22 x 1.5.	<input type="checkbox"/>
Quick connect									
Quick coupling	2	6.401-458.0						For fast changes between different spray lances/accessories. Perfect for Kärcher spray unit, suitable for trigger gun/spray lance interface. With M 22 x 1.5 internal thread.	<input type="checkbox"/>
Male coupling	3	6.401-459.0						Hardened stainless steel male coupling for quick coupling 6.401-458. With M 22 x 1.5 external thread.	<input type="checkbox"/>

Available accessories. ▲ Extension hose.

KHD 3.3/35 AGB

9.807-724.0



		Order no.	Max. working pressure	Length		Price	Description	
Spray lance								
250 mm lance, non-rotatable	1	4.760-667.0		250 mm			250 mm stainless steel lance. With manual coupling. Non-rotatable.	<input type="checkbox"/>
Gutter cleaner								
Gutter cleaning lance	2	2.642-305.0					The lance is suited for cleaning of gutter systems. Because of the shape of the lance and the special nozzle the gutter can be cleaned without removing the cover plates.	<input type="checkbox"/>

Available accessories. ▲ Extension hose.

KHD 3.3/35 AGB 9.807-724.0



		Order no.	Nozzle size				Price	Description	
Power nozzle spray angle 25°									
25° power nozzle for cleaning agent suction	1	2.884-521.0	250					Brass power nozzle for low pressure operation and cleaning agent suction.	<input type="checkbox"/>

Available accessories. Extension hose.

KHD 3.3/35 AGB 9.807-724.0



		Order no.					Price	Description	
Adapters									
Sealing cone complete	1	4.424-004.0						In order to install high-pressure hose with male coupling on thread with M22 x 1.5 Alternative:4.111-032.0 Adapter 4 - Device new / Hose old Swivel	<input type="checkbox"/>

Available accessories. Extension hose.

KHD 3.3/35 AGB 9.807-724.0



		Order no.	Flow rate				Price	Description	
Push-on washing brush									
Push-on wash brush	1	4.762-497.0						The wash brush is fitted directly onto the devices' new dual and triple nozzles using clamping.	<input type="checkbox"/>

Available accessories. Extension hose.