

DEDICATED TO FREEDOM AND INDEPENDENCE



BUILT TO WORK HARD









OPTIONAL CHAIN LUBRICATION SYSTEM

OPTIONAL HIGH TORQUE TRANSMISSION FOR EXTREME TERRAIN PERFORMANCE

OPTIONAL ADJUSTABLE GAS CAN HOLDER AND SPARE TIRE MOUNT

AFGO 8X8
750HDi

Comfortable Bucket-style Suspension Seats

Stylish Brushguard with Power Winch

High Performance All Season Tracks

Vehicle shown with optional accessories. See specification page and ARGOutv.com for more details.

L'OUR CHUINNELL

ARGO FLOATS!



Fishing and waterfowl hunting enthusiasts agree that the ARGO is the better way to go. Unlike traditional off-road vehicles, the all terrain, amphibious ARGO floats without vehicle preparation and the special webbed tires actually work as linear propellers in water.









When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO.

FOR THE ULTIMATE HUNTING EXPEDITION

Designed for those who truly appreciate the great outdoors, the amphibious ARGO is the essential off-road vehicle for hunting and exploration. ARGO allows you to travel with ease through the toughest conditions imaginable, including rugged terrain, hills, water, deep snow, and ice. Challenging terrain will suddenly become a pleasure to navigate and the ARGO's low ground pressure tires minimize the impact on the environment. So go on, spoil yourself. Take your friends and all the equipment you need to track the best game. You'll still have plenty of space to take home whatever you bag. As an amphibious all season vehicle, the ARGO combines many of the advantages you get from a snowmobile, 4x4 ATV, 6x6 UTV and a small boat.



Jim Shockey, proud ARGO owner www.jimshockey.com

ARGO AT WORK

The multi-passenger ARGO is the perfect vehicle for wilderness exploration, scenic tours, photo safaris and everything in-between. Outfitters, lodges and eco-tour operators can now offer their customers a unique and reliable outdoor experience.

Take advantage of your ARGO to get the work done around your home, farm or woodlot. The rugged ARGO can tow and carry a load, and allows you to work in areas that would otherwise be inaccessible.



Forestry and Agriculture

- Producing Maple Syrup
 Spraying
- Hauling Trailers Seeding and Feeding
- Plowing Snow
 Pulling Logs
- Transporting People and Supplies

Resorts, Outfitters and Ecotourism

- Fishing and Hunting Lodges
- Support Vehicle Ice Fishing Operators
- Trail and Property Maintenance



WHEN EVERY SECOND COUNTS, COUNT ON ARGO

ARGO Stretcher Accessory fits ARGO 8x8 700 HD and 750 HDi models and is designed for Ferno Stretcher #9.

Public Sector

Many emergency tasks require the extra advantage that only the ARGO can provide. The all terrain ARGO 8x8 transports personnel and equipment to the accident site and evacuates the injured. Add the ARGO to your rescue fleet for the added assurance you need when the odds are stacked against you. Don't wait until your next emergency.

- Disaster Response
- Search & Rescue
- Emergency Medical Services
- Hazardous Materials
- Vector & Pest Control
- Firefighting & Prevention

Utilities and Resource Management

Crews and equipment have to travel miles through challenging terrain to inspect power lines or prospect new drilling sites. Helicopters or expensive tracked vehicles may be able to get the job done, but at what cost? Today's cost conscious industry leaders rely on ARGO vehicles to get the job done in extreme terrain conditions.

- Line Construction and Maintenance
- Resource Exploration Geological Surveys
- Communications Equipment Management



For safety, we recommend wearing approved helmets and eye protection. When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO.

THE MOST VERSATILE OFF-ROAD VEHICLE IN THE WORLD

ARGO 8X8 750 HDi

This 8-wheel drive amphibious off-road vehicle features an OHV V-Twin liquid cooled 748cc, 31 hp Kohler Aegis LH 775 electronic fuel-injected engine. The ARGO 8x8 750 HDi features effective throttle response, excellent fuel economy, reliable cold weather starting and outstanding high-altitude performance.

PREMIUM FEATURES

- Innovative triple differential, direct drive ADMIRAL steering transmission available as standard or high torque version, provides even power to all 8 of the big 25" ARGO tires
- Increased efficiency results in more power to the wheels for optimum performance
- Improved engine compartment cooling
- Large triple sealed bearings
- Heavy duty axles
- · Self-adjusting hydraulic vented disk brakes
- Easy-to-remove firewall and floor boards
- Under seat storage and easy access to battery compartment
- Optional suspension seats (standard on 750 HDi Special Edition)

ARGO 8X8 750 HDi Special Edition

All the features of the standard 750 HDi plus:

- 3-way adjustable suspension seating with rear grab handles
- High/low beam headlights
- Signal/side marker lamps
- Front-mounted horn
- Side view mirror
- 7 pin trailer connection
- Heavy-duty alternator
- Entry step





79 in. 2005 mm 119 in. 3020 mm 43 in. 30-1/2 in.

ARGO Limited Warranty

One year for vehicles, 3 years for Kohler engines and 2 years for Briggs & Stratton engines. Extended warranty plans available. Visit www.ARGOutv.com/warranty for details.



ARGO 8x8 700 HD

This 8-wheel drive amphibious off-road vehicle features an OHV V-Twin liquid cooled 674cc, 26 hp Kohler Aegis LH 690 engine with electronic ignition and solenoid shift starter.

Same premium features as 750 HDi.

FOR 750 HDi AND 700 HD MODELS

STANDARD FEATURES

- Contoured dash design
- Premium foam-padded, hinged, front bench seat (except 750 HDi Special Edition) with easy access to deep storage compartment / toolbox and battery
- One-piece ergonomic handlebar steering control
- Excellent approach and departure angles to easily overcome obstacles
- Innovative design and seating for up to 6 passengers
- Meets all 2013 EPA and CARB "whole vehicle" standards and regulations
- Easy access to the engine compartment
- Load capacity of up to 1,150 lbs on land or 1,000 lbs on water

STANDARD EQUIPMENT

- LCD Digital Gauge Cluster* (speedometer, tachometer, odometer, voltmeter, engine coolant temperature, plus low oil pressure and parking brake reminder lights) * ARGO 750 HDi features an additional check engine light
- 25" ARGO tires for optimum traction, smooth ride and better water performance
- Front and rear axle bearing extensions for increased axle & bearing life
- Full skid plate for lower body protection
- Convenience group (12 volt outlet, cup holders, grab handle)
- Independent emergency, parking brake

ARGO 8x8 XTI

This 8-wheel drive amphibious off-road vehicle features a Kohler EFI engine and ODG patent-pending, triple differential, ADMIRAL Transmission. The main chassis has been engineered using field-proven technology, allowing for increased payloads and greater durability. For complete information on the ARGO 8x8 XTI visit our Web site at www.ARGOutv.com/XTI.

Safety!
...always in Season!

For safety, we recommend wearing approved helmets and eye protection. When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO.

EXPLORE EVERY FRONTIER

ARGO 8X8 FRONTIER 650

An 8-wheel drive amphibious off-road vehicle powered by a 4 cycle OHV V-Twin air cooled 627cc, 23 hp Cooler Cleaner Briggs & Stratton engine. It features front axle bearing extensions for increased axle and bearing life and has a load capacity of up to 1,000 lbs on land or 900 lbs on water.

- Heavy duty axles
- Large rear cargo capacity
- Long wheel base for increased ride comfort over rough terrain

ARGO 6X6 650 HD

A 6-wheel drive amphibious off-road vehicle powered by a 4 cycle OHV V-Twin air cooled 627cc, 23hp, Briggs & Stratton Cooler Cleaner engine with 20/50 Amp charging system and electronicignition. Ithas a load capacity of up to 700 lbs on land or 500 lbs on water.

- Innovative triple differential ADMIRAL steering transmission, providing even torque to all 6 of the 25" ARGO tires
- Improved engine compartment cooling
- Large triple sealed bearings
- Heavy duty axles
- Self-adjusting hydraulic vented disk brakes
- Easy-to-remove firewall and floor boards













Appearance and specifications subject to change without notice.

Vehicles shown with accessories. See specification page and ARGOutv.com for more details.

ARGO 6X6 FRONTIER 580

A 6-wheel drive amphibious off-road vehicle featuring a 4-cycle OHV V-Twin air cooled 570cc, 18 hp Briggs & Stratton engine and a load capacity of up to 700 lbs on land or 500 lbs on water. It can transport up to 4 passengers plus gear. Rear weight restriction.*


Heavy duty axles

FOR ALL FRONTIER AND 6X6 HD MODELS STANDARD FEATURES

- Contoured dash design
- Power to all wheels for optimum performance in challenging terrain
- Premium foam-padded, hinged, front bench seat with easy access to deep storage compartment / toolbox and battery
- One-piece ergonomic handlebar steering control
- All-wheel traction with low center of gravity for extra stability
- State-of-the-art automatic continuously variable transmission with high and low range forward and reverse (does not apply to 650 HD)
- Two-year limited engine warranty
- Low emissions

STANDARD EQUIPMENT

- LCD Digital Gauge Cluster (speedometer, odometer, hourmeter, tachometer, voltmeter, plus low oil pressure and parking brake reminder lights)
- 24" ARGO tires with special tread design
- Independent emergency, parking brake
- Back-up recoil starter
- Electronic ignition



ARGO 6X6 650 HD / 6X6 FRONTIER 580

PERSONALIZE YOUR ARGO




















SUPER TRACK: Add 1 in. (25 mm) to vehicle height RUBBER TRACK: Adds 1-1/4 in. (32 mm) to vehicle height

CONV. TOP: 1-1/2 in. (38 mm) less

than ROPS height

Vehicle shown with accessories, see specification page for base vehicle.
(ARGO 8x8 750 HDi model shown)















COMFORT

1 Convertible Top

Protects occupants from the weather. Has removable side and rear doors and stores folded down with boot cover. Requires fold-down windshield. (Optional roll bar light cannot be used with full convertible top).

2 Convertible Half-Top

Protects operator and side passenger from the elements. Features removable side and rear doors, allowing easy access to the rear cargo compartment area. Requires fold-down windshield.

3 Rear Bench Seat with Back Rest

For 8x8 models only. Features versatile forward or rear facing position for easy entry/exit when the vehicle is equipped with a convertible top. The seat is more comfortable due to greater foam thickness and density.

4 Suspension Seats

3-way adjustable suspension seats for increased ride comfort.

6 Windshield

Scratch-resistant acrylic in an aluminum frame, features mounting hole for the optional windshield wiper accessory.

6 Windshield Wiper

Complete with everything needed to assemble and fit to your ARGO Windshield. The Wiper Motor mounts quickly and easily, requiring no drilling on newer style predrilled windshields.

CONVENIENCE

Cargo Tie-Down Rings

(Not shown) Six rings mount around the rear compartment (four rings for 6x6 models).

Tentry Step

Convenient and easy access to the vehicle. Can be mounted in four different positions.

8 Gas Can Holder

Adjustable gas can holder mounted at the rear of the vehicle.

Handrails

Tubular steel rails mount around the body, providing hand-hold points for rear passengers.

• Helicopter Lift Kit

Axle mounted at 4 corners, quick release point for helicopter sling connection.

ENHANCE PERFORMANCE AND VERSATILITY















1 Outboard Motor Bracket

This one-piece bracket mounts at the bumper and onto the trailer hitch bracket. Mounting location is slightly off-center and accepts an outboard motor of up to 9.9 hp for increased propulsion in water. Frontier 580 requires hitch.

12 WARN Power Winch

For vehicle recovery or to raise and lower plow blade. 3000 lbs (1364 kg) capacity, reversing with free wheeling out, 40' cable with 30' (9M) nylon strap. Safety switch disables winch unless ignition is on.

B Rear Receiver Winch Accessory

This bracket mounts into the 8x8 trailer hitch receiver, extending the versatility of your winch. Includes instructions and wire harness for installation.

Wireless Winch Remote Control Wireless and compact, this unit can control remote use of winch from a location of up to 50' for added convenience and versatility.

(B) Snowplow Kit

81 in. (2 m) wide steel blade features multi-angle positions. Attaches to front bearing extension housings. A snowplow will maximize the utilization of your ARGO. Note: Requires power winch.

1 Tire Holder

Convenient spare tire mount located at the rear of the vehicle

Tow Hook

This versatile accessory is easy to install and allows winch cables or towing straps to be attached to your ARGO.

PROTECTION

Bilge Pump

This accessory is highly recommended for amphibious use of any ARGO. Operated by a dash mounted switch, the pump quickly removes water from the lower body.

(1) Cargo Bedliner

Protect your cargo storage space. Simple installation, removable and easy to clean.

2 Brushguard

Installation of mounting assembly or power winch is required. The 8x8 700HD/750HDi Brushguard features an integrated tow hook and mounting tabs for fog light kit.















Brushguard for ROPS

Principally designed to be installed with the ROPS.

2 Brake/Tail Lights

Brake / Tail lights, complete wire harness and all necessary mounting hardware.

3 Fog Lights

Provides added illumination in poor visibility due to rain, fog, dust or snow.

Hood Fan (Not shown) Extracts hot air from engine compartment (in extreme heat conditions).

Mudflaps (Not shown)

Deflects snow and mud out of rear cargo compartment. Stay dry and clean when navigating through challenging terrain. Mounts easily to lower body.

Rollover Protection Structure (ROPS) Powder-coated tubular steel frame provides rollover protection and seat belts for driver and front seat passenger.

ROPS & Rear Bench Seat

(Not shown) Protects the driver, front seat passenger, and two rear passengers by using the rollover protection structure. Includes rear bench and four seat belts.

2 Roll Bar

Add a distinctive look to your ARGO. Protects driver and passenger. (Reduces seating capacity to 2). Comes with two seat belts and fits all 6x6 models.

3 Roll Bar Lights

2 rubber mounted, shock resistant 3x5" weatherproof lamps, easily installed on your existing roll bar.

Skid Plate

Formed from black high-density polyethylene to protect the lower body of the ARGO. Adding a skid plate to your ARGO will provide added insurance against lower body damage.

3 Storage Protective Covers

Fits all production models without roll bar or ROPS.

29 4-Wheel Amphibious Trailer

600 lb (270 kg) carrying capacity in a black 6-wheel lower body with ARGO axles and wheels. Ideal for tools, wood, equipment and any extra cargo.

10 Utility Bracket

The Utility Bracket consists of two "Rugged Gear" utility hooks and a barrel holder. It is an ideal way to safely secure objects such as shovels, fishing rods, paddles, etc. to the outside or inside of your ARGO.



3





(a)



1 Utility Rack

The Utility Rack is comprised of two formed flatbar brackets, four "Rugged Gear" utility hooks, and all mounting hardware necessary to attach the bracket to the backrest handrail and upper body. This rack accessory allows two rifles or shotguns to be carried on the inside of the vehicle.

1 Utility Storage Pouch

Dome snaps attach to backrest for convenient storage space. Ideal for keeping first aid kits, tools, electronics and other items safe, clean and easily accessible.

Optima Battery

(Not shown) Optional maintenancefree Optima spill-proof battery. Part# for ARGO 613-161 Part# for Centaur 613-160

TRACKS

Rubber Tracks

Lightweight and durable construction, combined with low rolling resistance to ensure smooth, quiet operation in most difficult terrain conditions. The 18" track width provides optimum floatation and minimal ground pressure while the tread design offers exceptional traction on various hard and soft surfaces.

3 Super Tracks

18" (45.5cm) wide plastic segments go over 24" ARGO tires, to provide optimum floatation over deep snow.

Standard Tracks

13" (32.5cm) wide plastic segments go over 24" ARGO tires, reducing ground pressure for travel over snow or flooded areas.

Super Track Ice Cleats

(not shown) Steel cleats increase traction on ice and hardpacked snow.

SEARCH & RESCUE

ARGO Stretcher Kit

Designed to accept Ferno #9 stretcher. Fits ARGO 8x8 700 HD and 750 HDi models. Stretcher kit can be adjusted to allow repositioning of frontbench seating. Backrest is folded down for stretcher use and can be put back in upright position when stretcher is not in use.

13

For information on ARGO 8x8 XTI accessories visit www.ARGOutv.com/XTI

Please refer to page 14 for a complete overview of accessories.

FOR THE ARGO ENTHUSIAST









	6 x 6		8 x 8			
ACCESSORIES	FRONTIER 580	ARGO 650 HD	FRONTIER 650	ARGO 700 HD	ARGO 750 HDi	ARGO 750 HDi SE
COMFORT	300	030 110	030	700 110	730 1151	730 1101 32
Convertible Top	649-51	649-51	849-51	849-40	849-40	849-40
Convertible Half-Top	N/A	N/A	N/A	849-45	849-45	849-45
Heater	N/A	N/A	N/A	848-170	848-170	848-170
Rear Bench Seat	N/A	N/A	849-80	849-80	849-80	849-80
Suspension Seats	N/A	N/A	N/A	*	*	Included
Windshield	648-79	648-79	648-79	848-171	848-171	848-171
Windshield Wiper	648-91	648-91	648-91	648-91	648-91	648-91
CONVENIENCE	0.00.	0.00.	0.05.	0.00	0.03.	0.00
Alternator	N/A	N/A	N/A	850-54	850-54	Included
Auto Chain Lubrication System	N/A	N/A	N/A	850-213	850-213	850-213
Cargo Tie Down Rings	614-06	614-06	614-06	614-06	614-06	614-06
Entry Step	N/A	N/A	848-173	848-173	848-173	Included
Gas Can Holder	867-01	867-01	867-01	867-01	867-01	867-01
Handrails	639-26	639-26	839-35	839-30	839-30	839-30
Helicopter Lift Kit**	865-00	865-00	865-00	865-00	865-00	865-00
Mounting Assembly (Brushguard/Winch)	622-107	622-107	622-108	622-108	622-108	Included
Outboard Motor Bracket	617-09	617-09	617-10	617-10	617-10	617-10
Power Winch	622-110	622-110	622-105	622-105	622-105	622-105SE
	622-110	622-110	622-103	622-103	622-103	622-96
Receiver Winch (Wiring & Rear Hitch)						
Remote Control (Winch)	622-106	622-106	622-106	622-106	622-106	622-106
Snow Plow Kit	N/A	657-21	657-21	657-21	657-21	657-21
Tire Holder	868-01	868-01	868-01	868-01	868-01	868-01
Tow Hook	642-00	642-00	642-00	642-00	642-00	Included
Trailer (consult dealer for options)	V-Trailer-11	V-Trailer-11	V-Trailer-11	V-Trailer-11	V-Trailer-11	V-Trailer-11
Trailer Hitch (coupler ball not included)	626-10	Included	Included	Included	Included	Included
Utility Bracket	821-25	821-25	821-25	821-25	821-25	N/A
Utility Rack	821-35	821-35	821-35	821-35	821-35	N/A
Utility Storage Pouch	621-35	621-35	621-35	621-35	621-35	621-35
PROTECTION						
Bilge Pump	638-40	638-40	638-40	638-40	638-40	638-40
Brake / Tail Lights	624-10	624-26	624-10	624-26	624-26	Included
Brushguard	642-50	642-50	642-50	642-49	642-49	Included
Brushguard for ROPS	642-80	642-80	642-80	642-80	642-80	N/A
Cargo Bedliner	N/A	N/A	866-01	866-01	866-01	866-01
Debris Screen	N/A	N/A	N/A	848-195	848-195	848-195
Fog Lights	648-92	648-92	648-92	648-92	648-92	648-92
Hood Fan	N/A	N/A	N/A	602-71	602-71	602-71
Mudflap	N/A	N/A	625-10	625-10	625-10	625-10
Reverse Back-up Alarm Kit	850-99	850-99	850-99	850-99	850-99	850-99
Roll Bar	648-15	648-15	N/A	N/A	N/A	N/A
Roll Bar Lights	648-90	648-90	N/A	N/A	N/A	N/A
ROPS c/w 2 Seat Belts	648-47	648-47	849-90-2	849-90-2	849-90-2	N/A
ROPS & Rear Bench Seat	N/A	N/A	849-90-4	849-90-4	849-90-4	N/A
Skid Plate	663-12	Included	863-13	Included	Included	Included
Storage Cover	621-21	621-21	821-40	821-40	821-40	821-40
TRACKS						
Rubber Tracks	625-50	625-50	825-50-1	825-50-1	825-50-1	825-50-1
Standard Tracks***	615-43	615-43	815-42K	815-42K	815-42K	815-42K
Super Tracks***	625-43	625-43	825-42K	825-42K	825-42K	825-42K
Super Track Ice Cleats	625-20	625-20	825-21	825-21	825-21	825-21
SEARCH & RESCUE						
Stretcher Frame	N/A	N/A	N/A	850-100	850-100	N/A
Basket Mount Adapter (for Ferno RE1125)	N/A	N/A	N/A	850-101	850-101	N/A

^{*} Factory Installed Option **Requires 25" Tires. ***Standard and Super Tracks require the use of ARGO AT189 24x10.00-8NHS Tires



ARGO Recreational DVD

Includes the following ARGO videos: Models - 8x8 750 HDi, 8x8 700 HD, 6x6 650 HD and Frontier series. Applications and capabilities as well as ARGO Rubicon Trail Challenge, ARGO Adventures, and Chile Volcano Expedition.

ARGO Hunting DVD

4 678-127

Experience the ultimate hunting vehicle: Models - 8x8 750 HDi, 8x8 700 HD, 6x6 650 HD and Frontier series, ARGO Hunting with Jim Shockey, Alan Warren, The Outdoor Quest, Southern and Outdoor Experience.

ARGO Commercial DVD

G 678-125

ARGO and Centaur at Work including detailed model information on ARGO 8x8 750 HDi, 8x8 700 HD, Frontier 8x8 650 and Centaur 8x8. Applications and capabilities.

ARGO Tri-lingual DVD

G 678-115

Experience extreme off-road performance with ARGO and Centaur. Contains ARGO 8x8 750 HDi, model overview, applications and capabilities in English, French and Spanish.

Availability and content subject to change without notice. For more information on all ARGO promotional items ask your local dealer or visit www.ARGOutv.com

ARGO Clothing and Collectibles
Order online at WWW.ARGOgear.com





VEHICLE SPECIFICATIONS

		6 X 6 FRONTIER 580	6 X 6 650 HD	8 X 8 FRONTIER 650	8 X 8 700 HD	8 X 8 750 HDi	8 X 8 750 HDi SE	8 X 8 XTI		
ENGINE		Briggs & Stratton Vanguard 2 year warranty	Briggs & Stratton Vanguard 2 year warranty	Briggs & Stratton Vanguard 2 year warranty	Kohler Aegis LH 690 3 year warranty	Kohler Aegis LH 775 3 year warranty	Kohler Aegis LH 775 3 year warranty	Kohler Aegis LH 775 3 year warranty		
ТҮРЕ		4 cycle OHV V-Twin gasoline engine, electronic ignition, full pressure lubrication and oil filter								
HORSEPOWER		18	23	23	26	31	31	31		
DISPLACEMENT		570cc	627cc	627cc	674cc	748cc	748cc	748cc		
COOLING		Air Cooled	Air Cooled	Air Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled		
STARTING		Electric/Recoil	Electric/Recoil	Electric/Recoil	Electric	Electric	Electric	Electric		
BRAKES		Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic		
STEERING		One-piece, ergonomic handlebar	One-piece, ergonomic handlebar Steering co	One-piece, ergonomic handlebar ontrol features hand brake. For safety and	One-piece, ergonomic handlebar I ease of handling, the ARGO steering tr	One-piece, ergonomic handlebar ransmission provides continuous torque to	One-piece, ergonomic handlebar o all axles.	Multi-position, one-piece, ergonomic handlebar		
CONTROLS		Right-hand twist grip throttle and dash-mounted choke control (Except HDi models). Light switch and ignition switch.								
CLUTCH		Belt-driven, Continuously Variable Transmission (CVT) maximizes engine power to the transmission.								
TRANSMISSION		Planetary ⁹	ADMIRAL ⁸	Planetary ⁹	ADMIRAL*	ADMIRAL*	ADMIRAL*	ADMIRAL ⁸		
DRIVE SYSTEM			Roller cha	ins drive machined sprockets that are spl	ine-fit onto 11/4" diameter axles and ar	e protected with triple-sealed greaseable	bearings.			
FRAME		Formed steel channel construction, welded for high strength and durability. Polyester powder-coated for lasting protection.								
BODY		Vacuum formed High Molecular Weight Polyethylene								
FULL SKID PLATE		Optional	Standard	Optional	Standard	Standard	Standard	Standard		
LOAD CAPACITY ¹ REAR CO	ON LAND MPARTMENT	700 lbs / 317 kg total² 140 lbs / 63 kg max.	700 lbs / 317 kg total² 140 lbs / 63 kg max.	1,000 lbs / 454 kg total	1,150 lbs / 521 kg total	1,150 lbs / 521 kg total	1,000 lbs / 454 kg total	1,500 lbs / 680 kg total		
	ON WATER	500 lbs / 227 kg total	500 lbs / 227 kg total	900 lbs / 408 kg total	1,000 lbs / 454 kg total	1,000 lbs / 454 kg total	850 lbs / 386 kg total	1,000 lbs / 454 kg total		
TOWING CAPACITY ³		1,200 lbs / 545 kg	1,400 lbs / 635 kg	1,400 lbs / 635 kg	1,800 lbs / 818 kg	1,800 lbs / 818 kg	1,800 lbs / 818 kg	1,800 lbs / 818 kg		
SEATING CAPACITY	ON LAND ON WATER	4 persons 2 persons	4 persons 2 persons	6 persons 4 persons	6 persons 4 persons	6 persons 4 persons	6 persons 4 persons	4 persons 4 persons		
FUEL CAPACITY		7.1 US gallons (27 litres) See-through polyethylene fuel tank. 8 hours of operation ^s								
SPEED ⁶	ON LAND ON WATER ⁷	22 mph / 35 km per hour 3 mph / 5 km per hour	22 mph / 35 km per hour 3 mph / 5 km per hour	19 mph / 30 km per hour 3 mph / 5 km per hour	20 mph / 32 km per hour 3 mph / 5 km per hour	20 mph / 32 km per hour 3 mph / 5 km per hour	20 mph / 32 km per hour 3 mph / 5 km per hour	17 mph / 27 km per hour 3 mph / 5 km per hour		
SHIPPING WEIGHT		850 lbs / 386 kg	900 lbs / 408 kg	1,050 lbs / 476 kg	1,250 lbs / 570 kg	1,260 lbs / 571 kg	1,410 lbs / 641 kg	1,600 lbs / 725 kg		
DIMENSIONS (L x W	x H) (inches) (mm)	95 x 58 x 45.8 2,413 x 1,473 x 1,163	95 x 58 x 45.8 2,413 x 1,473 x 1,163	119 x 58 x 46.5 3,020 x 1,473 x 1,180	119 x 60 x 46 3,020 x 1,525 x 1,170	119 x 60 x 46 3,020 x 1,525 x 1,170	119 x 60 x 46 3,020 x 1,525 x 1,170	114 x 65 x 49 2,896 x 1,651 x 1,245		
AXLE BEARING EXTER	NSIONS	Front - Optional Rear - N/A	Front - Standard Rear - Standard	Front - Standard Rear - Optional	Front - Standard Rear - Standard	Front - Standard Rear - Standard	Front - Standard Rear - Standard	Front - Standard Rear - Standard		
LCD DIGITAL GAUGE CLUSTER		Speedometer, Odometer, Voltmeter, Hourmeter, Tachometer, Low Oil Pressure and Parking Brake Reminder Lights			Speedometer, Odometer, Voltmeter, Hourmeter, Tachometer, Engine Coolant Temperature, Low Oil Pressure and Parking Brake Reminder Lights (ARGO 8x8 750 HDi & 750 HDi SE also feature a Check Engine Light)					
TIRES		ARGO AT189 24x10.00-8NHS	ARGO AT189 24x10.00-8NHS	ARGO AT189 24x10.00-8NHS	ARGO AT189 25x12.00-9 NHS	ARGO AT189 25x12.00-9 NHS	ARGO AT189 25x12.00-9 NHS	ARGO AT189 25x12.00-9 NHS		
GROUND PRESSURE 1.7 psi (13.5 kPa) using tires 0.67 psi (4.6 kPa) using tracks										
GROUND CLEARANCE	TIRES TRACKS	9.5" (240 mm) 10.5" (265 mm)	9.5" (240 mm) 10.5" (265 mm)	9" (230 mm) 10" (255 mm)	9.5" (240 mm) 10.5" (265 mm)	9.5" (240 mm) 11" (279 mm)	9.5" (240 mm) 11" (279 mm)	9" (230 mm) 10" (255 mm)		

OPERATING CONDITIONS

All weather, all terrain, -40°C to +40°C

- 1 Capacity includes occupants, cargo, outboard motor and fuel, and installed accessories.

 Max. outboard motor size 7.4 kW (9.9 hp)
- Max. outboard motor size 7.4 kW (9.9 hp).

 Total payload is 700lbs with max. 140lbs allocated to rear compartment.
- 3 Towing capacity is approximate and depends on type of surface, load on vehicle as well as incline. Max Hitch Tongue Load (when equipped with hitch) 100 lbs / 45kg for all models
- 4 Subject to rear compartment load capacity limitations.
- 5 Fuel consumption depends on load and operating conditions.
- 6 All speeds are approximate and depend on conditions.
- 7 Always wear approved Personal Floatation Device (PFD) when operating in water or on ice.
- 8 ADMIRAL triple differential steering transmission with dedicated Hi and Low selector; Forward, Neutral, Reverse.
- 9 Planetary differential transmission with High and Low range; Forward, Neutral, Reverse

AVAILABLE ARGO COLORS *Colors in this brochure are reproduced with great care, but may vary slightly from actual ARGO vehicle colors. ARGO 8x8 XTI is only available in Tundra, Yellow, Red and Black.



Tundra Yellow Black







COLOR OPTIONS FOR ALL STEEL PARTS

- Textured Black
- Ultra Chrome / Clear Coat
- Zinc / Textured Black
- Zinc / Ultra Chrome / Clear Coat
 CUSTOM COATINGS AND COLORS
 ARE AVAILABLE UPON REQUEST.

A WORLD LEADER IN AMPHIBIOUS VEHICLES

ARGO is the best selling all season, off-road amphibian in the world! No other vehicle satisfies so many needs. Cottagers, outdoor enthusiasts, search & rescue teams, utility companies, surveyors, and farmers all benefit from ARGO's versatile and unique abilities. ARGO goes where others can't follow!

Since 1967, ARGO has been manufactured

by ODG in New Hamburg, Ontario, Canada at ODG's 121,500 sq.ft. (11,350m²) facility. Our dedicated team of engineers, production and technical support staff has made ARGO the most reliable, amphibious, off-road, utility vehicle you will ever drive.















ODG

220 Bergey Court, New Hamburg, ON, Canada N3A 2J5 Toll Free: **1-877-274-6288** Tel: (519) 662-4000 • Fax: (519) 662-2421

www.ARGOutv.com

Safety!
...always in Season!

Proud to be located in

Canada's

Technology

Triangle







WARNING: All operators appearing in this brochure are highly skilled ARGO drivers. The ARGO is a powerful off-road vehicle and can be dangerous if not properly operated or maintained. Before operating ARGO for first time, read the ARGO Operator's Manual thoroughly to make certain all details and recommended driving procedures are clearly understood. Do NOT allow any individual to ride in or operate ARGO without first reading and clearly understanding the procedures outlined in the Operator's Manual. Do NOT allow any individual under 16 years of age to operate ARGO. Do NOT attempt maneuvers on terrain beyond your skills or beyond the capabilities of ARGO. Do NOT operate ARGO on highways, or any other road system. For safety, we recommend wearing approved helmets and eye protection. When operating in water follow standard boating safety procedures, always wear approved Personal Floatation Devices, and do not stand in a floating ARGO. Operating your vehicle on ice-covered bodies of water can be dangerous. Always consult your ARGO Operator's Manual for detailed safety precautions. Follow all instructions that appear on the CAUTION and WARNING plates on ARGO. Do NOT exceed the recommended MAXIMUM load capacity under any circumstance. Do NOT operate ARGO unless all occupants are seated and all cargo is securely fastened down. Drive with CAUTION and good sense at all times.