



A LANDOLL PRODUCT

FOOD PLOT SEEDER



- 72" Seeding Width
- Adjustable Disc Assembly with 18" Blades
- S-Tine Harrow Teeth with Reversible Points
- Single Roller Pulverizer with Scraper
- Single or Double Seed Box Capability
- Cat. I, II Three-Point Hitch Models



www.brillionfarmeq.com



The rear seed box equipped with a brush agitator will plant larger seeds and seed mixtures containing a variety of seeds.


The front micro-metered box will plant small granular-type seeds at precise rates.

The optional Cargo/Rock Box is ideal for transporting an extra bag of seed or any large rocks encountered along the way. Additional weight can also be added for disc penetration.

User friendly seed rate adjustment for micro-metered seed box.



Operator's Manual Storage Canister



The 1.5" self-aligning, greaseable bearings add to the ruggedness and reliability of the machine.

Two rows of mini S-Tine cultivator teeth are spaced at 15" on each bar for a nominal spacing of 7.5". The S-Tines are fully adjustable and can be easily removed if only disc tillage is required.

The 18" notched blades are spaced at 7.5" and can be adjusted to 10 or 15 degrees depending upon the amount of tillage needed.

SEED CHART FOR FRONT SEED BOX (MICRO-METER): STANDARD ON FPS-6, FPSB-6

INDICATOR SETTINGS	POUNDS PER ACRE								POUNDS PER 1000 SQ FT							
	1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8
Alfalfa	2	5	9	12	16	20	25	28	0.04	0.12	0.20	0.29	0.37	0.45	0.57	0.65
Birdsfoot Trefoil	2	6	10	15	19	24	28	32	0.05	0.14	0.23	0.34	0.44	0.54	0.64	0.74
Brassica	2	5	9	13	17	20	24	28	0.04	0.12	0.20	0.29	0.38	0.47	0.56	0.64
Chicory, Forage	1	2	4	6	8	9	11	13	0.02	0.06	0.09	0.14	0.18	0.22	0.26	0.30
Clover, Alsike	2	6	10	13	17	21	25	28	0.06	0.13	0.22	0.30	0.40	0.49	0.56	0.64
Clover, Red	3	7	11	15	20	24	28	32	0.07	0.16	0.24	0.35	0.45	0.55	0.64	0.73
Lettuce	2	4	6	9	10	12	14	16	0.04	0.09	0.14	0.20	0.22	0.27	0.32	0.37
Millet	1	4	7	9	12	16	18	21	0.03	0.08	0.15	0.21	0.28	0.36	0.41	0.47
Rapeseed	2	5	9	13	17	20	24	28	0.04	0.12	0.20	0.29	0.38	0.47	0.56	0.64
Sorghum/Sudan Grass	3	7	12	16	20	24	29	33	0.07	0.16	0.26	0.37	0.47	0.55	0.66	0.76
Tillage Radish	2*	6	10	14	18	22	26	30	0.00*	0.15	0.23	0.32	0.41	0.50	0.59	0.68
Turnips	2	5	9	12	15	19	22	25	0.04	0.11	0.20	0.27	0.35	0.43	0.50	0.58
Biologic, NZ Cover Plus	6	10	14	18	24	28	33	38	0.13	0.23	0.33	0.42	0.55	0.65	0.75	0.88
Biologic, NZ Full Draw	0	7	14	18	23	27	33	37	0.00	0.16	0.33	0.42	0.52	0.62	0.75	0.85
Biologic, NZ Maximum	4	10	16	18	23	28	33	37	0.10	0.23	0.36	0.42	0.52	0.65	0.75	0.85
Evolved Harvest, ProVide	4	9	11	14	17	21	26	30	0.10	0.20	0.26	0.33	0.39	0.49	0.59	0.68
Evolved Harvest, Rack Force	4	9	11	14	18	23	27	31	0.10	0.20	0.26	0.33	0.42	0.52	0.62	0.72
Evolved Harvest, ShotPlot	4	9	13	17	21	26	30	34	0.10	0.20	0.29	0.39	0.49	0.59	0.68	0.78
Evolved Harvest, Thro & Gro	0*	4	6	9	11	13	14	17	0.00*	0.10	0.13	0.20	0.26	0.29	0.33	0.39
Whitetail Institute, Alfa-Rack Plus	6	10	14	18	23	28	34	40	0.13	0.23	0.33	0.42	0.52	0.65	0.78	0.91
Whitetail Institute, Chicory Plus	4	9	11	18	23	28	34	40	0.10	0.20	0.26	0.42	0.52	0.65	0.78	0.91
Whitetail Institute, Double-Cross	6	10	16	20	26	30	36	41	0.13	0.23	0.36	0.46	0.59	0.68	0.82	0.95
Whitetail Institute, Extreme	0	3	7	10	13	16	18	21	0.00	0.07	0.16	0.23	0.29	0.13	0.42	0.49
Whitetail Institute, Imperial Clover	6	10	16	20	26	30	36	41	0.13	0.23	0.36	0.46	0.59	0.68	0.82	0.95
Whitetail Institute, No-Plow	3	7	10	13	16	17	20	21	0.07	0.16	0.23	0.29	0.36	0.39	0.46	0.49
Whitetail Institute, Imperial Winter Greens	4	9	13	17	20	24	28	31	0.10	0.20	0.29	0.39	0.46	0.55	0.65	0.72

*Some cracked seeds were observed at setting 1.

FOOD PLOT SEEDER

The three-point hitch is Cat. I, II, Quick-Attach, and iMatch™ compatible. The floating link allows the machine to pivot and follow the contour of the land providing optimum seed bed preparation and better seed to soil contact.

Standard meter box adjustment wrenches are conveniently stored on the frame of the machine.

User friendly seed rate adjustment for the rear seed box.

The optional Coil Tine Harrow is installed on the rear of the machine and provides additional leveling.

Model FPSB-6 Shown With Optional Coil Tine Harrow and Cargo/Rock Box

The seed box drive disconnect klik pin disconnects the seed drive for seed rate calibration and prevents wear and tear on the seed box drives in tillage-only mode.

As the seeds are dropped from the seed box, they are rolled into the soil for maximum seed to soil contact. The special drive sprockets on either end of the pulverizer roller provide positive ground driving of the proven seed metering system.

SEED CHART FOR REAR SEED BOX (BRUSH AGITATOR): STANDARD ON FPSB-6

INDICATOR SETTINGS	POUNDS PER ACRE						POUNDS PER 1000 SQ FT					
	1	2	3	4	5	6	1	2	3	4	5	6
Barley	7	31	66	105	147	189	0.15	0.72	1.51	2.41	3.37	4.33
Buckwheat	0	40	89	147	220	283	0.00	0.91	2.05	3.37	5.05	6.50
Corn (Bin-Run)	0*	11	35	67	106	159	0.00	0.25	0.80	1.53	2.43	3.65
Fescue	1	9	19	33	48	60	0.03	0.21	0.44	0.75	1.11	1.38
Oats	0	13	28	46	60	87	0.00	0.29	0.64	1.06	1.38	1.99
Peas	0*	8	27	67	116	144	0.00	0.19	0.63	1.53	2.65	3.30
Rye Grain	9	39	83	131	181	256	0.21	0.90	1.91	3.01	4.15	5.88
Rye Grass	9	26	54	92	118	160	0.21	0.61	1.24	2.10	2.71	3.68
Soybeans	0*	25	64	126	173	250	0.00	0.58	1.47	2.90	3.98	5.74
Red Wheat- Treated	17	61	122	199	280	376	0.39	1.41	2.79	4.56	6.43	8.64
Deer Creek - Buck & Bird	0	32	61	93	130	160	0.00	0.73	1.41	2.13	2.99	3.66
Evolved Harvest, Buck'n Oats	4	17	34	54	75	105	0.10	0.39	0.77	1.24	1.71	2.41
Evolved Harvest, Thro & Gro	7	28	57	93	130	163	0.17	0.65	1.31	2.13	2.99	3.73
Whitetail Institute, Extreme	22	51	86	126	187	241	0.51	1.18	1.96	2.90	4.29	5.53
Whitetail Institute, No-Plow	7	33	58	94	113	148	0.17	0.76	1.33	2.16	2.60	3.39
Whitetail Institute, Pure Attraction	3	14	35	55	83	111	0.07	0.33	0.80	1.27	1.91	2.54

Brillion assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual.

*Some cracked seeds were observed at setting 1.

Brillion has applied its years of experience as a leader in the agricultural and landscape seeder industry to the FPS Series Food Plot Seeder. The Food Plot Seeder is designed to operate under a wide variety of conditions and plant numerous grasses, legumes, small grains, and other blends and mixes. The key to positive seeding results is optimum seed to soil contact. The FPS Series has the features to provide the necessary seedbed preparation, the seed metering and placement, as well as seedbed finishing, all of which provide a state of the art food plot.

Also available from
Brillion Farm Equipment



Pulverizers



Pulvi-Mulchers



Agricultural & Landscape Seeders



Till 'N Seed®

SPECIFICATIONS

	FPS-6	FPSB-6
Approximate Weight	1,284 lbs. (578 kg)	1,389 lbs. (625 kg)
Working Width	6 ft. 0 in. (1.8 m)	6 ft. 0 in. (1.8 m)
Overall Width	6 ft. 10 in. (2.05 m)	6 ft. 10 in. (2.05 m)
Overall Transport Height	Dependent Upon Tractor	Dependent Upon Tractor
Overall Height (Working)	3 ft. 5 in. (1.03 m)	3 ft. 5 in. (1.03 m)
Overall Length	5 ft. 8 in. (1.7 m)	5 ft. 8 in. (1.7 m)
Disc Assembly		
Blade Spacing	7.5 in. (191 mm)	7.5 in. (191 mm)
Blade Size (Main)	18 in. (457 mm) x 9 ga.	18 in. (457 mm) x 9 ga.
Blade Size (End)	16 in. (406 mm) x 11 ga.	16 in. (406 mm) x 11 ga.
Arbor Bolt	1.125 in. (28.6 mm) Square	1.125 in. (28.6 mm) Square
Gang Bearings	1.125 in. (28.6 mm) Greaseable	1.125 in. (28.6 mm) Greaseable
Angle of Operation	10 or 15 Degrees	10 or 15 Degrees
Harrow Assembly		
Tooth Bars	2	2
Type of Teeth	10" Mini S-Tines with Reversible Points	10" Mini S-Tines with Reversible Points
Tooth Spacing	Nominal 7.5 in (191 mm)	Nominal 7.5 in (191 mm)
Tooth Depth of Operation	0 to 3 in. (76.2 mm) in. 1 in. (25.4 mm) Increments	0 to 3 in. (76.2 mm) in. 1 in. (25.4 mm) Increments
Under Bar Clearance	11.5 in. (292 mm)	11.5 in. (292 mm)
Seeder Assembly		
Seed Box Type	All Steel Construction with Cover	All Steel Construction with Cover
Seed Box Capacity	2.625 bu.	2.625 bu. Each Box
Seed Meters	"Micro-Meter"	"Micro-Meter" and Brush Agitator
Seed Meter Drive	Positive Ground Driven with Disconnect	Positive Ground Driven with Disconnect
Seed Meter/Opening Spacing	6 in. (152 mm)	6 in. (152 mm) / 4 in. (102 mm)
Seed Delivery	Broadcast with Wind Deflector Tray	Broadcast with Wind Deflector Tray
Pulverizer Assembly		
Working Width of Pulverizer	6 ft. 0 in. (1.8 m)	6 ft. 0 in. (1.8 m)
Pulverizer Wheels	9.5 in. (241 mm) Gray Cast Iron	9.5 in. (241 mm) Gray Cast Iron
Number of Wheels	31	31
Pulverizer Scraper	Standard	Standard
Pulverizer Axle Bearings	1.5 in. (38.1 mm) Greaseable	1.5 in. (38.1 mm) Greaseable
Axle Size	1.75 in. (44.5 mm)	1.75 in. (44.5 mm)
Floating Hitch	Cat. I-II Quick Hitch Compatible	Cat. I-II Quick Hitch Compatible
Micro-Meter Seed Box Kit	Standard	Standard
Brush Agitator Seed Box Kit	Optional	Standard
Coil Tine Drag Kit	Optional	Optional
Cargo/Rock Box Kit	Optional	Optional
Posi-Drive Pulverizer Roller	Optional (In Lieu of Standard Pulverizer Assembly)	Optional (In Lieu of Standard Pulverizer Assembly)
Horsepower Requirements	35 HP (26.88 kW) and up	35 HP (26.88 kW) and up
Recommended Operating Speed	3 to 5 MPH (5 to 8.3 km/h)	3 to 5 MPH (5 to 8.3 km/h)

Specifications subject to change without notice.

For best results, multiple tillage-only mode passes may be required for optimum seeding performance. Individual food plot conditions may dictate the amount of tillage required.



220 N. Francis Street
P.O. Box 8
Brillion, WI 54110
Phone: 920.524.2220
Toll Free: 855.320.0373
Fax: 888.761.8568



www.facebook.com/landollag

FPS_0609_Z_0216

