Specifications

Model		ZG222	ZG227		ZG327	
		ZG222A-48	ZG227A-54	ZG227LA-60	ZG327PA-60	ZG327RPA-60
Engine	Model	Kubota KGZ770-E2-MA3	Kubota KGZ	770-E2-MA2	Kubota KGZ	770-E2-MA1
	Type	Gasoline, air-cooled V-Twin with heavy-duty canister air filter				
	Max. horsepower* (Gross) HP	21.1@3600 rpm 26.0@3600 rpm				
Total displacement cu.in. (cc) Starting system		46.9 (768)				
		Key switch				
Dimensions	Overall length in. (mm)	82.5 (2096)		83.7 (2126)	87.8(2230)	
	Overall (w/ mower) in. (mm)	61.1 (1552)	67.3 (1710)	75.2 (1911)	75.2 (1911) 63.1 (1604)	
	width (w/o mower) in. (mm)	47.7 (1210)			57.5 (1460)	
	Overall (w/ ROPS upright) in. (mm)	69.9 (1775)			75.4 (1915)	
	height (w/ ROPS folded) in. (mm)	52.8 (1340)		61.2 (1555)		
Wheel base in. (mm)		51.0 (1295) 52.2 (1325)		55.5 (1410)		
Tread	Front in. (mm)	34.3 (870)		35.6 (905)	38.4 (975)	
	Rear in. (mm)	36.6 (930)			45.3 (1150)	
Tire size	Front	13 x 5.0-6 Pneumatic			15 x 6.0-6 Not-flat	
	Rear	23 x 10.5-12		26 x 12.0-12		
Weight (w/ mo	ower) (without fuel) lbs. (kg)	1168 (530)	1190 (540)	1235 (560)	1565	(710)
Transmission system		2-HST w/ Gear reduction				
Speed control		2-hand lever				
Travel speed range	Forward mph (km/h)	0-9.0 (0-14.5)			0-10.6 (0-17.0)	
	Reverse mph (km/h)	0-5.0 (0-8.0)			0-5.3 (0-8.5)	
Brake type		Wet multi disks, foot applied, released				
РТО	Type	Shaft drive				
	Clutch type	Hydraulic independent PTO clutch with wet multi disks				
	PTO brake	Wet single disk				
Mower deck	Model	RCK48P-222Z	RCK54P-227Z	RCK60P-227Z	RCK60P-327Z	RCK60R-331Z
	Mower lift system		Hydraulic			
	Mower deck type	Pro commercial — Fabricated deck				
	Deck depth in. (mm)	6.0 ((152) 6.5 (165) 5.5 (140)			
	Belt type		Multi-Belt			
	Deck steel thickness in. (mm)	0.15 (3.8)	0.17 (4.2)			
	Anti-scalp roller		Rigid		Swivel	
	Cutting width of mower	48 in.	54 in.		60 in.	
	Number of blades		3 blades			
	Cutting height	1 in. ~ 5 in. / 1/4 in. increments				
	Mounting system of mower	Quick joint, parallel linkage				
	Blade tip speed (max.) FPM	17000	181		100	16700
Engine stop system		Key stop				
Fuel tank capacity gals. (ℓ)		7.1 (27)			12.7 (48)	
Battery		U1L-10 (12 V, RC: 22 min., CCA: 300, CA: 365)				
Alternator capacity Amps		13.4 A at 12 Volts				
Hour meter		Standard				
Fuel gauge		Electric				

^{*} Power(HP) specifications for individual gasoline engine models are rated pursuant to Society of Automobile Engineers(SAE) J1940 based on gross output testing performed in accordance with SAE J1995 without the air cleaner and muffler. Kubota Canada Ltd. reserves the right to change the stated specifications without notice. This brochure is for descriptive purposes only and reasonable efforts were used to set forth the contained information; some items shown may not be available at all dealerships. Kubota disclaims all representations and warranties, express or implied, or any liability from the use of this brochure. For complete warranty, say and product information, consult your local Kubota dealer and the operator's manual. Power (HP/KW) and other specifications are based on various standards or recommended practices. For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications. This brochure is intended for Canada only. For information regarding Kubota products or services outside these areas, see Kubota Corporation's global web site. Kubota does not provide parts, warranty or service for any Product which is re-sold or retailed in any country other than the country for which the Product(s) were designed or manufactured.



KUBOTA CANADA LTD.

Head Office: 5900 14th Avenue, Markham, Ontario L3S 4K4 TEL: (905) 294-7477

Visit our web site at: www.kubota.ca







For Earth, For Life

KUBOTA ZERO-TURN MOWER ZG Series

The ZG-Series gasoline zero-turn mowers are built with Kubota-quality components to provide the very best in lawn care.





Top to bottom, front to back, and inside and out, Kubota's ZG-Series of zero-turn mowers are engineered for quality. Built right here in the United States, these premium mowers incorporate the best of Kubota's advanced technology in every detail and function to ensure both superior mowing performance and supreme operator comfort. No matter how you measure quality, the ZG-Series delivers.

Kubota Quality



Durable Kubota Gasoline Engine

The V-Twin Kubota gasoline engine delivers durability and productivity like nothing else. Available in 21.1HP or 26HP, this reliable, air-cooled engine offers outstanding performance and quiet operation. Specifically designed for mowing, it features Kubota's clean-flow structure, which virtually eliminates the likelihood of grass clippings clogging the wide cooling air passage. And Kubota makes maintenance simple—the engine cover can be removed so you can perform routine maintenance. Plus, a unique carburetor drain cock allows you to drain out residual gasoline, to keep fuel lines clean and making the transportation or long-term storage of the mower safer.



Clean-flow Structure



Carburetor Drain Cock*

*When in use, consult operator manual and handle with care.




Removable Engine Cover



Kubota Reliable Hydrostatic Transmission

The large-capacity HST brings performance to a new level. Regulated by an efficient gear hydraulic charge pump, the HST delivers smooth control, quiet operation and a quick response. Plus, the durable copper metal cylinder block ensures transmission durability and performance.





Performance and outstanding operability





Indicator Panel

The ergonomically angled control panel enables easy viewing and keeps most major controls and indicators within close reach. It includes fuel and oil gauges, cutting height adjustment dial, locking PTO lever and more.





Kubola

1/4" Increment Cutting Height Adjustment

Hands-free Parking Brake/Deck Lift Pedals

With the ZG327, you only need to depress a single pedal to park the mower. And, thanks to the 2-pedal hydraulic deck lift system, you can easily raise and lower the deck to keep mowing in spite of obstacles. All three pedals are placed directly in front of you on the angled footboard for easy access.



Z200 models

Flexible Cover

The ZG-Series employs a flexible-yetsturdy discharge cover to help prevent damage to shrubs and landscaping.



The ZG327 features a heavy-duty, 60" Pro Commercial mower deck for superior cutting performance. With a deck depth of 6.5 inches—the deepest in the industry—it features a unique baffling system that improves airflow to discharge grass clippings, and an anti-overflow system, which reduces grass spillage. The deck utilizes a flexible-but-sturdy discharge cover, which helps prevent damage to shrubs and landscaping. It's the ideal mower deck—for any mowing job.

60" Rear Discharge Mower (ZG327 Only)

Our steel rod reinforced, 60" rear discharge mower provides exceptional performance. This professional 5.5" deep deck gives you a fast and clean cut even in tall grass or weeds.





Semi-pneumatic (Flat-free) Front Tires (ZG327 Only)

An industry first for this size, the 15", flat-free caster tires were created to absorb impacts with the rigidity of their structural thickness. This feature greatly reduces the worry of downtime from flat tires, so you can spend more time working.



Comfort and maintenance

High-back Deluxe Suspension Seat (ZG327 Only)

When you're mowing all day long, comfort is a necessity. And Kubota's standard deluxe link-type suspension seat takes comfort to a whole new level. The extrawide seat features adjustable armrests, lumbar support, weight adjustment, and much more, to give the operator a custom fit.







The extraestment, and Full-Flat Operator Platform

Easy Maintenance

Maintenance doesn't get any easier. The seat panel lifts up for quick access to the HST, the hood opens for routine maintenance (adding oil, etc.), an operator platform hatch makes upper mower access a snap—and all three can be opened at once. Plus, Kubota's optional tilt-up lift feature is also available for routine maintenance underneath the mower.



Maintenance Lift (Optional)





HST Access

Mower Access

The ZG-Series features a special maintenance hatch, with a built-in storage pocket, on the full-flat operator platform. It allows easy access to the upper mower, mower belt, gearbox case and universal joint.



Cup Holder

Adjustable Speed Control Levers



Instrument Panel

With the user-friendly instrument panel, Kubota keeps essential controls and indicators close for easy access and viewing. They're all here—warning indicator, fuel gauge and more.

The Z200 Series provides the convenience and versatility of a compact mower with professional performance and power.

Kubota's rugged ZG327 gasoline-engine mower easily tackles the toughest mowing jobs.



CASOLINE ENGINE MODEL ZG22

- 21.1HP Kubota gasoline engine
- 6"-deep, 48"-wide mower deck
- High-performance HST transmission
- Full-flat operator platform
- Comfortable seat
- Adjustable speed control levers
- · Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)



ZG327

- 26HP Kubota gasoline engine
- 6.5"-deep, 60"-wide mower deck
- Semi-pneumatic (flat-free) front caster tires
- High-performance HST transmission
- Full-flat operator platform
- High-back deluxe suspension seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)



ZG227/L

- 26HP Kubota gasoline engine
- 6"-deep, 54"/60"-wide mower deck
- High-performance HST transmission
- Full-flat operator platform
- Comfortable seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)

