

TRITON
TRAILERS

SNOWMOBILE TRAILERS



BUILT FOR ADVENTURE. 

SNOWMOBILE TRAILERS

Triton snowmobile trailers are built by snowmobilers for snowmobilers. Using this passion, we engineer our trailers to perform and last in the extreme conditions you love. Whether your destination is deep powder snowmobiling or miles of well groomed trails, trust Triton reliability and performance for your machines and gear when winter rolls out the white carpet. When your journey ends, the adventure begins.



page
3

TC Series
Hybrid Trailers



page
6

Covers
For Open Snowmobile Trailers



page
8

Elite and XT Series
Open Snowmobile Trailers



Cover: (L-R) Zayn, Smokey and Devon enjoying the snow at Mt. Bachelor in Bend, Oregon.

TC SERIES

For those who demand the best, the classic Triton TC is now even better. With new aesthetics and features, the TC is a year-round crossover trailer perfect for snow machines, ATVs, lawn mowers and moving household goods - whatever an outdoor adventure or a weekend project entails.



TC128 Pictured

DEPEND ON TRITON FIT AND FINISH, EVERY TIME

- 1 **FULLY WELDED, ALL-ALUMINUM FRAME**
Fully welded lower and upper frames provide a solid structure for years of loading and unloading. Outperforms alternatives that use joined/screwed frame construction.
- 2 **SEALED TO A T**
All doors have an integrated seal design to prevent leaks, keeping cargo dry.
- 3 **FOUR CORD RUBBER GALVANIZED TORSION AXLE**
Designed for a smooth ride and corrosion resistance.
- 4 **5/8" MARINE GRADE DECK**
Fully treated marine grade plywood deck stands up to the elements for years of use.

THE DETAILS MATTER

- 5 **A SMOOTH FINISH**
Sleek, screwless aluminum side walls and clear lenses on the exterior trailer lights add a modern touch.
- 6 **4'X4' FRONT DOOR**
Get full access to machines and cargo through the huge 4'x4' front door option.
- 7 **BETTER LIGHTING INSIDE AND OUT**
An easy flip of the switch illuminates a bright interior dome light and the integrated rear loading light.

DESIGNED FOR LOADING AFTER THE RIDE

- 8 **RAMP APPROACH AND BRIDGE**
It's the loading trifecta. The wear strip on the ramp approach is positioned at the strike point for snowmobile carbides. The kick panel at the door frame guides skis or wheels to prevent catching. A rubber ramp bridge protects the door hinges from snow and ice buildup. Up, in, done.
- 9 **INFINITE TIE DOWN POSITIONS**
Secure whatever you're carrying. Full-length Quickslides™ offer adjustable tie down positions the full length of the trailer bed.

OTHER STANDARD FEATURES

Interior light switch
Sealed exterior LED lights
.024 corrugated aluminum front
.030 aluminum sides
Tongue jack
Two airflow vents
Two tie down bars

Colors: Light Metallic Pewter,
Metallic Charcoal Gray, Black,
White



POPULAR OPTIONS

Side access door
Fuel door
Spare tire carrier
Tire and wheel upgrades
Electric brakes
Stabilizer Jacks

TC SERIES MODELS



8' Wide Deck

TC118

Two place snowmobile or one ATV
Full-length quickslides
141" interior length with bullnose
127" usable deck length

TC128

Two place snowmobile or one ATV
Full-length quickslides
157" interior length with bullnose
143" usable deck length



8' Wide Deck LowRider

TC118-LR

4" lower for improved aerodynamics
Two place snowmobile or one ATV
Full-length quickslides
141" interior length with bullnose
127" usable deck length

TC128-LR

4" lower for improved aerodynamics
Two place snowmobile or one ATV
Full-length quickslides
157" interior length with bullnose
143" usable deck length



7' Wide Deck

TC167

Two place snowmobile or ATV
Ideal for long track snowmobiles
Full-length quickslides
206" interior length with bullnose
191" usable deck length



TC SPECIFICATIONS

	TC118	TC128	TC118-LR	TC128-LR	TC167
# Of Snowmobiles	2	2	2	2	2
Usable Deck Width (in.)	98	98	98	98	80.5
Usable Deck Length (in.)	127	143	127	143	191
Overall Width (in.)	102	102	102	102	102
Overall Length (in.)	186	202	186	202	249
Overall Height (in.)	92	92	87	87	91
Rear Door Opening (in.) W X H	93 x 63	93 x 63	93 x 63	93 x 63	76 x 63
Carrying Capacity w/o Brakes (lb.)	2025	2000	2025	2000	1815
GVWR w/o Brakes (lb.)	2995	2995	2995	2995	2995
Carrying Capacity With Brakes (lb.)	2030	2005	2030	2005	2320
GVWR With Brakes (lb.)	3000	3000	3000	3000	3500
Trailer Weight (lb.)	970	995	970	995	1180
Standard Tires	20.5x10E	20.5x10E	ST145/R12E	ST145/R12E	ST205/75D14C
Tire and Wheel Upgrade Options	ST145/R12E painted silver or aluminum	ST145/R12E painted silver or aluminum	ST145/R12E aluminum	ST145/R12E aluminum	ST205/75R14C aluminum
Hitch Height (in.)	19	19	15	15	18

Measure your particular vehicles for needed model size. Recommended tongue weight for all enclosed trailers is 7-10% of GVWR. Please note: It is the responsibility of the purchaser to adhere to the brake laws regarding trailers. For full information on the laws in your state, contact the appropriate State Motor Vehicle Department. Contact your local dealer for order lead times. All trailers ordered without brakes will have a GVWR of 2995#. Specifications, parts, and accessories can change without notice.

A YEAR-ROUND CROSSOVER TRAILER

With new aesthetics and features, the TC is a year-round crossover trailer - perfect for ATVs and lawn mowers.



TC128



TC167



TC128

TC SERIES ACCESSORIES



Side Access Door: 13922 This aluminum side access door comes with stainless steel door catch. The door is 30 1/2" x 62 1/2". For all models.



Fuel Door: 18339 Fuel your machines through this 13" x 13" door after they have been loaded. The door also comes with a keyed lock. For all models.



White Luan Walls: 13921 Additional protection on the walls for a clean look. For: TC167
Spare Tire Carrier: 21659 Mounts in the upper rear passenger side. (Tire sold separately) For all models.



Roof Vent 13229
Side Vent 18338
 Provide additional air flow and allow interior to dry. For all models.



3-Way Wall Switch: 21663
 Add a second switch for added convenience. For all models.



Quickslide Tie Down Kit (sold in pairs): **08840** The low profile and infinite adjustability make it a solid tie down for a number of items on one trailer. For all models.



Spare Tire Carrier: 14190 This kit tucks a spare tire out of the way in the front bullnose. (Tire sold separately) For: TC167



Stabilizer Jack: 13317 (LR only) & 21662 (TC118, TC128 and TC167 only)
 Stabilize the rear of your trailer during loading.

COVERS

Keep your Triton trailer, machines, and gear protected from the elements with a Triton Cover. Covers are designed to fit Triton 11' and 12' open snow trailers.



XT11-101 SQ and
2KF-11' COVER Pictured with 4'x4' Door Option

1 FRONT ACCESS DOOR

Easily tie down snowmobiles or access gear through the standard 2' x 4' or optional 4' x 4' front access door. Opening/closing the door is a snap with gas spring assist, exterior T-handle, and interior pull strap.

2 MOST USABLE SPACE

A 54" interior height for sleds. Plus a generous 59" rear loading/unloading clearance and 58" front drive off clearance when the cover is open.

3 FULLY WELDED FRAME

The Triton difference - all-aluminum construction and fully welded 1-piece frame provides a solid structure for years of hauling, unlike other covers with joined/screwed frame construction.

4 CENTER PROP ON 11' AND 12' COVER

For drive on/drive off flexibility, center props open the rear and front of 11' and 12' covers. (not pictured)

5 GAS SHOCK LIFT KIT ON 11' COVER

Our gas shock kit easily opens 11' covers on tilt trailers and provides clearance for sled skis when loading and offloading.

6 TAPERED SIDE PANEL

Side panels are tapered for improved aerodynamics and gas mileage, plus improved side view mirror visibility behind the tow vehicle.

OTHER STANDARD FEATURES

- .024 corrugated aluminum roof
- .030 bonded aluminum seamless sides
- Cover pull strap for front door
- Two airflow vents

Colors: Light Metallic Pewter, Metallic Charcoal Gray, Black, White



POPULAR ACCESSORIES

- 4' x 4' front access door
- Interior light kit
- STT (stop tail turn) lights
- Cover lock (long shackle padlock)

COVER MODELS



2KF-11' Cover

Available with gas shock lift kit for rear loading/unloading or center prop for drive on/off
54" interior height
59" rear loading/unloading clearance when open
Standard 2' x 4' front access door
Optional 4' x 4' front access door
Fits the XT11-101 SQ (pictured)



2KF-12' Cover

Standard with center prop for drive on/off
54" interior height
59" rear loading/unloading clearance when open
58" front loading/unloading clearance when open (with center prop)
Standard 2' x 4' front access door
Optional 4' x 4' front access door
Fits 12' open snowmobile trailers: XT12VR-101 F, XT12-101 SQ, XT12VR-101 QP and ELITE 12VR-101 (pictured)

Pictured With Accessories

COVERS ACCESSORIES



4' X 4' Front Door: Add a large 4' x 4' front access door with gas spring assist to easily access machines and gear.



Dome Light: 10484 Interior LED dome light kit for bright illumination.



License Plate Kit: 11290 Durable black license plate kit includes a light over the plate.



Lock: 03164 Add a long shackle padlock to your cover for security.

ELITE AND XT SERIES

Triton's open snowmobile trailers are designed for hauling one to four sleds. Choose from ramp or tilt bed models to suit your loading and unloading preference, and add accessories to customize and protect machines from salt and road debris.



XT11-101 SQ Pictured With Accessories

1 FULLY WELDED FRAME

The Triton difference - all-aluminum, fully welded box frame with no C-channels provides a solid structure for years of loading and unloading.

2 SEALED LIGHTS

Sealed lights and wiring harnesses throughout trailer resist corrosion caused by moisture. (Elite and XT-QP have sealed LED lights.)

3 QUICKSLIDES

Full-length quickslides on Elite and XT-QP models offer maximum adjustability for securing short- to long-track snow machines, plus provide versatility for multi-season hauling. (XT-SQ offers partial quickslides.)

4 DURABLE DECK

Fully treated 5/8" (Elite) or 1/2" (XT) marine grade plywood deck stands up to the elements for years of outdoor use.

5 TORSION AXLE

Independent suspension with four cord rubber torsion axle provides a smooth ride.

6 SUR-LOCK TIE DOWNS

Steel tie down bars have a vinyl-dip finish and stainless steel handles to easily secure snowmobile skis. (Elite tie down bars have boot at each end to protect skis.)

OTHER STANDARD FEATURES

- Aluminum deck protector
- Custom molded wiring harness
- Single place trailers: one tie down bar
- Two place trailers: two tie down bars
- Three place trailers: three tie down bars
- Four place trailers: four tie down bars

POPULAR ACCESSORIES

- Ramp shield kit
- Salt shield
- Spare tire carrier
- Spring lift kit
- Gas shock lift kit
- Tongue Jack

ELITE AND XT SERIES



ELITE 16-101 Pictured With Accessories

ELITE SERIES

Elite trailers are the most versatile for snow and multi-season use.

- 5/8" fully treated marine grade plywood
- Full-length quickslides for infinite tie down positions
- Sealed LED lights
- Wear bars at the deck approach lessen the wear and tear of carbides



XT10-101 QP Pictured With Accessories

XT-QP SERIES

XT-QP trailers are optimized for snow season hauling and offer multi-season flexibility.

- 1/2" fully treated marine grade plywood
- Full-length quickslides for infinite tie down positions
- Sealed LED lights



XT10-101 SQ Pictured With Accessories

XT-SQ SERIES

XT-SQ trailers offer variable tie down positions for hauling snowmobiles.

- 1/2" fully treated marine grade plywood
- Partial quickslides
- Incandescent lights



XT10-101 Pictured With Accessories

XT SERIES

XT trailers keep it simple for hauling snowmobiles.

- 1/2" fully treated marine grade plywood
- Fixed-position tie-downs
- Incandescent lights

TIRE UPGRADE OPTIONS

Option	Tire	Rim	Option	Tire	Rim
A	5.30X12 C	painting silver	C	ST145/R 12E	painting silver or aluminum
B	20.5X10 C	painting silver	D	ST175/80 D13C	painting silver

Note: Some tire upgrades require spacer kits. See your dealer.

ELITE AND XT SERIES SPECIFICATIONS

FOUR & THREE PLACE



ELITE 22-101 Pictured With Accessories

	# Of Vehicles	Bed Width (in.)	Bed Length (in.)	Overall Length (in.)	Ramp Standard	Tilt Bed	Carrying Capacity without Brakes (lb.)	GVWR without Brakes (lb.)	Carrying Capacity with Brakes (lb.)	GVWR with Brakes (lb.)	Trailer Weight (lb.)	No. of Axles	Hitch Height (in.)	Deck Height (in.)	Standard Tires	Tire Upgrade Options*	Straight Pole or Wishbone Tongue	Brake Options
ELITE 22-101	4	101	264	333	YES	NO	1520	2995	3525	5000	1475	2	25	29	ST145/R12E	D	SP	1 or 2 Axles
ELITE 16-101	3	101	192	261	YES	NO	1995	2995	4000	5000	1000	2	25	29	ST145/R12E	D	SP	1 or 2 Axles

TWO PLACE RAMP DRIVE ON/OFF



ELITE 12VR-101 Pictured With Accessories

	# Of Vehicles	Bed Width (in.)	Bed Length (in.)	Overall Length (in.)	Ramp Standard	Tilt Bed	Carrying Capacity without Brakes (lb.)	GVWR without Brakes (lb.)	Trailer Weight (lb.)	No. Of Axles	Hitch Height (in.)	Deck Height (in.)	Standard Tires	Tire Upgrade Options*	Straight Pole or Wishbone Tongue
ELITE 12VR-101	2	101	144	223	YES	NO	1615	2200	585	1	21	25	20.5X10C	C D	SP
XT12VR-101 QP	2	101	144	215	YES	NO	1655	2200	545	1	20	24	20.5X10C	C D	SP
XT12VR-101 F	2	101	144	220	YES	NO	1955	2500	545	1	25	33	ST205/75D 15C	-	SP

TWO PLACE TILT BED



XT 10-101 Pictured With Accessories

	# Of Vehicles	Bed Width (in.)	Bed Length (in.)	Overall Length (in.)	Ramp Standard	Tilt Bed	Carrying Capacity without Brakes (lb.)	GVWR without Brakes (lb.)	Trailer Weight (lb.)	No. Of Axles	Hitch Height (in.)	Deck Height (in.)	Standard Tires	Tire Upgrade Options*	Straight Pole or Wishbone Tongue
XT10-101 QP	2	101	120	172	NO	YES	1505	1870	375	1	19	23	18.5X8C	B C	WB
XT12-101 SQ	2	101	144	196	NO	YES	1735	2200	465	1	19	23	20.5X10C	C D	WB
XT11-101 SQ	2	101	132	184	NO	YES	1455	1870	425	1	19	23	18.5X8C	B C	WB
XT10-101 SQ	2	101	120	172	NO	YES	1505	1870	375	1	19	23	18.5X8C	B C	WB
XT10-101	2	101	120	172	NO	YES	1505	1870	375	1	19	23	18.5X8C	B C	WB

SINGLE PLACE



ELITE5 Pictured With Accessories

	# Of Vehicles	Bed Width (in.)	Bed Length (in.)	Overall Length (in.)	Ramp Standard	Tilt Bed	Carrying Capacity without Brakes (lb.)	GVWR without Brakes (lb.)	Trailer Weight (lb.)	No. Of Axles	Hitch Height (in.)	Deck Height (in.)	Standard Tires	Tire Upgrade Options*	Straight Pole or Wishbone Tongue
ELITE5	1	62	144	196	NO	YES	1825	2200	375	1	17	22	20.5X10C	C	SP
XT4.5	1	53	120	172	NO	YES	1350	1700	350	1	17	21	18.5X8C	A	SP

*Tire upgrade options on page 9

Recommended tongue weight 7-10% of GVWR. It is the responsibility of the purchaser to adhere to the brake laws regarding trailers. For full information on the laws in your state, contact the appropriate state motor vehicle department.

ELITE AND XT SERIES ACCESSORIES



DOS Ramp Shield Kit: 06942
This multi-tasker acts as a protective salt shield and ramp. The Drive Off Shield is specifically designed for V-front two place trailers. All-aluminum frame with tough black plastic skids.



Salt Shield: 04775 This shield can be installed on any two place, straight front trailer. Its all-aluminum design will provide years of service and protect your cargo from road debris. It comes with all mounting hardware and instructions for an easy install.



V-Front Tandem Axle Ramp Shield Kit: 07782 This all-aluminum frame with UV-resistant black plastic skids acts as a protective salt shield and ramp. Designed to allow unloading without angling your tow vehicle.



Tandem DOS Kit: 09576 This multi-tasker acts as a protective salt shield and ramp. All-aluminum frame and tough UV-resistant black plastic skids. Designed to allow unloading without angling your tow vehicle.



Spring Lift Kit Straight Pole: 03173
Wishbone: 07984
A spring lift kit helps tilt the trailer. This is especially useful when there is added weight from accessories. It works great in extreme cold.



Gas Shock Lift Kit: 06933
The gas shock lift kit will assist tilting your straight front trailer when loading.



Flush Mount: 07835 This kit can be mounted anywhere on the deck of the trailer for personal placement of tie downs. It comes with two bolts, lock nuts, washers, and backing plate for a strong and secure fitting.



Recessed Mount Kit: 07834
Can be mounted anywhere on the deck of a trailer for personal placement of tie downs. To install, drill two 9/32 holes 4" apart in deck. Router a 3" diameter hole centered between the 9/32 holes.



Spare Tire Carrier: 08519 This aluminum welded accessory gets mounted with the **13501** tongue jack to save space on the tongue or can be installed easily on the A-frame part of a larger trailer's tongue.



Spare Tire Mount: 02464
This spare tire mount is a simple but effective spare tire holder. With the two plates placed together over the nuts, as shown, the two plates can be locked through the center hole with a padlock for added security.



Quickslide Tie Down Kit (sold in pairs): **08840** The low profile and infinite adjustability make it a solid tie down for a number of items on one trailer. Flush mount allows you to drive over.



1 1/16" Bearing Kit: 07994-P
1 3/8" Bearing Kit: 07995-P.
Rebuild one axle, both hubs. Includes bearings, seals, tang washers, dust covers, and a tube of Elite Lube lithium complex grease for trailer axles.

TRITON

TRAILERS



www.tritontrailers.com



Snowmobile Trailers



Off Road Vehicle Trailers



Multi-Season Enclosed Trailers



Cargo & Utility Trailers



Personal Watercraft Trailers

AUTHORIZED DEALER:



Register your trailer at
tritontrailers.com
for a limited 5 year warranty.

857 West State Street Hartford, WI 53027

P/ 800.232.3780