

# Lawn and Landscape Catalog



IF IT DOESN'T SAY  
**BUSH HOG**<sup>®</sup>  
IT JUST WON'T CUT IT™

TERRA HOG SYSTEM | HEAVY DUTY HOG ZERO-TURN MOWERS



# TERRA HOG FRAMES

TERRA HOG  
FRAME OPTIONS

THSE / THSM



**Work has never been so fun.**

Bush Hog®'s line of ATV and UTV implements put your recreational vehicle to work. Scrape roads on the way to your hunting camp, disc up tough land for a green field, aerate your manicured lawn... with Bush Hog®'s ATV/UTV implements, you can do it all.

Bush Hog®'s Terra Hog System makes the most of your recreational vehicle!

The Bush Hog® ATV/UTV Terra Hog System starts with a strong tubular steel frame. Each frame consists of your choice of either a manual ratchet jack or electric actuator to raise the wheels out of the way when in use. Each frame will accommodate 10 different implements to help you get virtually any job done.

Choose from:

- Aerator
- Box Blade
- Carry-All
- Cultipacker
- Disc Harrow
- Field Cultivator
- Landscape Rake
- Plugger
- Rear Blade
- Road Grader

Implement height can be adjusted at the hitch mounting point to accommodate any ATV or UTV. Each implement is connected to the main frame by a hardened steel bolt that locks it securely in place. On implements that feature adjustable angles, durable king pins hold the implement right where you want it.

**Choose from two frame options:**



**THSE**

Terra Hog Frame with Electric Actuator



**THSM**

Terra Hog Frame with Manual Ratchet Jack



# AERATORS & BOX BLADES


ARV SERIES  
AERATORS & BXV  
SERIES BOX BLADES

ARV48 / ARV60 / ARV72 / BXV48 / BXV60 / BXV72



## ARV AERATOR SPECIFICATIONS

MODELS:	ARV48	ARV60	ARV72
Product Description	ATV Aerator 48"	ATV Aerator 60"	ATV Aerator 72"
Overall Width	49-7/8"	62-1/4"	74"
Working Width	44-7/8"	57-3/8"	69"
Overall Depth		17-3/8"	
Weight	300 lbs.	335 lbs.	361 lbs.
# of Knives	120	150	180
# of Hubs	4	5	6
Knife Spacing		3-7/8"	
Axle		1-1/4"	
King Pin		1-1/4"	



## BXV BOX BLADE SPECIFICATIONS

MODELS:	BXV48	BXV60	BXV72
Product Description	ATV Box Blade 48"	ATV Box Blade 60"	ATV Box Blade 72"
Box Height		21-3/4"	
Overall Box Width	48-1/2"	60-1/2"	72-1/2"
Box Depth		18"	
Weight	298 lbs.	324 lbs.	354 lbs.
# of Shanks		4	
# of Plow Bolts	4	5	6
Cutting Edge	1/2" x 6" x 47-3/4"	1/2" x 6" x 59-3/4"	1/2" x 6" x 71-3/4"
King Pin		1-1/4"	

# CARRY-ALL & CULTIPACKERS


CAV SERIES CARRY-ALL  
& CPV SERIES  
CULTIPACKERS

CAV / CPV48 / CPV60 / CPV72



## CAV CARRY-ALL SPECIFICATIONS

MODEL:	CAV
Product Description	ATV Carry-All
Overall Width	52-1/4"
Overall Depth	28-1/4"
Weight	307 lbs.
King Pin	1-1/4"



## CPV CULTIPACKER SPECIFICATIONS

MODELS:	CPV48	CPV60	CPV72
Product Description	ATV Cultipacker 48"	ATV Cultipacker 60"	ATV Cultipacker 72"
Overall Height with Frame	37"		
Overall Depth with Frame	88-3/8"		
Distance - Ground to Frame	14-1/16"		
Overall Width	55-1/4"	67-3/16"	80-3/8"
Working Width	47 7/8"	59 1/4"	73"
Overall Depth	16"		
Weight	406 lbs.	460 lbs.	531 lbs.
# of Wheels	21	26	31
Wheel Spacing	2-1/16"		
Axle	1-3/4"		
Bearings	Greasable		
King Pin	1-1/4"		

# DISC HARROWS & FIELD CULTIVATORS

**DHV SERIES  
DISC HARROWS &  
FCV SERIES FIELD  
CULTIVATORS**

*DHV36 / DHV50 / DHV66 / FCV48 / FCV60 / FCV72*



## DHV DISC HARROW SPECIFICATIONS

MODELS:	DHV36	DHV50	DHV66
Product Description	ATV Disc Harrow 36"	ATV Disc Harrow 50"	ATV Disc Harrow 66"
Overall Width	37"	51"	67"
Cutting Width	36"	50"	66"
Overall Depth	21-5/8"		
Weight	318 lbs.	343 lbs.	371 lbs.
Blade Spacing	7-1/2"		
# of Blades	6	8	10
Blade Type	Notched		
Bearing Type	Sealed, Self Aligning, Ball Bearing		
Angle Adjustment	0°, 7°, 14°, 21°		
King Pin	1-1/4"		



## FCV FIELD CULTIVATOR SPECIFICATIONS

MODELS:	FCV48	FCV60	FCV72
Product Description	ATV Field Cultivator 48"	ATV Field Cultivator 60"	ATV Field Cultivator 72"
Overall Width	52"	64"	76"
Working Width	Adjustable up to 48"	Adjustable up to 60"	Adjustable up to 72"
Depth	28"		
Weight	226 lbs.	254 lbs.	283 lbs.
Tine Dimensions	10mm x 32mm x 14- 1/2"		
Plow Point	1-3/8" x 8" x 2-3/8" Reversible Spike		
# of Tines	6	8	10
King Pin	1-1/4"		

# LANDSCAPE RAKES & PLUGGERS

**LRV SERIES LANDSCAPE  
RAKES & PGV SERIES  
PLUGGERS**

*LRV48 / LRV60 / LRV72 / PGV48 / PGV60 / PGV72*



## **LRV LANDSCAPE RAKE SPECIFICATIONS**

<b>MODELS:</b>	<b>LRV48</b>	<b>LRV60</b>	<b>LRV72</b>
<b>Product Description</b>	ATV Landscape Rake 48"	ATV Landscape Rake 60"	ATV Landscape Rake 72"
<b>Overall Width</b>	48"	60"	72"
<b>Overall Depth</b>	17-9/16"		
<b>Weight</b>	220 lbs.	229 lbs.	251 lbs.
<b>Angle Adjustment</b>	0° - 30°		
<b>Adjustment Method</b>	Index Pin		
<b># of Tines</b>	24	30	36
<b>King Pin</b>	1-1/4"		



## **PGV PLUGGER SPECIFICATIONS**

<b>MODELS:</b>	<b>PGV48</b>	<b>PGV60</b>	<b>PGV72</b>
<b>Product Description</b>	ATV Plugger 48"	ATV Plugger 60"	ATV Plugger 72"
<b>Overall Width</b>	49-7/8"	62-1/4"	74"
<b>Working Width</b>	43-7/16"	55-3/4"	67"
<b>Overall Depth</b>	17-7/16"		
<b>Weight</b>	296 lbs.	306 lbs.	325 lbs.
<b># of Spoons</b>	32	40	48
<b># of Hubs</b>	4	5	6
<b>Spoon Spacing</b>	6"		
<b>Axle</b>	1-1/4"		
<b>King Pin</b>	1-1/4"		

# REAR BLADES & ROAD GRADERS


**RBV SERIES REAR  
BLADES & RGV SERIES  
ROAD GRADERS**

**RBV48 / RBV60 / RBV72 / RGV48 / RGV60 / RGV72**



## RBV REAR BLADE SPECIFICATIONS

MODELS:	RBV48	RBV60	RBV72
Product Description	ATV Rear Blade 48"	ATV Rear Blade 60"	ATV Rear Blade 72"
Overall Width	48"	60"	72"
Weight	201 lbs.	214 lbs.	235 lbs.
Moldboard Height	12-1/8"		
Cutting Edge	3/8" x 3" Weld On		
Angle Adjustment	0° - 30°		
Adjustment Method	Index Pin		
King Pin	1-1/4"		



## RGV ROAD GRADER SPECIFICATIONS

MODELS:	RGV48	RGV60	RGV72
Product Description	ATV Road Grader 48"	ATV Road Grader 60"	ATV Road Grader 72"
Overall Width	51-7/8"	63-7/8"	75-7/8"
Box Depth	31-1/16"		
Weight	326 lbs.	353 lbs.	395 lbs.
Cutting Edges	3/8" x 6" Bolt On		
Cutting Edge Length	47-3/4"	59-3/4"	71-3/4"
Cutting Edge Angle	6		
Cutting Edge Spacing	12"		
Weld On Skids	1/4" x 1-7/8"		

# HDE SERIES ZERO-TURN MOWERS

**FOR HOMEOWNER  
WITH ACREAGE  
OR ESTATE OWNER**

**HDE2049KT3 / HDE2249FS3 / HDE2255FS3 /  
HDE2555KP3 / HDE2261FS3 / HDE2561KP3**

## ***HDE Model Mix***

MODEL HDE2049KT3  
DECK SIZE 49" Deck  
ENGINE 20HP Kohler  
KT715

MODEL HDE2249FS3  
DECK SIZE 49" Deck  
ENGINE 22HP Kawasaki  
FS651

MODEL HDE2255FS3  
DECK SIZE 55" Deck  
ENGINE 22HP Kawasaki  
FS651

MODEL HDE2555KP3  
DECK SIZE 55" Deck  
ENGINE 25HP Kohler  
KT740

MODEL HDE2261FS3  
DECK SIZE 61" Deck  
ENGINE 22HP Kawasaki  
FS651

MODEL HDE2561KP3  
DECK SIZE 61" Deck  
ENGINE 25HP Kohler  
KT740



## ***HDE Model Features***

- 49", 55", and 61" deck widths
- 6 Models: Kohler and Kawasaki engines represented
- Manual pin out deck height adjustment
- Electronic Control Module
- ZT-3100 Transaxles
- 23 x 10.50-12 Turf/Bar Drive Tires
- Engine choices up to 25HP



# HDC SERIES ZERO-TURN MOWERS

FOR  
COMMERCIAL USE

HDC2361FS3 / HDC2561KP3

## HDC Model Mix

MODEL HDC2361FS3  
DECK SIZE 61" Deck  
ENGINE 23HP Kawasaki  
FS691

MODEL HDC2561KP3  
DECK SIZE 61" Deck  
ENGINE 25HP, Kohler  
KT740



## HDC Model Features

- 61" deck width
- 2 Models: Kohler and Kawasaki engines represented
- Full suspension seat standard
- Rotary controlled deck height adjustment
- ZT-3400 Transaxles
- 23 x 10.50-12 Turf/Bar Drive Tires
- Engine choices up to 25HP
- Full-Feature Control Module

# HDZ SERIES ZERO-TURN MOWERS

**FULL-FEATURED FOR  
PROFESSIONAL USE**

HDZ3161FX3 / HDZ3361ECV3 / HDZ3173FX3 / HDZ3373ECV3

## ***HDZ Model Mix***

MODEL HDZ3161FX3  
DECK SIZE 61" Deck  
ENGINE 31HP Kawasaki  
FX921

MODEL HDZ3361ECV3  
DECK SIZE 61" Deck  
ENGINE 33HP Kohler  
EFI Command Pro

MODEL HDZ3173FX3  
DECK SIZE 73" Deck  
ENGINE 31HP Kawasaki  
FX921

MODEL HDZ3373ECV3  
DECK SIZE 73" Deck  
ENGINE 33HP Kohler  
EFI Command Pro



## ***HDZ Model Features***

- 61", and 73" deck widths
- 4 Models: Kohler and Kawasaki engines represented
- Full suspension seat standard
- Rotary controlled deck height adjustment
- Full-Feature Control Module
- Anti-Vibration Isolators
- ZT-5400 Transaxles
- 24 x 12-12 Radial/Bar Drive Tires
- Engine choices up to 33HP

# HD HOG ZT MOWER FEATURES

HEAVY DUTY HOG  
ZERO-TURN MOWERS

## CENTER-MOUNTED FUEL TANK



**ENOUGH FUEL TO RUN ALL DAY**



*Improved weight distribution and lower center of gravity results in a better overall riding experience.*

Left hand side fill neck matches the fill up side on most vehicles when unit is trailered. A 8-gallon capacity means you can run all day.

## ELECTRONIC CONTROL MODULE FEATURES

### MONITOR CONTROL DISPLAY



#### HDE Series

- Keyless Start / Stop
- Fuel Low Level Indicator
- Tachometer / Hourmeter
- Safety Interlock Indicators PTO, Park Brake, Handles, Seat
- Low Oil Indicator
- Soft Start PTO



#### HDC & HDZ Series

- Keyless Start / Stop
- Fuel Level Indicator (multi-bars)
- Tachometer / Hourmeter
- Safety Interlock Indicators PTO, Park Brake, Handles, Seat
- Low Oil Indicator
- Soft Start PTO
- Available Add-Ons: Power Deck Lift Buttons (HDZ), LED Light Control

## ENGINES

**Kawasaki**  
Engines

**KOHLER** Engines

## AVAILABLE OPTIONS/ACCESSORIES

#### LED LIGHTS

(standard on HDZ, optional on HDE/HDC)

#### CANOPY

#### GRASS COLLECTION SYSTEM

#### ASSIST HANDLE KIT

#### RUN FLAT FRONT TIRE KIT

#### 5-GALLON BUCKET HOLDER KIT

#### STRING TRIMMER HOLDER KIT


#### ELECTRIC ACTUATOR KIT

(HDZ models)

#### MULCHING KIT

#### FULL SUSPENSION SEAT

(standard on HDC/HDZ, selection on HDE)



**IF IT DOESN'T SAY  
BUSH HOG<sup>®</sup>  
IT JUST WON'T CUT IT<sup>™</sup>**

2501 Griffin Avenue, Selma, Alabama 36703  
Tel: 800-363-6096 | Fax: 334-874-2701

[www.bushhog.com](http://www.bushhog.com)

