

PROVEN IN THE FIELD WITH MORE THAN 25 YEARS OF EXPERIENCE.



Versatile, long-lasting and easy to use. For over two decades, the Blu-Jet® TrackMaster II and TrenchMaster track closers have helped farmers increase efficiency by using lower horsepower tractors to quickly and easily fill tire pivot tracks and other trenches. The heavy-duty frame with adjustable-width discs and a variety of options make these Blu-Jet track and trench closers some of the most effective and widely used options on the market.

TrackMaster II

Features


- Eliminate tire tracks left behind by center pivot irrigation systems in one-pass and leave a smooth field finish with the quick and convenient TrackMaster II track closer from Blu-Jet.
- - The V-pattern of the 6 concave discs provides superior track filling and optimizes residue flow.
- \\ 22" concave discs feature self-cleaning tear-drop cutouts for reduced soil buildup.
 - The V-pattern of the 6 concave discs provides superior track filling and optimize residue flow.
 - The discs are mounted on heavy-duty 6-bolt hubs for worry-free operation.
- \\ Choose from a manual-adjust or center-mounted hydraulically controlled guide cone to keep the implement on track with minimal input from the operator.
- \| Frame and discs feature a powder-coated finish for added durability and a long-lasting appearance.

GUIDE CONE

Options

- \\ Leveling and finishing options include:
 - Rear-mounted LevelPro with large-diameter self-cleaning coil roller leaves a smoother soil profile.
 - The PackerPro includes 2 additional inner concave discs with a firming rolling basket in the center of the unit for enhanced track firming.
- \(\) 4-bar conversion kit for the TrackMaster II extends the working width to 72" by adding an additional pair of concave discs to the rear bar.





TrenchMaster

Features

- When you're looking for an efficient way to level soil left behind by tiling and other trenching equipment, look to the Blu-Jet TrenchMaster to get the job done.
- \\\\ 4-bar frame features 4" x 6" tubing for maximum durability and a CAT 2/3 three-point hitch for quick hookup.
 - 90" working width is ideal for closing and finishing drainage tile and other trenches.
- \(\) 22" concave discs feature self-cleaning tear-drop cutouts for reduced soil buildup.
 - The V-pattern of the 8 concave discs provide superior trench filling and optimize residue flow.
 - The discs are mounted on heavy-duty 6-bolt hubs for worry-free operation.
- \| Frame and discs feature a powder-coated finish for added durability and a long-lasting appearance.

Options


- \\ Choose from a manual-adjust or hydraulically controlled guide cone to keep the implement on track with minimal input from the operator.
- \\Leveling and finishing option inludes a rear-mounted LevelPro with large-diameter coil roller that leaves a smooth soil profile.
- Additional disc gangs are available with 3, 2 or 1 pair of inner discs for additional tillage and leveling action.















Specifications

FEATURE	TRACKMASTER II	TRENCHMASTER
Working Width	60"	90"
Transport Width	6' 2"	10' 9"
Overall Length	5' 10"	7' 6"
Approximate H.P.	40-50	50-70
Frame	3-Bar	4-Bar
Number of Discs	6	8
Guide Cone	Standard	Optional
PackerPro Option	YES	-
Hitch Style	CAT 2 & 3	
Approximate Weight (lbs.)	1075	1430
Approximate with Guide Cone (lbs.)	1180	1885
Level Pro Weight (lbs.)	300	

Due to continuing improvements in the design and manufacture of Unverferth products, all specifications contained herein are subject to change without notice. For relevant patent marking, please visit unverferth.com/patents.







Visit your nearest Blu-Jet tillage equipment dealer today for complete details about the TrenchMaster and TrackMaster II track closers, or check our website at www.blujetequip.com.



