
PERFORMANCE BULLETIN



180 Pro V ET HT



RPM	MPH	GPH	MPG
1000	5	0.8	6.3
2000	8	2.1	3.8
3000	19	3.8	5
3500	25	5	5
4000	30	7.1	4.2
4500	35	8.6	4.1
5000	39	11.5	3.4
5500	45	12.2	3.7
5700	46	13.6	3.4



180 PRO V ET HT	TEST DATE 9/5/12
Length	26'5"
Beam	94"
Dry Weight (Boat Only)	1,875 lbs
Maximum HP	175
Fuel Capacity	48
Weight as tested (Approximate)	2,800 lbs
Note: Test weight may include 1/2 tank of fuel, 1 battery, safe	ty & test Equipment

MERCURY 150 FOUR STROKE	
Horsepower	150HP
Displacement	3.0 L
Dry Weight (Engine)	455 lbs
Gear Ratio	1.92:1
Mounting Height	#2

PROPELLERS	
Material/Blades	SS/3
Series	Enertia
Diameter/Pitch	14 1/2×17
Mercury Part #	898994A46

TEST CONDITIONS	
Number of People	2
Air Temperature (Fahrenheit)	65° F
Elevation	1,300 ft.
Wind Velocity	5 mph



Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Hewescraft reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains valuable trademarks belonging to Hewescraft and other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.


PERFORMANCE BULLETIN



200 Pro V HT



RPM	MPH	GPH	MPG
1000	4.5	.5	8.9
1500	5.8	.8	7.7
2000	7.1	1.2	5.9
2500	9.0	2.0	4.6
3000	13.7	2.5	5.5
3500	18.8	2.9	6.0
4000	23.4	3.5	6.7
4500	28.2	5.1	5.6
5000	32.2	5.9	5.5
5500	35.3	7.5	4.7
6000	38.6	10.1	3.8



TEST DATE 10/21/12
20'3"
94"
1,775 lbs
175
48
2,440 lbs

Note: Test weight may include 1/2 tank of fuel, 1 battery, safety & test Equipment

YAMAHA F115 TXR	
Horsepower	115HP
Displacement	106.2 CID
Dry Weight (Engine)	412 lbs
Gear Ratio	2.15:1
Mounting Height	#2

PROPELLERS	
Material/Blades	SS/3
Series	Eco Enertia
Diameter/Pitch	13 1/4x17
Yamaha Part #	6E5-45941-00-EL

TEST CONDITIONS	
Number of People	2
Air Temperature (Fahrenheit)	55° F
Elevation	1,300 ft.
Wind Velocity	0-5 mph



Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Hewescraft reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains valuable trademarks belonging to Hewescraft and other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.