



# PRODUCT CATALOG

3 POINT | FRONT ATTACH | ATV/UTV



# UNIQUE. SUPERIOR. IDEAL.

IDEAL Equipment manufactures a unique, premium selection of Post Pounders and customizable 3-Point Equipment. Based in Kentucky, our name is known for superior construction and high-quality components. We are a company that strives for excellence and our customers have come to rely on our durable, easy to use products. With a vast lineup of high-quality implements, we have the IDEAL solution to tackle any job.

# INDEX

## 3 POINT ATTACHMENTS

Box Blades .....	1
Grader Blades .....	2
Landscape Rakes .....	3
Sub Soiler .....	4
Disc Harrow .....	5
Rotary Cutter .....	6
Rotary Tiller .....	7
Moldboard Plow .....	8
Boom Pole .....	9
Hay Fork .....	10
Finish Mower .....	11
Land Grader .....	12
Carry All .....	13
Trailer Mover .....	14
Field Cultivator .....	15
Middle Buster .....	16
Wire Fence Stretcher .....	17
Fertilizer Spreader .....	18
Disc Mower .....	19

## ATV/UTV ATTACHMENTS

Wire Unroller .....	20
Disc Cultipacker .....	21
Flip Disc .....	22
Fertilizer Spreader .....	23
Disc Harrow .....	24
Manure Spreader .....	25

## FRONT ATTACHMENTS

Bucket Rake .....	26
Hay Forks .....	27
Pallet Fork .....	29
Snow Pusher .....	30

# BOX BLADES

This is the box blade for every need – it can transform all types of dirt, gravel and rock. IDEAL Farm Equipment’s Box Blade is a problem-solver. It’s great for work on driveways, potholes, washouts and ruts. The heavy-duty ripper shanks are adjustable to break up even the hardest dry ground. It works in reverse with the same great results.



	TRACTOR HP	HEIGHT	MOLBOARD HEIGHT	APPROX. WEIGHT	WORKING WIDTH	DEPTH OF BUCKET	SHANKS
<b>4FT BOX BLADE LD</b> BB4LDID	18-35	34"	16.95"	395 lbs	60.75"	22"	4
<b>5FT BOX BLADE SD</b> BB5SDID	20-45	34"	16.95"	445 lbs	72.75"	22"	5
<b>6FT BOX BLADE SD</b> BB6SDID	20-45	34"	16.95"	445 lbs	72.75"	22"	6
<b>6FT BOX BLADE MD</b> BB6MDID	20-50	34"	16.95"	474 lbs	72.5"	22"	6
<b>7FT BOX BLADE MD</b> BB7MDID	25-65	34"	16.95"	510 lbs	85.5"	22"	6



# GRADER BLADES

A go-to for scraping dirt, snow, sand or gravel, IDEAL Farm Equipment's ultra-tough Grader Blade makes quick work of leveling and backfilling. The blades are easily adjustable so you can move material exactly where you need it to go.



	TRACTOR HP	HEIGHT	MOLBOARD HEIGHT	APPROX. WEIGHT	WORKING WIDTH	CUTTING EDGE
<b>4FT GRADER BLADE</b> GB4LDID	18-35	34"	12.5"	178 lbs	48"	3/8"x6"
<b>5FT GRADER BLADE</b> GB5SDID	20-45	34"	12.5"	197 lbs	60"	3/8"x6"
<b>6FT GRADER BLADE</b> GB6SDID	20-45	34"	12.5"	213 lbs	72"	3/8"x6"
<b>6FT GRADER BLADE</b> GB6MDID	20-50	34"	15"	332 lbs	72"	3/8"x6"
<b>7FT GRADER BLADE</b> GB7MDID	25-65	34"	15"	348 lbs	84"	3/8"x6"



# LANDSCAPE RAKES

A versatile and easy to use rake, the IDEAL Farm Equipment Landscape Rake makes raking, smoothing and contouring gravel or soil easy. The curved C-tines are shallow enough to protect your field, but can be angled to move items such as rocks easily. Order an optional wheel kit to set your depth and improve maneuverability.



	TRACTOR HP	WIDTH	WEIGHT	HEIGHT	TEETH	TEETH SPACING	FORWARD ANGLE	BACKFILL ANGLE
<b>4FT RAKE</b> LR4SDID	15-32	48"	175 lbs	11"	24	1" Gap	5 FWD/ 5 REV up to 45 degree right or left	5 FWD/ 5 REV up to 45 degree right or left
<b>5FT RAKE</b> LR5SDID	19-40	60"	195 lbs	14.5"	30	1" Gap	5 FWD/ 5 REV up to 45 degree right or left	5 FWD/ 5 REV up to 45 degree right or left
<b>6FT RAKE</b> LR6SDID	19-45	72"	215 lbs	14.5"	36	1" Gap	5 FWD/ 5 REV up to 45 degree right or left	5 FWD/ 5 REV up to 45 degree right or left
<b>6FT RAKE</b> LR6MDID	20-60	72"	272 lbs	14.5"	36	1" Gap	0, 15, 30 Right or Left	0, 15, 30 Right or Left
<b>7FT RAKE</b> LR7SDID	25-45	84"	238 lbs	14.5"	42	1" Gap	5 FWD/ 5 REV up to 45 degree right or left	5 FWD/ 5 REV up to 45 degree right or left
<b>7FT RAKE</b> LR7MDID	25-65	84"	287 lbs	14.5"	42	1" Gap	0, 15, 30 Right or Left	0, 15, 30 Right or Left



# SUB SOILER

Need to break up dense dirt, eliminate standing water and give your plants room to grow? The IDEAL Farm Equipment Subsoiler digs more than a foot deep to keep your garden healthy and happy.



	TRACTOR HP	HEIGHT	WIDTH	LENGTH	WEIGHT	MOLDBOARD DIMENSIONS
<b>SUB SOILER</b> SSSDID	25-45	49"	32.5"	16"	86 lbs	2.5625"x12"



# DISC HARROW

The IDEAL Farm Equipment Disc Harrow is truly the IDEAL way to get your garden ready to grow. This harrow is quick and versatile. Its heavy-duty steel blades are precisely placed for perfect soil break-up, aerating it nicely prior to planting. This is the best way to prepare your soil for planting.



	TRACTOR HP	WIDTH	HEIGHT	LENGTH	WEIGHT	DISC BLADES	DISC SPACING
--	------------	-------	--------	--------	--------	-------------	--------------

## 5FT DISC HARROW

DH5LDID

18-32	62.5"	35"	53"	407 lbs	16	7.5"
-------	-------	-----	-----	---------	----	------

## 6FT DISC HARROW

DH6SDID

22-40	75"	41"	50"	553 lbs	10 - 18" Smoothed & Notched	7.5"
-------	-----	-----	-----	---------	-----------------------------	------

## 7FT DISC HARROW

DH7MDID

30-55	85"	41"	53.5"	846 lbs	10 - 18" Smoothed & Notched	7.5"
-------	-----	-----	-------	---------	-----------------------------	------





# ROTARY CUTTER

IDEAL Farm Equipment's Rotary Cutter is designed for cutting rough plant material. Thick grass and saplings are no match for this implement. Use it to create trails, mow fields and clear for wildlife. The heat-treated 2-inch blades can easily handle branches. A stump jumper prevents any potential gearbox or blade damage.



	HITCH	WEIGHT	CUTTING WIDTH	OVERALL WIDTH	LENGTH	HP	CUTTING HEIGHT
<b>4FT ROTARY CUTTER</b> RC4LDID	Cat 1	463 lbs	48"	51"	77"	18-45	1.5" - 9"
<b>5FT ROTARY CUTTER</b> RC5SDID	Cat 1	530 lbs	60"	64"	86"	20-50	1.5" - 9"
<b>6FT ROTARY CUTTER</b> RC6SDID	Cat 1	623 lbs	72"	75"	93"	25-60	1.5" - 9"
<b>6FT ROTARY CUTTER</b> RC6MDID	Cat 1	761 lbs	72"	75"	112"	28-65	1.5" - 9"



# ROTARY TILLER

IDEAL Farm Equipment's Rotary Tiller can take on the big jobs, able to handle acres of dirt with no worries. This implement boasts thick-steel cutting tines that work hard to break up and mix hardened soil into soft, workable land. The tines can be adjusted to three depth levels, perfect for landscaping, gardening and nurseries.



	TRACTOR HP	WEIGHT	WORKING DEPTH	WORKING WIDTH	OVERALL WIDTH	FLANGES	PTO RPM
<b>4FT ROTARY TILLER</b> RT4LDID	15-35	470 lbs	7"	46.5"	51.5"	6 with 4 Tines	540
<b>5FT ROTARY TILLER</b> RT5SDID	25-50	638 lbs	7"	58.75"	64"	7 with 6 Tines	540
<b>6FT ROTARY TILLER</b> RT6SDID	30-50	718 lbs	7"	70.59"	76"	9 with 6 Tines	540

# MOLDBOARD PLOW

These IDEAL Farm Equipment Turning Plows flip and slice the soil, moving residue from past crops to create a nutrient-rich layer of topsoil for a new garden. This helps control insects and weeds as well. These heavy-duty turning plows feature replaceable 14-inch shins and plowshares.



	TRACTOR HP	WEIGHT	HITCH	NUMBER OF MOLDBOARDS	MOLDBOARD DIMENSIONS
<b>ONE PLOW</b> MP1SDID	25-50	256 lbs	Cat 1	1	14"W x 21"L x 16"H
<b>TWO PLOW</b> MP2SDID	25-50	479 lbs	Cat 1	2	14"W x 21"L x 16"H

# BOOM POLE

Need help with your heavy lifting chores? Save your back with the strength of the IDEAL Farm Equipment Boom Pole. This quick and easy solution for loading items, pulling up fence posts and hauling logs, farm equipment and engines will soon become your new best friend.



	LIFT CAPACITY	HEIGHT	WIDTH	LENGTH	WEIGHT
<b>BOOM POLE SD</b> BPSDID	1000 lbs	25.5"	32"	85.5"	66 lbs
<b>BOOM POLE MD</b> BPMDID	2000 lbs	24.5"	40"	95"	150 lbs



# HAY FORK

One of the strongest Hay Forks on the market, this implement easily lifts heavy round bales. The upper spear is heat-treated for extra strength and there are welded stabilizer bars to secure the load.



	LIFT CAPACITY	HITCH	SPEAR DIA.	SPEAR LENGTH	WEIGHT	SPIKES
<b>SINGLE FORK SD</b> HF1SDID	1500 lbs	Cat 1 or 2	1.8" Tapered	48.75"	64 lbs	1 Main 2 Stabilizer
<b>SINGLE FORK MD</b> HF1MDID	2000 lbs	Cat 1 or 2	1.8" Tapered	48.75"	98 lbs	1 Main 2 Stabilizer



# FINISH MOWER

Looking for a perfectly-manicured lawn? Look no further than the IDEAL Farm Equipment Finish Mower. This finish mower works best in ankle-deep grass, and includes a free-floating flex hitch to guarantee the contours of the land don't affect its ability to mow evenly. Your neighbors will be jealous.



	TRACTOR HP	CUTTING WIDTH	HEIGHT	LENGTH	WEIGHT	PTO SPEED	DISCHARGE
<b>5FT FINISH MOWER</b> FM5SDID	20-60	60"	34"	71"	628 lbs	540 RPM	Rear
<b>6FT FINISH MOWER</b> FM6SDID	20-60	72"	34"	73"	670 lbs	540 RPM	Rear



# LAND GRADER

IDEAL's Land Grader is the perfect implement to maintain a gravel driveway or road, smooth over a horse arena or level a garden. With its two forward-cutting blades: our Land Grader expertly turns, mixes and shifts gravel and dirt. As the implement starts to work - gravel and soil are lifted and begin flowing over the tops of the blades. Those blades are mounted on a sturdy, high-quality steel frame with runners and side pans.



	TRACTOR HP	WORKING WIDTH	OVERALL WIDTH	HEIGHT	LENGTH	WEIGHT	CUTTING EDGE
<b>6FT LAND GRADER</b> LG6SDID	20-50	72.625"	77.6"	36"	48.5"	458 lbs	(2) 3/8x6"
<b>8FT LAND GRADER</b> LG8MDID	30-65	95.625"	101.5"	36"	50.5"	569 lbs	(2) 3/8x6"

# CARRY ALL

Heavy feed bags, sod and equipment can be difficult to move. The IDEAL Farm Equipment Carry All excels at moving these objects and more. Pre-drilled holes mean you can easily attach a platform to load up large and unwieldy items.



HITCH	LIFT CAPACITY	HEIGHT	WIDTH	LENGTH	WEIGHT
Cat 1	1000 lbs	36"	33"	36"	86 lbs

## CARRY ALL CASDID





# TRAILER MOVER

For easy hook-up and go, the IDEAL Farm Equipment Trailer Mover is all you need. It hauls wagons and trailers up to 3,000 pounds. With a 2-5/16" ball on top for gooseneck trailers and a two-inch receiver on the bottom. This is the perfect tool for all types of trailers.



HITCH	LIFT CAPACITY	HEIGHT	WIDTH	LENGTH	WEIGHT
Cat 1	3000 lbs	28"	33"	8.25"	47 lbs

## TRAILER MOVER SD

TMSDID



# FIELD CULTIVATOR

The IDEAL Farm Equipment One Row Field Cultivator is the ultimate planting and weed-fighting cultivator. Its six C-shaped tines have both reversible and replaceable curved metal tips. The staggered rows of tines are adjustable. This is a great tool for small row crops such as tomatoes, peppers and corn, since it can easily tine the soil on both sides of the crop.



	TRACTOR HP	HITCH	WEIGHT	HEIGHT	LENGTH	WIDTH
<b>FIELD CULTIVATOR SD</b> FC1SDID	19-45	Cat 1	139 lbs	36"	37"	50.5"
<b>FIELD CULTIVATOR 3-BAR</b> FC3SDID	19-45	Cat 1	267 lbs	39"	37.5"	73.25"

# MIDDLE BUSTER

The IDEAL Farm Equipment Middle Buster is a great time- and labor-saving tool for both plowing and planting. It digs deep to help your garden grow. This buster includes a double-wing cutting blade to cut through even the hardest soil.



**TRACTOR  
HP**

**HITCH**

**WEIGHT**

**HEIGHT**

**LENGTH**

**WIDTH**

## MIDDLE BUSTER SD

FC1SDID

24-45

Cat 1

70 lbs

33"

15"

32"

# WIRE FENCE STRETCHER

IDEAL Farm Equipment's Wire Stretcher unrolls, stretches and holds wire fencing up to 65 inches tall. Even better – it only takes one person to set up and use this Wire Stretcher. And there's no need to worry about tangling!



**WIRE ROLL  
CAPACITY**

**HEIGHT**

**LENGTH**

**WIDTH**

**WEIGHT**

## WIRE FENCE STRETCHER

WSSDID

65"H x 24" Diameter

71"

32.5"

16"

183 lbs



# FERTILIZER SPREADER

The IDEAL Fertilizer Spreader and Seeder is equipped with a seamless, 1-piece, 850 lb. capacity hopper. The reversible lift arm pins accommodate different size tractors, and a PTO driven spin broadcast with super-treated spreading disc ensure an even and consistent spread.



	TRACTOR HP	HEIGHT	TUB CAPACITY	SPREADING WIDTH	SPREADING RANGE	MEDIA
<b>FERTILIZER SPREADER</b> PFSID	Min. 18	36"	500 lbs	12-60"	13-1685 lbs/acre	Fertilizer Seed
<b>FERTILIZER SPREADER</b> FSID	Min. 24	42"	850 lbs	12-60"	13-1685 lbs/acre	Fertilizer Seed



# DISC MOWER

IDEAL Equipment's Disc Mower is the best option for efficiently cutting hay. This implement expertly mows through tough, thick crop with a series of discs to give you a clean, even cut over rough ground with no clogging. Each oval shaped disc with two knives gives you maximum overlap and the blades are easy to remove and replace. The mower's design allows the cutter bar to ride evenly over rough terrain.



	HITCH	PTO DRIVE	TRACTOR HP	CUTTING WIDTH	WEIGHT	DISC	KNIVES
<b>7FT DISC MOWER</b> DM7MDID	Cat 1 or 2	540 RPM	40-150	6'6"	874 lbs	5	10
<b>8FT DISC MOWER</b> DM8MDID	Cat 1 or 2	540 PRM	45-150	7'9"	975 lbs	6	12
<b>9FT DISC MOWER</b> DM9MDID	Cat 2	540 RPM	55-150	9'	1,144 lbs	7	14

# WIRE UNROLLER

Trouble on the fence line is not uncommon on a farm. Whether your herd took down a section of fence, or you need to extend a paddock into additional space, IDEAL Equipment's UTV Wire Unroller makes it easy. Our Wire Unroller holds various wire sizes, and is the quickest, most cost-effective way to quickly unroll that fence wire you are repairing or replacing.



	APPROX. WEIGHT	HEIGHT	LENGTH	WIDTH	HITCH
<b>UTV WIRE UNROLLER</b> UWU2ID	26 lbs	12"	23"	24"	2" Ball
<b>UTV WIRE UNROLLER</b> UWUID	32 lbs	12"	25"	24"	2" Receiver



# DISC CULTIPACKER

This is your all-in-one soil implement combo for UTVs, ATVs and even small tractors. With IDEAL Equipment's UTV Disc/Cultipacker Combo, you'll have a garden ready to grow in no time. This implement has an eight-blade tillage disc and an adjustable cultipacker, giving you versatility and options as you prepare your soil and start seeding. The two-way ratchet gives you leeway to adjust height based on the weight of the load.



APPROX. WEIGHT	HEIGHT	LENGTH	WIDTH
----------------	--------	--------	-------

## 5FT DISC/CULTIPACKER

UDC5ID

711 lbs

34"

90"


76"





# FLIP DISC

IDEAL Equipment's Flip Disk is an 8-blade tilling dream. It's easy to use with your UTV or small tractor. With 16-inch blades and a 20-degree cutting angle, it's one of the most efficient ways to prep your garden or small plot in very little time – plus digging deeper is simple, just weight the solid steel top bracket and go. You'll cover 55 inches with each pass. A simple hitch allows you to flip over for quick transport on the wheel side.



APPROX. WEIGHT	HEIGHT	LENGTH	WIDTH
----------------	--------	--------	-------

**5FT FLIP DISC**  
UFD51D

231 lbs	32"	63"	55"
---------	-----	-----	-----



# FERTILIZER SPREADER

This lightweight, easy to pull spreader will send seed, feed, fertilizer and/or other free-flowing material up to 20 feet across your garden or field. You can load up to five bushels (300) pounds in the spreader, allowing you to cover nearly 65,000 square feet in one run. This implement's adjustable flow window and easy to read spreading chart ensures you're dispensing just the right amount of fertilizer.



HEIGHT	APPROX. WEIGHT	LENGTH	WIDTH	MEDIA
--------	----------------	--------	-------	-------

## FERTILIZER SPREADER

UFSID

48"	136 lbs	6' Including Drawbar	40"	Fertilizer Seed
-----	---------	----------------------	-----	-----------------



# DISC HARROW

IDEAL Equipment's UTV Disc Harrow is one of the most useful garden implements you'll ever own. Perfect for tilling the soil for a garden, or to chop up unwanted weeds and old crops, this DISC Harrow attaches to UTVs, ATVs and small tractors with a simple 2" ball hookup. The 16" blades are adjustable and cut deep even in tough soil. You'll have four feet of cutting width, and can easily adjust the wheel height with a ratchet.



APPROX. WEIGHT	HEIGHT	LENGTH	WIDTH
----------------	--------	--------	-------

**5FT DISC HARROW**  
UDH5ID

430 lbs	30"	61"	76"
---------	-----	-----	-----



# MANURE SPREADER

This is the perfect solution for small horse farm owners. IDEAL Equipment's UTV Manure Spreader is sturdy and dependable. With a 13 cubic foot capacity, this spreader attaches to any ATV, UTV or small tractor with ease. Simply flip the lever on the chain-driven agitator system when you're ready to spread. The steel frame and extruded aluminum drum are designed for longevity and reliability.



HEIGHT	APPROX. WEIGHT	LENGTH	WIDTH
--------	----------------	--------	-------

## MANURE SPREADER UMS10ID

27"	207 lbs	74"	51"
-----	---------	-----	-----



# BUCKET RAKE

If you're looking to remove rocks or brush, this rake picks it out easily and perfectly. Use it with your loader, tractor, skid steer or anything that has a bucket to remove everything from roots and small trees to brush and rocks. This works like magic to prepare a garden, clear a field or work on driveways. Available in 52" or 68" size, and includes the steel cables and ratchet straps you'll need to attach it



	HEIGHT	APPROX. WEIGHT	WIDTH	LENGTH
<b>52" BUCKET RAKE</b> BR52SDID	8"	83 lbs	52"	10"
<b>68" BUCKET RAKE</b> BR68SDID	8"	100 lbs	68"	10"

# HAY FORK

You can literally lift a ton with IDEAL Equipment's Single Spear Bucket Hay Fork. This implement easily mounts and dismounts using a simple single bolt. Hay bales up to 2,000 pounds are no match for its stability and hold. Two rugged stabilizer bars keep the bale in place as you maneuver. There's no need to worry about rust or corrosion with IDEAL's powder coat finish.



	LIFT CAPACITY	HITCH	SPEAR DIA.	SPEAR LENGTH	WEIGHT	SPIKES
<b>BUCKET SINGLE FORK</b> HFB1ID	2000 lbs	Bolts To Bucket	1.8" Tapered	48.75"	68 lbs	1 Main 2 Stabilizer

# HAY FORK

IDEAL Equipment's Front Single Spear Hay Fork makes moving and lifting round hay bales a breeze. This implement attaches easily to your tractor (with a universal quick-attach), allowing you to lift up to 2200 pounds. Both the bolt-on stabilizer bars and the heat-treated spear are replaceable as needed. This corrosion-resistant hay fork is designed for a long-life at your farm or ranch.



**LIFT  
CAPACITY**

**HITCH**

**SPEAR  
DIA.**

**SPEAR  
LENGTH**

**WEIGHT**

**SPIKES**

## FRONT SINGLE FORK

HFF1ID

2000 lbs

Universal  
Quick Hitch

1.8"  
Tapered

48.75"

167 lbs

1 Main  
2 Stabilizer



# PALLET FORK

Need to move firewood, fence posts, lumber, logs or heavy hay bales? IDEAL Equipment's Pallet Fork is a quick attach implement that works great on compatible tractors and skid steer loaders. Hook up to the front of your tractor and you've got lifting power like no other. It will also solve your heavy-lifting problems quickly, and doubles as a helper for clearing brush and debris on your farm.



HEIGHT	APPROX. WEIGHT	WIDTH	LENGTH	FORK LENGTH	CAPACITY
--------	----------------	-------	--------	-------------	----------

## PALLET FORK

PF342ID

34.5"	368 lbs	45.5"	48"	42"	3000 lbs
-------	---------	-------	-----	-----	----------





# SNOW PUSHER

IDEAL's Front Attach Snow Pusher clears out an area faster than a snow plow. This implement efficiently and evenly pushes snow straight ahead in any environment without missing a spot. There's no need to worry about damaging the pavement with the pusher's 8" replaceable and adjustable rubber cutting edge guards. Compatible with front-end loaders, skid steers, and compact track loaders.



	HEIGHT	APPROX. WEIGHT	WIDTH	LENGTH
<b>6FT GRADER BLADE LD</b> SP6SDID	30"	448 lbs	74"	28"
<b>8FT GRADER BLADE LD</b> SP8SDID	36"	605 lbs	94"	33"







# NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---





750 Wallace Wilkinson Blvd

Liberty, KY 42539

1-888-401-2003

[www.idealfarmequipment.com](http://www.idealfarmequipment.com)