

Teagle

Tomahawk 505M

Description Chop bales of dry material to a consistently short length for feeding or bedding applications. • 5ft. Diameter Round Bales • 4ft. x 4ft. x 8ft Rectangular Bales • Dry Material Only • Distance Blown >23ft @ 1000		Specifications • 3 Pt. Cat 2 /3 **NEW** • 1000 RPM • Slip & Overrun Clutch PTO • Single acting Hyd.Drum Drive • PTO req. min. 80hp Std Drum/ 100 hp XLM Drum • Weight 2310lbs. • Std. Drum Length 5ft. • Supplied with One Screen			
Additional Information is available on the Teagle website					
Item		Part Number	Description	Price	
Base machine		T505M	Tomahawk 505M c/w 5ft. Drum Knife Rotor (std. production) with 72" Drum Length in Lieu of Standard 5 ft. & Hydraulic Top Link, Left hand lower chute.	\$36,972.00	
Tomahawk 505XLM		T505XLM	9ft. Drum Length Machine for rectangular bales & Hydraulic Top Link, Left hand lower chute.	\$44,208.00	
All Screen are now manufactured in Abrasive Resistant Steel (Hardox) Please specify which size is to be supplied at time of machine order		SC1775	5/16" Screen	\$1,620.00 for each additional screen	
		SC1674	3/8" Screen		
		SC1673	1/2" Screen		
		SC1676	19/32" Screen		
		SC1695	23/32" Screen		
		SC1660	13/16" Screen		
		SC1776	1" Screen		
		SC1677	1-1/8" Screen		
		SC1661	1-7/16" Screen		
		SC1771	2"x1-5/8" Slotted Screen		
SC1662		5" x 1-5/8" Slotted Screen			
PTO Options					
6 Spline PTO - Standard		PTO8125	6 Spline Tractor End	Std.	
21 Spline PTO - in lieu		PTO8132	21 Spline Tractor End (PTO8130+PTO4116)	\$1,602.00	
6 Spline WAJ PTO - in lieu		PTO8130	6 Spline Tractor End WAJ at Machine end	\$1,602.00	
Chute Options					
Left Hand Lower Chute		SC1867	Left Hand Lower Discharge Chute	Std.	
<i>Options Lower Chute</i>		SC1873	Hose Adaptor (7" Dia.) for SC1867	\$558.00	
		SC1871	135 deg. Rearward lower chute deflector for SC1867	\$1,764.00	
Left Hand Giraffe Chutes		SC1227	Chute for Dry material only	\$1,512.00	
		SC1964	Mechanical Swivel Chute Dry Material	\$2,502.00	
<i>Options L/H Giraffe Chutes</i>		SC1337	Hyd. Control Discharge Flap on SC1227	\$1,332.00	
		SC1966	Hyd. Rotation Kit for SC1964	\$1,692.00	
		SC1442	Hyd. Control Discharge Flap on SC1964	\$1,332.00	
Right Hand Chute				Std.	
<i>Options R/H Chute</i>		SC1725	Hydraulic Control RH Chute Flap	\$1,332.00	
Miscellaneous Options					
Remote Drum Speed Control		SC1330	Control Drum Speed using radio remote control	\$3,294.00	
Hyd. Flow Control		SC1332	Drum Speed when no Flow/Control on Tractor	\$1,026.00	
Hydraulic Top Link		HTL	Hydraulic Top Link Cat 2/3 - with check valve	\$1,692.00	
Dust Supression					
Tailgate Mesh		SC2230	Fine Mesh For Tailgate	\$1,188.00	
Dust seal kit		SC2254 + SC1996	Drum/Backplate seal kit, including brush seal	\$1,368.00	
Liquid Spray Kit		SC2350 + EC1038	Tank, power lead enclosure, hose and nozzles	\$4,122.00	

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle

Tomahawk 5050

Description Chop bales of straw or shred silage for feeding or bedding applications. · 5ft. Diameter Round Bales · 4ft. x 4ft. x 8ft Rectangular Bales · Wet & Dry Material · Distance Blown 25ft. @ 540 · Distance Blown >30ft. @ 1000	Specifications · 3 Pt. Cat 2 /3 **NEW** · 540 or 1000 RPM · Slip & Overrun Clutch PTO · Single acting Hyd.Drum Drive · PTO req. min. 80hp Std Drum/100 hp XL Drum · Weight 2105lbs. · Std Drum Length 5ft.	
--	---	--

Additional Information is available on the Teagle website

Item	Part Number	Description	Price
Base machine	T5050	Tomahawk 5050 with 6' drum length in lieu of standard 5' drum, c/w hydraulic top link & left hand lower discharge chute.	\$35,982.00
Tomahawk 5050XLM	T5050XL	Tomahawk 5050XL with 9' drum length machine for rectangular bales, c/w hydraulic top link & left hand lower discharge chute.	\$43,524.00

PTO Options

6 Spline PTO -	PTO8125	6 Spline Tractor End	Std.
21 Spline PTO - in lieu	PTO8127	21 Spline Tractor End In Lieu of 6 Spline	\$0.00
6 Spline WAJ PTO - in lieu	PTO8130	6 Spline Tractor End WAJ at Machine end	\$1,602.00

Chute Options

Left Hand Lower Chute	SC1867	Left Hand Lower Discharge Chute	\$684.00
Options Lower Chute	SC1873	Hose Adaptor (7" Dia.) for SC1867	\$684.00
	SC1871	135 deg. Rearward lower chute deflector for SC1867	\$1,422.00
Left Hand Giraffe Chutes	SC1305	Chute for Silage, Hay & Straw	\$2,160.00
	SC1964	Mechanical Swivel Chute Dry Material	\$2,502.00
Options L/H Giraffe Chutes	SC1338	Hvd. Control Discharge Flap on SC1305	\$1,332.00
	SC1966	Hvd. Rotation Kit for SC1964	\$1,692.00
	SC1442	Hvd. Control Discharge Flap on SC1964	\$1,620.00
Right Hand Chute			Std.
Options R/H Chute	SC1339	Hydraulic Control RH Chute Flap	\$1,332.00
Strawberry Chute Kit	SC1876	Requires Lower Chute Kit SC1867	\$2,016.00

Miscellaneous Options

Hyd. Flow Control	SC1332	Drum Speed when no Flow/Control on Tractor	\$1,224.00
Hydraulic Top Link	HTL	Hydraulic Top Link Cat 2/3 - with check valve	Std. 1,692.00

Dust Suppression

Tailgate Mesh	SC2230	Fine Mesh For Tailgate	\$1,188.00
---------------	--------	------------------------	------------

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle

Tomahawk 500B

Description Process material outside, distribute inside for increased bio security. The booster fan with on-board hydraulic system (PTO driven) can transfer straw up to 320ft. · 5ft. Diameter Round Bales · 4ft. x 4ft. x 8ft. Rectangular Bales Dry Material Only · Includes radio remote drum control	Specifications · 3 Pt. Cat 2/3 · 1000 RPM · Slip & Overrun Clutch WAJ PTO · Single acting Hyd.Drum Drive · PTO req. min. 120 hp · Weight 3065lbs. · Weight 3840lbs. (XLM).	
--	--	--

Additional Information is available on the Teagle website

Item	Part Number	Description	Price
9ft Tomahawk 505BXL	500BXL	9ft. Drum Length in Lieu of Standard 5ft.	\$77,544.00
Rotor / Screen Options - See T505M			
Chute Options			
Non-supply of RH Chute		For improved straw containment	\$576.00
PTO Options			
6 Spline WAJ PTO	PTO8130	6 Spline Tractor End WAJ at Machine end	Std.
Miscellaneous Options			
Hyd. Flow Control	SC1332	Drum Speed when no Flow/Control on Tractor	Std.
Booster Fan Options			
127mm Hose Kit x 20m	SC2307	Complete with male coupler and clips	\$2,430.00
Straw Divertor Valve	SC2336	Asymmetric diverter valve L/H	\$2,322.00
Straw Divertor Valve	SC2341	Asymmetric diverter valve R/H	\$2,322.00
Straw Divertor Valve	SC2337	Symmetric diverter "Y" valve	\$2,628.00
Rearward deflector kit	SC2335	Deflector for Bauer connector	\$1,512.00
Dust Suppression			
Tailgate Mesh	SC2230	Fine Mesh For Tailgate	Std.
Dust seal kit	SC2254	Drum/Backplate seal kit, including brush	Std.
Liquid Spray Kit	SC2350	Tank, power lead enclosure, hose and nozzles for booster fan	\$4,122.00



Dust Suppression Spray Kit



Asymmetric Divertor Valve

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle Tomahawk 500FS (Feed Slide)

Description See T505M / T5050 with the following benefits: • Non-stop processing for high output up to 4 tons/hr • Straightforward loading and removal of bale net / twine • For round bales up to 5ft, or rectangular bales up to 4ft x 4ft x 8ft • Feed slide cannot be retrofitted and is not available for T404M / T4040	Specifications • Wide Angle PTO Standard • 3 Pt. Cat 2 /3 **NEW** • Drum flow control valve Standard • Hydraulic control of feed slide angle • Tractor 140hp (mounted) • Tractor 80hp (trailed option) • 3 hydraulic services required • Weight : T505FSM 2778lbs / T5050FS 2980lbs		
Additional Information is available on the Teagle website			
Item	Part Number	Description	Price
Base machine T505M	T505FSM	Tomahawk 505M with 1.85m drum and feed slide & hydraulic top link.	\$53,802.00
Base machine T5050	T5050FS	Tomahawk 5050 with 1.85m drum and feed slide & hydraulic top link	\$51,642.00
<i>Chute Options - See T5050</i>			
PTO Options			
6 Spline WAJ PTO	PTO8130	6 Spline Tractor End WAJ at Machine end	Std.
21 Spline WAJ PTO - in lieu	PTO8132	21 Spline Tractor End In Lieu of 6 Spline	Std.
Chute Options - See T505M / T5050			
Non-supply of RH Chute		For improved straw containment	\$558.00
Miscellaneous Options			
Remote Drum Speed	SC1330	Control drum speed using radio remote control	\$3,294.00
Hyd. Flow Control	SC1332	Control drum speed from ground level	Std.
Hydraulic Top Link	HTL	Hydraulic Top Link Cat 2/3 - with check valve	Std. \$1,692.00
Dust Supression			
Dust seal kit	SC1996 + SC2254	Drum/Backplate seal kit, including brush	Std.
Liquid Spray Kit	SC2350 (+EC1038)	Tank, power lead enclosure, hose and nozzles (Power Lead and Junction Box depending on serial number)	\$4,122.00



Can be attached to Optional Trailed Chassis

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle

Tomahawk Trailed Chassis

Description

A trailed chassis to fit all models of Drum Tomahawks. Recommended for smaller tractors or for improved maneuverability.
 • Not for Highway Use
 • Pivoting axle to set drum angle
 • Includes extension hydraulic hoses for Drum Tomahawk

Specifications

- Lower Link Beam as Standard
- Ring Hitch included
- Check valves in hydraulic rams
- 10.5x15 6 Stud Wheels and Tires
- Weight 970lbs.
- Tractor requires 1 x double acting service for chassis and 1 double acting for Tomahawk.



Additional Information is available on the Teagle website

Item	Part Number	Description	Price
Base machine	RDC	Trailed Chassis for use with drum Machines	\$13,356.00
PTO Options			
6 Spline WAJ PTO - in lieu*	PTO8130	Upgrade the standard PTO to WAJ (at machine end)	\$1,548.00
6 Spline WAJ PTO - retrofit	PTO8130	Upgrade the standard PTO to WAJ (at machine end)	\$3,456.00

* must be ordered at same time as Drum Tomahawk. Note WAJ PTO standard with T500B.

Image shows T500B on trailed chassis



PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle		Tomahawk 500E (Electric Drive)	
Description No tractor required. Convenient operation with stationary machine Fits Tomahawk 500 series models Intuitive electronic controls with load monitoring Sequenced rotor and drum speed Robust subframe for machine and main drive		Specifications Two rotor motor size options Dust seal kit standard Inverter control system Control cabinet included	
Additional Information is available on the Teagle website			
Item	Part Number	Description	Price
Base machine	T505M	Tomahawk 505M with 1.55m drum - configured for electric	\$33,570.00
Rotor / Screen Options - See T505M - Please specify screen size and Hammer/Blade rotor at time of ordering			
Dust Supression			
Dust seal kit	SC1996 + SC2254	Drum/Backplate seal kit, including brush	Std.
Liquid Spray Kit	SC2350	Tank, power lead enclosure, hose and nozzles (Power Lead and Junction Box depending on serial number)	\$4,122.00
Chute Options - See T505M			
Motor Options			
45kW DC motor	EDS45	45kW electric rotor drive motor complete with control cabinet	\$83,412.00
55kW DC motor	EDS55	55kW electric rotor drive motor complete with control cabinet	\$87,192.00
Booster fan Option			
Booster fan with electric	EDS BOOSTER	Booster fan, 11kW electric Motor, 127mm hose adaptor	\$23,742.00
Feed Conveyor Options			
First feed conveyor	EDS CONV1	3m feed conveyor attached to drum incl. 1.5kW el. motor	\$22,842.00
Additional feed conveyor	EDS CONV2	3m feed conveyor attached to prev. conveyor incl. 1.5kW el. motor	\$20,862.00
MUST COMPLETE QUESTIONNAIRE - CONTACT HARCO AG OR SEE OUR WEBSITE UNDER TEAGLE PRICE LIST FOR A COPY 			

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle		Tomahawk C12	
Description High Capacity bale processor for precision milling of dry materials such as straw for livestock feeding and bedding. · 6.5ft Diameter Round Bales · 4ft. x 4ft x 8ft Rectangular Bales · Suitable for Dry Materials <20% moisture content · Includes 6 quick change screens · Auto Greasing System		Specifications · Trailed Machine with air/ hyd. brakes · Shear Bolt & Overrun Clutch PTO 1000rpm · Clevis Hitch Drawbar · Road Lights · Bluetooth Electric Controls · Homologated to 25 mph · Min PTO 180HP · Weight 9240 lbs.	
			
Additional Information is available on the Teagle website			
Item	Part Number	Description	Price
Base machine	C12	Tomahawk C12 High Capacity Bale Processor (incl. 40 gallons hydraulic oil). Auto Greasing Kit.	\$180,822.00
Rotor Options			
Screen Sizes Six screens supplied with machine - Please specify which sizes are to be supplied at time of machine order - additional screens prices indicated here.	CM2366	4-15/16s" 125mm Screen	REFER TO C120 FOR PRICING ON PAGE 38
	CM2072	3-15/16ths." 100mm Screen	
	CM2073	2-15/16ths." 75mm Screen	
	CM2074	2-3/8ths." 60mm Screen	
	CM2079	2" 50 mm Screen	
	CM2075	1-9/16ths" 40mm Screen	
	CM2076	1-3/16ths." 30mm Screen	
	CM2077	13/16ths." 20mm Screen	
	CM2361	1/2" 13mm Screen	
	CM2373	3/8ths." 10mm Screen	
	CM2078	5/16th" 8mm Screen	
	CM2376	1/4" 6mm Screen - For grain milling hopper	
	CM2374	3/16th" 5mm Screen - For grain milling hopper	
	CM2080	5/32nd". 4mm Screen - For grain milling hopper	
	CM2375	1/8th." 3mm Screen - For grain milling hopper	
PTO Options			
21 Spline PTO - in lieu	PTO8142	21 Spline Tractor End In Lieu of 6 Spline	
Highway / Trailed Options			
Road Lights	SC4269	LED Road Light Kit	
Jack	CM2545	Manual Hydraulic Drawbar Jack	
Brake System Air & Hyd.	CM2340	Combined Optional Brake system, Air & Hydraulic, in lieu of Air Only	
C-Type Air Brake Coupling	TB1155	Standard C-Type Coupling	
Palm Type Air Brake	TB1156	Palm type in-lieu of C-Type	
K80 Hitch	SC5018	K80 Ball Hitch in Lieu of standard ring hitch	
Clevis Hitch	SC5051	Clevis Hitch in Lieu of ring hitch - (not homologated)	
Miscellaneous Options			
Conveyor Deflector	CM2143	Deflector to control discharge of material from conveyor	
Oil heater	EC2017 + EC2018	Hydraulic tank oil heater	
Low temperature conveyor	SC2377	Extend min. operating temperature	
Hopper - not including scree	GMH	Hopper for grain milling - capacity 1350lbs (Barley). Does not include screens. Select 2 from the list above.	
Hopper Extensions	CM3040	Increase capacity to 2400lbs. Bucket opening width from 96" to 106".	
			
Grain Milling Hopper		NEW : Auto Greasing System as Standard	

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle		Tomahawk C120	
Description High Capacity bale processor for precision milling of dry materials such as straw for livestock feeding and bedding. • 6.5ft Diameter Round Bales • 4ft. x 4ft x 8ft Rectangular Bales • Suitable for Dry Materials <20% moisture content • Includes 6 quick change screens • Auto Greasing System		Specifications • Trailed Machine with air/ hyd. brakes • Shear Bolt & Overrun Clutch PTO 1000rpm • Clevis Hitch Drawbar & Jack • Road Lights • Bluetooth Electric Controls • Homologated to 40 kmph • Min PTO 180HP • Weight 12125 lbs.	
Additional Information is available on the Teagle website			
Item	Part Number	Description	Price
Base machine	C120	Tomahawk C120 High Capacity Bale Processor (incl. 40 gallons hydraulic oil). Auto Greasing Kit.	\$266,976.00
Mill Screen Options - 6 screens included with machine, specify when ordering.			
Screen Sizes Six screens supplied with machine - Please specify which sizes are to be supplied at time of machine order - additional screens prices indicated here.	CM2365	4-15/16s" 125mm Slotted Screen	\$1,260.00
	CM2366	4-15/16s" 125mm Screen	\$1,260.00
	CM2072	3-15/16ths." 100mm Screen	\$1,260.00
	CM2073	2-15/16ths." 75mm Screen	\$1,260.00
	CM2074	2-3/8ths." 60mm Screen	\$1,260.00
	CM2079	2" 50 mm Screen	\$1,260.00
	CM2075	1-9/16ths" 40mm Screen	\$1,260.00
	CM2076	1-3/16ths." 30mm Screen	\$1,710.00
	CM2077	13/16ths." 20mm Screen	\$1,710.00
	CM2361	1/2" 13mm Screen	\$1,710.00
	CM2373	3/8ths." 10mm Screen	\$1,710.00
	CM2078	5/16th" 8mm Screen	\$1,170.00
	CM2376	1/4" 6mm Screen - For grain milling hopper	\$1,170.00
	CM2374	3/16th" 5mm Screen - For grain milling hopper	\$1,170.00
	CM2080	5/32nd". 4mm Screen - For grain milling hopper	\$1,170.00
	CM2375	1/8th" 3mm Screen - For grain milling hopper	\$1,170.00
	CM2378	5/32nd" 4mm Slotted Screen - For grain milling hopper	\$2,034.00
	CM2379	1/8th" 3mm Slotted Screen - For grain milling hopper	\$2,034.00
Adjustable Bale restraint		Adjustable bale restraint (bolted) to allow operator to optimise output for different materials.	Std.
PTO Options			
6 Spline PTO	PTO8140	6 Spline Tractor End	Std.
21 Spline PTO - in lieu	PTO8142	21 Spline Tractor End In Lieu of 6 Spline	\$522.00
20 Spline PTO - in lieu	PTO8140 + PTO4190	20 Spline Tractor End In Lieu of 6 Spline	\$1,424.00
Highway / Trailed Options			
Road Lights	SC4269	LED Road Light Kit	Std.
Jack	CM2545	Hydraulic Drawbar Jack Powered by Tractor Aux.	Std.
Brake System Air & Hyd.	CM2340	Combined Brake system, Air & Hydraulic,	Std.
C-Type Air Brake Coupling	TB1155	Standard C-Type Coupling	Std.
Palm Type Air Brake Coupling	TB1156	Palm type in-lieu of C-Type	\$0.00
K80 Hitch	SC5018	K80 Ball Hitch In Lieu of standard ring / clevis hitch	\$792.00
Clevis Hitch	SC5051	Clevis Hitch In Lieu of ring hitch - (not homologated)	Std.
Miscellaneous Options			
Conveyor Deflector	CM2143	Deflector to control discharge of material from conveyor	\$1,530.00
Oil heater	EC2017 + EC2018	Hydraulic tank oil heater for 110V	\$1,350.00
Low temperature conveyor	CM3122 +CM3162	Extend min. operating temperature Below -22deg F (-30deg C)	\$4,014.00
Grain Milling Hopper			
Hopper - not including screens	GMH120	Grain Milling Hopper - capacity 85 Bushel. Does not include screens. Select at least 2 from the list above.	\$22,176.00
Non-homologated options - not available UK & EUR			
Tub - fixed in lieu of folding sides*	CM2321	Bolted infill panels for the tub - in lieu of folding	-\$1,116.00
Combined Air Hydraulic brakes*	CM2349	Additional hydraulic lines for braking	\$558.00
Hydraulic brakes only*	CM2342	Non-supply of air brake kit	-\$756.00
Non-supply of wheels / mudguards		Steel transport wheels in lieu of wheels/mudguards	-\$1,692.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle

TOMAHAWK 6100H

Description

- Spread bales of straw using a Telehandler / Tractor
- Hydraulic Folding Bale Clamp Opt.
- **Stop / Start Fan Control**
- Max. 5' Diameter Round Bales
- Half a 4' x 4' x 8' Rectangular Bale
- Suitable for **Straw and dry materials**
- Max. Spreading distance 40'
- **NO PTO REQUIRED!**

Specifications

- Minimum handler capacity 1.4 tons
- Minimum handler oil flow 40 l/min (10.5 gal/min). Improve performance at 50l/min (13.2gal/min)
- Minimum handler oil pressure 160 bar (2320psi)
- Bluetooth Electric Controls
- Weight without brackets : 1713/1892 lbs without/with bale clamp.



Additional Information is available on the Teagle website

Item	Part Number	Description	Price
Base machine	T6100H **NEW**	Tomahawk 6100H - Hydraulic drive straw spreader with side extensions	\$45,162.00
Hydraulic Bale Clamp	SC6540	Bale Clamp in lieu of chain to retain bale (WiFi control)	\$3,600.00
Skidsteer Mounting Bracket			
Skidsteer Bracket	SC6220	Skidsteer KIT including mounting brackets	\$1,710.00
Tractor Mounting Bracket			
Tractor Bracket	SC6215	Category 2/3 Bracket for Tractor	\$2,250.00
Hydraulic Top Link	HTL	Hydraulic Top Link Cat 2/3 - with check valve	\$1,692.00
Handler Mounting Brackets			
See T6200 Specifications			
Miscellaneous Options			
Non-Supply Side Extensions	SC6550	For extra capacity	-\$540.00
Hvd. Oil Filter	SC6565	In Line Hydraulic Pressure Filter	Std.

Tractor Front Loader



Tractor-Front Loader or 3 Point Hitch



Skidsteer



Bale Clamp



Side Extensions



Brackets



**A 3/4" freeflow return fitted to the handler using flat face fittings is recommended for best performance.
These items are not available from Teagle and are dealer fit.**

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle			TOMAHAWK 6200H
Description - Spread bales of straw using a Telehandler / Tractor - Upgraded crossbeater driveline - Hydraulic Folding Loading Gate Std. - Stop / Start Fan Control - Max. 5 ft. Diameter Round Bales 4 ft x 4 ft x 8 ft Rectangular Bales - Suitable for Straw and dry materials - Max. Spreading distance 44 ft. NO PTO REQUIRED!		Specifications - Minimum handler capacity 2.8 tons - Minimum handler oil flow 60 l/min (13.3 gal/min) - Minimum handler oil pressure 160 bar (2320psi) - Bluetooth Electric Controls - Weight 3219 lbs (without brackets)	
Additional Information is available on the Teagle website			
Item	Part Number	Description	Price
Base machine	T6200H	Tomahawk 6200H - Hydraulic drive straw spreader with in-line hydraulic pressure filter	\$60,372.00
Tractor Mounting Bracket			
Tractor Bracket	SC6215	Category 2/3 Bracket for Tractor	\$2,250.00
Handler Mounting Brackets			
Please verify brackets with Teagle before ordering. Engineering drawings available for reference.	SC6001	JCB Q fit	\$1,566.00
	SC6005	Merlo ZM2 P26/27/30	
	SC6010	JCB / / Matbro / John Deere Pin and Cone	
	SC6015	Manitou	
	SC6020	New Holland	
	SC6025	Claas Scorpion (Dark Grey), also Kramer Telescopic	
	SC6030	Caterpillar Telescopic after Sept 2000 TH337C/226C	
	SC6035	Claas Scorpion (Light Grey Older Models)	
	SC6040	JCB Tool Carrier	
	SC6045	JCB Compact Toolcarrier	
	SC6050	Dieci	
	SC6055	Kramer older models 380, 412, 516, 520, 620, 712	
	SC6060	Volvo	
	SC6065	Bobcat / Massey 8925, 8926	
	SC6070	Euro 8	
	SC6090	Merlo ZM3	
	SC6095	Terex	
	SC6200	Weideman	
	SC6210	Atlas	
	SC6220	Skidsteer	
	SC6350	Blank Plates (incl u-bolts) for customer attachment weld	\$630.00
Highway / Trailed Options			
Road Lights	SC6275	LED Road Light Kit incl. number plate bracket and light + EC1123	\$1,314.00
Miscellaneous Options			
Loading gate Switch	SC6295	To operate loading gate from the ground. Specify whether machine is front or rear	\$910.00
Crossbeater Hooks / Blades	N/A	Specify hooks / blades (SC1100) at time of ordering.	\$0.00
Hyd. Oil Filter	SC6153	In Line Hydraulic Pressure Filter	STD
Hydraulic Flow Divider and Oil Filter (combined)	SC6157	Req. for Hyd oil flows over 120 l/min (26.6 gal/min) / 270 bar 3915psi @ 80 ° (176 °F)	\$738.00
Ski Jump Chute Kit - Hydraulic Control	SC6277	For SC models to deliver straw into calf hutches and pig arcs or under trees. Includes extended yellow beak. Includes hydraulic control of chute angle (separate hydraulic service required).	\$2,430.00
A 3/4" freeflow return must be fitted to the handler using flat face fittings. These items are not available from Teagle and are Dealer Fit. 			

PRICED IN CANADIAN DOLLARS
PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle

TOMAHAWK 6200P

Description

- Spread bales of straw/ dry hay
- Tractor 3 pt mount,
- Hydraulic crossbeater with load sensing and reverse
- PTO with shearbolt to fan
- Max. 5' (1.5m) Diameter Round Bales
- 4' (1.2m) x 4' (1.2m) x 8' (2.4m) Rectangular Bales
- Max. Spreading distance 20m
- Single speed gearbox

Specifications

- PTO req. min. 90hp/70kW
- Minimum oil flow 13.3 gal/min (35 l/min)
- Hydraulic loading gate
- Bluetooth Electric Controls
- Weight 3670lb (1577kg)



Additional Information is available on the Teagle website

Item	Part	Description	Price
Base machine	T6200P	Tomahawk 6200P - Hydraulic drive straw spreader	\$55,800.00
PTO Options			
6 Spline PTO	PTO8089	6 Spline Tractor End - Shear Bolt	Std.
Highway / Trailed Options			
Road Lights	SC6275	LED Road Light Kit incl. number plate bracket and light	\$1,314.00
Miscellaneous Options			
Tailgate Switch	SC6295	To operate tailgate from the ground. Specify whether machine is front or rear mounted.	\$936.00
Hyd. Oil Filter	SC6153	In Line Hydraulic Pressure Filter	Std.
Ski Jump Chute Kit - Hydraulic Control	SC6183	For SC models to deliver straw into calf hutches and pig arcs or under trees. Includes extended yellow beak. Includes hydraulic control of chute angle (separate	\$2,430.00



Valid from 01.07.2026 : All prices are in GB Pounds Sterling; net ex works.

The company's policy is one of continuous improvement and development; therefore specifications are subject to change without prior notice. Product improvements will apply as production schedules permit. All dimensions are approximate.

Teagle

Tomahawk 8200

Description

Spread bales of straw for bedding or shred silage for feeding applications.

- 6ft. 6inch Diameter Round Bales
- 4ft x 4ft x 8ft Rectangular Bales
- Suitable for **Straw, Hay and Silage**
- Max. Spreading distance >65ft

Specifications

- Mounted or Trailed
- Slip & Overrun Clutch PTO
- Rear Tailgate Switch
- Bluetooth Electric Controls
- 2 speed Gearbox - 540 RPM PTO
- PTO req. min. 60hp/45kW Trailer
- PTO req. min. 140hp Mounted
- Weight > 4600 lbs.
- Standard wheels 10.0/75-15



(also available in trailed format)

Additional Information is available on the Teagle website

Item	Part Number	Description	Price
Base machine	T8200M	T8200 Swivel Chute - fixed bale restraint - 3 point mounted	\$61,811.00
	T8200T	T8200 Swivel chute - fixed bale restraint - Trailed (unbraked)	\$66,496.00
	T8200SM	T8200 Swivel Chute - SYNCHRO Control - 3 point mounted	\$64,889.00
	T8200ST	T8200 Swivel chute - SYNCHRO Control - Trailed (unbraked)	\$69,574.00
PTO Options			
6 Spline WAJ PTO - in	PTO8085	6 Spline Tractor End, WAJ at Machine end	\$1,494.00
Highway / Trailed Options			
Road Lights	SC7120	Optional for Mounted LED Road Light Kit with EC1123 Standard Equipment with Trailed Machine with EC1123	\$1,314.00 Std.
Jack	SC7147	Drawbar Jack	Std.
Clevis Hitch	SC5051	Clevis Hitch in Lieu of Standard Ring Hitch	Std.
Crossbeater Options			
Extra Blade Kit	SC3768	For Standard Staw / Silage Crossbeater (Additional 48 blades)	\$576.00
Hook Ripper Kit	SC7138	Increased Feed Rate Less chopping Standard Straw/ Silage Crossbeater	\$378.00
Miscellaneous Options			
Hyd. Oil Filter	SC7145	In Line Hydraulic Pressure Filter	Std.
Automatic Chain Oiler	SC7140	Automatically lubricates crossbeater drive chain	\$1,620.00
Ski Jump Chute Kit	SC7205	For SC models to deliver straw into calf hutches and pig arcs or under trees. Includes extended yellow beak.	\$2,430.00
Dust Supression Kit	SC7150	High Pressure water spray to reduce dust	\$4,122.00



SYNCHRO : Our latest development!
Adjust processing speed with adjustable bale restraint Start/Stop operation
Linked bed speed / bale restraint position



PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle

Tomahawk 8250 Dual Chop

Description

Spread bales of straw for bedding or shred silage for feeding applications.

- 6ft. 6inch Diameter Round Bales
- 4ft x 4ft x 8ft Rectangular Bales
- Suitable for **Straw & dry material only**
- Max. Spreading distance >65ft

Specifications

- Mounted or Trailed
- Slip & Overrun Clutch PTO
- Rear Tailgate Switch
- Bluetooth Electric Controls
- 2 speed Gearbox - 540 RPM PTO
- PTO req. min. 80 hp Trailed
- PTO req. min 150 hp Mounted
- Weight > 4600 lbs.
- Standard wheels 10.0/75-15



(also available in trailed format)

Additional Information is available on the Teagle website

Item	Part Number	Description	Price
Base machine	T8250SM	T8250 Swivel Chute - 3 point mounted	\$77,255.00
	T8250ST	T8250 Swivel chute - Trailed (unbraked)	\$82,107.00
PTO Options			
6 Spline WAJ PTO - in	PTO8085	6 Spline Tractor End, WAJ at Machine end	\$1,494.00
Highway / Trailed Options			
Road Lights	SC7120	Optional for Mounted LED Road Light Kit with EC1123 Standard Equipment with Trailed Machine with EC1123	\$1,314.00 Std.
Jack	SC7147	Drawbar Jack	Std.
Clevis Hitch	SC5051	Clevis Hitch in Lieu of Standard Ring Hitch	Std.
Miscellaneous Options			
Hyd. Oil Filter	SC7145	In Line Hydraulic Pressure Filter	Std.
Automatic Chain Oiler	SC7140	Automatically lubricates crossbeater drive chain	Std.
Ski Jump Chute Kit	SC7205	For SC models to deliver straw into calf hutches and pig arcs or under	\$2,430.00
Dust Supression Kit	SC7150	High Pressure water spray to reduce dust	\$4,122.00

SYNCHRO : Our latest development!

Adjust processing speed with adjustable bale restraint Start/Stop operation
Linked bed speed / bale restraint position



PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle		Tomahawk 8500 CHIEF	
Description Spread bales of straw for bedding or shred silage for feeding applications. Wide body for easier loading and greater performance 6ft. Diameter x 5ft width Round Bales 4ft. x 4ft. x 8ft Rectangular Bales - Suitable for Straw, Hay and Silage - Max. Spreading distance 80ft. - Wear Resistant Steel Fan Housing		Specifications - Trailed Machine - Slip & Overrun Clutch PTO - Rear Tailgate Switch - Bluetooth Electric Controls 2 speed Gearbox - 540 RPM PTO - PTO req. min. 80hp - Weight 4586 / 4970lbs. - Standard wheels 12.5/75-15	
Additional Information is available on the Teagle website			
Item	Part Number	Description	Price
Base machine	T8500 CHIEF	T8500 Side chute incl. lights/mudguards/extension sides/12.5 wheels	\$70,632.00
	T8500SC CHIEF	T8500SC Swivel chute incl. lights/mudguards/extension sides/12.5 wheels	\$71,838.00
PTO Options			
6 Spline WAJ PTO - in	PTO8085	6 Spline Tractor End, WAJ at Machine end	\$1,494.00
Highway / Trailed Options			
Road Lights	SC4270	LED Road Light Kit + EC1123	Std.
Wheels	WE1121	Tires and Rims 12.5/75 -15in .	Std.
Jack	SC4069	Drawbar Jack	Std.
Clevis Hitch	SC5051	Clevis Hitch and Jack in Lieu of Standard Ring Hitch	Std.
Crossbeater Options			
Extra Blade Kit	SC3768	For Standard Straw / Silage Crossbeater (Additional 48 blades)	\$576.00
Hook Ripper Kit	SC4218	Increased Feed Rate Less chopping Standard Straw/ Silage Crossbeater Only	\$360.00
Hardox Tips	SC4702	Crossbeater wear Tips - trianqular between knife rings	\$504.00
Miscellaneous Options			
Dust Sppression Kit	SC5410	5 Nozzle Water Spray Kit, 13 USG Capacity	\$4,122.00
Hyd. Oil Filter	SC4309	In Line Hydraulic Pressure Filter	Std.
Automatic Chain Oiler	SC5340	Automatically lubricates crossbeater drive chain	\$1,584.00
Side Extensions	SC4594	Increase bale chamber capacity	Std.
Tailgate Extension	SC4710	Extension for Increased Length +24"	\$1,458.00
Power Fly Lead	SC3598	Power Fly Lead with Female Socket	Std.
Rear Tailgate Switch	SC5241	Tailgate and Bed Control at Ground Level	Std.
Ski Jump Chute Kit - Hydraulic Control	SC5064	For SC models to deliver straw into calf hutches and pig arcs or under trees. Includes extended yellow beak.	\$2,430.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle

Tomahawk 8555 CHIEF Dual Chop

Description

Spread straw long or chop it short at the touch of a button. Suitable for cubicle bedding, TMR processing or bedding loose housing.


Removable screen now allows wet materials to be processed.

- 6ft. Diameter x 5ft width Round Bales
- 4ft. x 4ft. x 8ft Rectangular Bales
- Suitable for **Straw, Hay and Silage**
- Max. Spreading distance 80ft.
- Wear Resistant Steel Fan Housing

Specifications

- Trailed Machine
- Slip & Overrun Clutch PTO
- Rear Tailgate Switch
- Bluetooth Electric Controls
- 2 speed Gearbox - 540 RPM PTO
- PTO req. min. 80hp
- Weight 5340lbs.
- Standard wheels 12.5/75-15

8555 Dual Chop



HARDOX
WEARPLATE

Additional Information is available on the Teagle website

Item	Part Number	Description	Price
Base Machine	T8555 CHIEF	T8555SC Dual Chop Swivel chute incl. lights/mudguards/extension sides/chain oiler/12.5 wheels	\$84,906.00
Chopping System Options			
40mm Screen	SC5312	Standard specification 40mm screen supplied with 8555	Std.
50mm Screen	SC5310	Optional 50mm screen In lieu of std. 40mm screen	\$0.00
Additional screen		Select both 40mm and 50mm screens	\$1,278.00
Bypass screen	SC5314	Blanking screen required to process wet materials	\$900.00
Storage rack	SC5359	Screen rack (to store one screen under the machine)	\$900.00
402			
6 Spline WAJ PTO - in	PTO8085	6 Spline Tractor End, WAJ at Machine end	\$1,422.00
Highway / Trailed Options			
Road Lights	SC5418	LED Road Light Kit + EC1123	Std.
Jack	SC4069	Drawbar Jack	Std.
Clevis Hitch	SC5051	Clevis Hitch and Jack in Lieu of Standard Ring Hitch	Std.
Miscellaneous Options			
Dust Sppression Kit	SC5410	5 Nozzle Water Spray Kit, 13 USG Capacity	\$4,122.00
Hyd. Oil Filter	SC4309	In Line Hydraulic Pressure Filter	Std.
Automatic Chain Oiler	SC5340	Automatically lubricates crossbeater drive chain	Std.
Side Extensions	SC4594	Increase bale chamber capacity	Std.
Tailgate Extension	SC4710	Extension for Increased Length +24"	\$1,440.00
Power Fly Lead	SC3598	Power Fly Lead with Female Socket	Std.
Rear Tailgate Switch	SC5241	Tailgate and Bed Control at Ground Level	Std.
Ski Jump Chute Kit - Hydraulic Control	SC5064	Material Delivery into Hutches. Inc Yellow Beak	\$2,430.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle

Tomahawk 9500

Description

Spread bales of straw for bedding or shred silage for feeding applications.
Wide body for easier loading with twin crossbeaters for greater performance.
• 6ft. Diameter x 5ft width Round Bales
• 4ft. x 4ft. x 8ft Rectangular Bales
• Suitable for **Straw, Hay and Silage**
• Max. Spreading distance 80ft.
• Wear Resistant Steel Fan Housing

Specifications

- Trailed Machine
- Slip & Overrun Clutch PTO
- Rear Tailgate Switch
- Bluetooth Electric Controls
- 2 speed Gearbox - 540 RPM PTO
- PTO req. min. 90hp
- Weight 6650lbs.
- Standard wheels 305/55 R22



Additional Information is available on the Teagle website

Item	Part Number	Description	Price
Base machine	T9500	T9500 Side chute incl. lights/mudguards	\$92,430.00
	T9500SC	T9500SC Swivel chute incl. lights/mudguards	\$93,600.00
PTO Options			
6 Spline WAJ PTO -	PTO8085	6 Spline Tractor End. WAJ at Machine end	\$1,494.00
Highway / Trailed Options			
Road Lights	SC5219	LED Road Light Kit + EC1123	Std.
Jack	SC4069	Drawbar Jack	Std.
Clevis Hitch	SC5051	Clevis Hitch and Jack in Lieu of Standard Ring Hitch	Std.
Crossbeater Options			
Hardox Tips	SC4702 x 2	Crossbeater wear Tips - triangular between knife rings	\$1,008.00
Miscellaneous Options			
Dust Sppression Kit for T1010	SC5468	High Pressure water spray to reduce dust. Large capacity 40 gallon tank	\$5,058.00
Hyd. Oil Filter	SC4309	In Line Hydraulic Pressure Filter	Std.
Automatic Chain Oilier	SC5365	Automatically lubricates crossbeater drive chains	\$2,160.00
Swivel Chute Ext.	SC7029	Swivel Chute Lift Extension +12" supplied loose	\$1,062.00
Side Extensions	SC5261	For extended capacity	\$1,260.00
Tailgate Extension	SC4710	Extension for Increased Length +24"	\$1,458.00
Power Fly Lead	SC3598	Power Fly Lead with Female Socket	Std.
Rear Tailgate Switch	SC5241	Tailgate and Bed Control at Ground Level	Std.
Swivel Chute, Ski Jump Chute	SC5064	Material Delivery into Hutches. Inc Yellow Beak	\$2,430.00

9500 / 1010 Updated hinged hood



PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle		Tomahawk 1010	
Description Spread bales of straw for bedding or shred silage for feeding applications. Wide body for easier loading with twin crossbeaters for greater performance. • 5ft x 6ft Diameter Round Bales • 4ft. x 4ft. x 8ft Rectangular Bales • Suitable for Straw, Hay and Silage • Max. Spreading distance 80' • Wear Resistant Steel Fan Housing		Specifications • Trailed Machine with Hyd. Brakes • Slip & Overrun Clutch P.T.O. • Rear Tailgate Switch • Bluetooth Electric Controls • 2 speed Gearbox - 540 RPM PTO • PTO req. min. 90hp • Weight 7826 / 7915 lbs. • Standard wheels 385/55R22.5	
Additional Information is available on the Teagle website			
Item	Part Number	Description	Price
Base machine	T1010	T1010 Side chute incl. lights/brakes/mudguards/oil filter	\$100,152.00
	T1010SC	T1010SC Swivel chute incl. lights/mudguards/oil filter	\$101,304.00
6 Spline WAJ PTO -	PTO8085	6 Spline Tractor End. WAJ at Machine end	\$1,494.00
Highway / Trailed Options			
Road Lights	SC5270	LED Road Light Kit + EC1123	Std.
Jack	SC4069	Drawbar Jack	Std.
Clevis Hitch	SC5051	Clevis Hitch in Lieu of Standard Ring Hitch	Std.
Crossbeater Options			
Hardox Tips	SC4702 x 2	Crossbeater wear Tips - triangular between knife rings	\$1,008.00
Miscellaneous Options			
Bale Lift Plates	SC4902	Hyd. Cylinders & Mounting with Bale Lift Plates - Control box	\$8,028.00
Dust Sppression Kit for T1010	SC5468	High Pressure water spray to reduce dust. Large capacity 40 gallon tank	\$5,058.00
Power Fly Lead	SC3598	Power Fly Lead with Female Socket	Std.
Hyd. Oil Filter	SC4309	In Line Hydraulic Pressure Filter	Std.
Rear Tailgate Switch	SC5241	Tailgate and Bed Control at Ground Level	Std.
Automatic Chain	SC5365	Automatically lubricates crossbeater drive chains	\$2,160.00
Swivel Chute Ext.	SC7029	Swivel Chute Lift Extension +12" supplied loose	\$1,062.00
Side Extensions	SC4728	For extended capacity	\$1,368.00
Ski Jump Chute Kit - Hydraulic Control	SC5064	Material Delivery into Hutches. Inc Yellow Beak	\$2,430.00



Hydraulic Bale Lift Plates SC4902

Hydraulic Bale Lift Plates SC4902

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle			XT24 & XT48	
Description Straightforward spreading up to 40ft. with a reliable quadruple overlap spread pattern. Tilt boundary spreading system. Professional finish - Powder coated with stainless steel spreading components and tractor guard **NEW** Straightforward setup - simple rate and pattern adjustment		Specifications · Bout Width : Up to 40ft. · 3 point hitch, category 1/2 · S/S Hopper Sieve Standard · Capacity XT24 : 1400lbs. · Capacity XT48 : 2950lbs. · Empty weight XT24 : 408lbs. · Empty weight XT48 : 597lbs.		
Additional Information is available on the Teagle website				
Item	Part Number	Description	Price	
Base machine	XT24	Twin Disc Fertilizer Spreader with hydraulic shutter control and hopper sieve: 1400lbs	\$8,586.00	
Base machine	XT24B	As above but with Band Spreading kit fitted	\$8,586.00	
Options				
Hydraulic Tilt Kit	MB3019	Hydraulic ram to control tilt from tractor cab	Call to confirm \$-180.00	
Hopper Cover	MB3016	Canvas Hopper Cover	\$774.00	
Band Spreading Kit Unfitted	MB2264	Enables user to switch from standard to band spreading	\$648.00	
Item	Part Number	Description	Price	
Base machine	XT48	Twin Disc Fertilizer Spreader with hydraulic shutter control and hopper sieve: 2950lbs.	\$11,232.00	
Base machine	XT48B	As above but with Band Spreading kit fitted	\$11,232.00	
Options				
Hydraulic Tilt Kit	MB3124	Hydraulic ram to control tilt from tractor cab	0	
Hopper Cover	MB3125	Canvas Hopper Cover	\$1,008.00	
Band Spreading Kit Unfitted	MB2264	Enables user to switch from standard to band spreading	\$792.00	

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Teagle

Superted 221

Description

A robust high speed swath conditioner to introduce air to a swath, reducing drying times and preserving crop condition.

- 7'3" Pickup Width / 9'6 Overall Width
- Castor Wheels 6.00/9 V50

Specifications

- 3 point hitch, category 2
- 540 rpm PTO
- Belt Drive Rotor
- Min Tractor Size 60 HP
- Weight 1540lbs.



Additional Information is available on the Teagle website

Item	Part Number	Description	Price
Base machine	TED221	Superted High Speed Swath Conditioner	\$21,168.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.



5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca, www.harcoag.ca

File Section: 4, Page 50
Effective Date: July 31, 2026
ONTARIO, MARITIMES & WESTERN CANADA ONLY

Pricing held from 2025

Teagle

Set Up Charges

Harco Ag Set-Up Charges

Harco Ag 'Set-Up' includes basic assembly only; machines are not considered field ready.
Final preparation for use is the dealer's responsibility.

Model	Estimated Time (Hours)	Price
Teagle 505M	1	\$100.00
Teagle 505B	1	\$100.00
Teagle 505XLM/5050XL	3.5	\$350.00
Teagle 500FS	3.5	\$350.00
Teagle 5050	1	\$100.00
Teagle 6100H	2	\$200.00
Teagle 6200H	2	\$200.00
Teagle 8200	2	\$200.00
Teagle 8250	2	\$200.00
Teagle 8500	2	\$200.00
Teagle 8555	2	\$200.00
Teagle 9500	3	\$300.00
Teagle 1010	6	\$600.00
Teagle C12	6	\$600.00
Teagle C120	6	\$600.00

Options	Estimate Time (Hours)	Price
Chute	1.25	\$125.00
Tailgate Mesh Kit	0.5	\$50.00
Dust Seal Kit	1.5	\$150.00
Liquid Spray Kit	3.75	\$375.00
New Screen	0.75	\$75.00
Bale Lifts	0.5	\$50.00

Please contact us for any set-up charges on any models/options not listed.

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.