


## Teagle

## Tomahawk 505M

| <b>Description</b><br>Chop bales of dry material to a consistently short length for feeding or bedding applications.<br>· 5ft. Diameter Round Bales<br>· 4ft. x 4ft. x 8ft Rectangular Bales<br>· <b>Dry Material Only</b><br>· Distance Blown >23ft @ 1000 |                            | <b>Specifications</b><br>· 3 Pt. Cat 2 /3 <b>**NEW**</b><br>· 1000 RPM<br>· Slip & Overrun Clutch PTO<br>· Single acting Hyd.Drum Drive<br>· PTO req. min. 80hp Std Drum/ 100 hp XLM Drum<br>· Weight 2310lbs.<br>· Std. Drum Length 5ft.<br>· Supplied with One Screen |                                       |  |  |
|---|----------------------------|---|---------------------------------------|--|--|
| Additional Information is available on the Teagle website   |                            |   |                                       |  |  |
| Item  | Part Number                | Description   | Price                                 |  |  |
| Base machine  | T505M                      | Tomahawk 505M c/w 5ft. Drum Knife Rotor (std. production) with 72" Drum Length in Lieu of Standard 5 ft. & <b>Hydraulic Top Link, Left hand lower chute.</b>  | \$34,563.00                           |  |  |
| Tomahawk 505XLM   | T505XLM                    | 9ft. Drum Length Machine for rectangular bales & <b>Hydraulic Top Link, Left hand lower chute.</b>  | \$41,318.00                           |  |  |
| All Screen are now manufactured in Abrasive Resistant Steel (Hardox)<br>Please specify which size is to be supplied at time of machine order  | SC1775                     | 5/16" Screen  | \$1,733.00 for each additional screen |  |  |
|   | SC1674                     | 3/8" Screen   |                                       |  |  |
|   | SC1673                     | 1/2" Screen   |                                       |  |  |
|   | SC1676                     | 19/32" Screen   |                                       |  |  |
|   | SC1695                     | 23/32" Screen   |                                       |  |  |
|   | SC1660                     | 13/16" Screen   |                                       |  |  |
|   | SC1776                     | 1" Screen   |                                       |  |  |
|   | SC1677                     | 1-1/8" Screen   |                                       |  |  |
|   | SC1661                     | 1-7/16" Screen  |                                       |  |  |
|   | SC1771                     | 2"x1-5/8" Slotted Screen  |                                       |  |  |
| SC1662  | 5" x 1-5/8" Slotted Screen |   |                                       |  |  |
| <b>PTO Options</b>  |                            |   |                                       |  |  |
| <b>6 Spline PTO - Standard</b>  | <b>PTO8125</b>             | <b>6 Spline Tractor End</b>   | <b>Std.</b>                           |  |  |
| 21 Spline PTO - in lieu   | PTO8127                    | 21 Spline Tractor End In Lieu of 6 Spline   | \$0.00                                |  |  |
| 6 Spline WAJ PTO - in lieu  | PTO8130                    | 6 Spline Tractor End WAJ at Machine end   | \$1,505.00                            |  |  |
| <b>Chute Options</b>  |                            |   |                                       |  |  |
| <b>Left Hand Lower Chute</b>  | <b>SC1867</b>              | <b>Left Hand Lower Discharge Chute</b>  | <b>Std.</b>                           |  |  |
| <i>Options Lower Chute</i>  | SC1873                     | Hose Adaptor (7" Dia.) for SC1867   | \$648.00                              |  |  |
|   | SC1871                     | 135 deg. Rearward lower chute deflector for SC1867  | \$1,348.00                            |  |  |
| Left Hand Giraffe Chutes  | SC1227                     | Chute for Dry material only   | \$1,575.00                            |  |  |
|   | SC1964                     | Mechanical Swivel Chute Dry Material  | \$2,345.00                            |  |  |
| <i>Options L/H Giraffe Chutes</i>   | SC1337                     | Hyd. Control Discharge Flap on SC1227   | \$1,523.00                            |  |  |
|   | SC1966                     | Hyd. Rotation Kit for SC1964  | \$1,575.00                            |  |  |
|   | SC1442                     | Hyd. Control Discharge Flap on SC1964   | \$1,523.00                            |  |  |
| <b>Right Hand Chute</b>   |                            |   | <b>Std.</b>                           |  |  |
| <i>Options R/H Chute</i>  | SC1725                     | Hydraulic Control RH Chute Flap   | \$1,505.00                            |  |  |
| <b>Miscellaneous Options</b>  |                            |   |                                       |  |  |
| Hyd. Flow Control   | SC1332                     | Drum Speed when no Flow/Control on Tractor  | \$963.00                              |  |  |
| Hydraulic Top Link  | HTL                        | Hydraulic Top Link Cat 2/3 - with check valve   | <b>Std. \$1,575.00</b>                |  |  |
| <b>Dust Supression</b>  |                            |   |                                       |  |  |
| Tailgate Mesh   | SC2230                     | Fine Mesh For Tailgate  | \$1,103.00                            |  |  |
| Dust seal kit   | SC2254 + SC1996            | Drum/Backplate seal kit, including brush seal   | \$1,278.00                            |  |  |
| Liquid Spray Kit  | SC2350 + EC1038            | Tank, power lead enclosure, hose and nozzles  | \$3,850.00                            |  |  |


PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

## Teagle

## Tomahawk 5050

|  |   |  |
|--|---|--|
| <b>Description</b><br>Chop bales of straw or shred silage for feeding or bedding applications. <ul style="list-style-type: none"> <li>· 5ft. Diameter Round Bales</li> <li>· 4ft. x 4ft. x 8ft Rectangular Bales</li> <li>· Wet &amp; Dry Material</li> <li>· Distance Blown 25ft. @ 540</li> <li>· Distance Blown &gt;30ft. @ 1000</li> </ul> | <b>Specifications</b> <ul style="list-style-type: none"> <li>· 3 Pt. Cat 2 /3 <b>**NEW**</b></li> <li>· 540 or 1000 RPM</li> <li>· Slip &amp; Overrun Clutch PTO</li> <li>· Single acting Hyd.Drum Drive</li> <li>· PTO req. min. 80hp Std Drum/ 100 hp XL Drum</li> <li>· Weight 2105lbs.</li> <li>· Std Drum Length 5ft.</li> </ul> |  |
|--|---|--|

Additional Information is available on the Teagle website

| Item             | Part Number | Description   | Price       |
|------------------|-------------|---|-------------|
| Base machine     | T5050       | Tomahawk 5050 with 6' drum length in lieu of standard 5' drum, c/w <b>hydraulic top link &amp; left hand lower discharge chute.</b>     | \$33,635.00 |
| Tomahawk 5050XLM | T5050XL     | Tomahawk 5050XL with 9' drum length machine for rectangular bales, c/w <b>hydraulic top link &amp; left hand lower discharge chute.</b> | \$40,688.00 |

| PTO Options                |         |   |            |
|----------------------------|---------|---|------------|
| 6 Spline PTO - Standard    | PTO8125 | 6 Spline Tractor End                      | Std.       |
| 21 Spline PTO - in lieu    | PTO8127 | 21 Spline Tractor End In Lieu of 6 Spline | \$0.00     |
| 6 Spline WAJ PTO - in lieu | PTO8130 | 6 Spline Tractor End WAJ at Machine end   | \$1,505.00 |

| Chute Options                     |        |  |            |
|-----------------------------------|--------|--|------------|
| Left Hand Lower Chute             | SC1867 | Left Hand Lower Discharge Chute                    | \$648.00   |
| <i>Options Lower Chute</i>        | SC1873 | Hose Adaptor (7" Dia.) for SC1867                  | \$648.00   |
|                                   | SC1871 | 135 deg. Rearward lower chute deflector for SC1867 | \$1,330.00 |
| Left Hand Giraffe Chutes          | SC1305 | Chute for Silage, Hay & Straw                      | \$2,013.00 |
|                                   | SC1964 | Mechanical Swivel Chute Dry Material               | \$2,345.00 |
| <i>Options L/H Giraffe Chutes</i> | SC1338 | Hyd. Control Discharge Flap on SC1305              | \$1,523.00 |
|                                   | SC1966 | Hyd. Rotation Kit for SC1964                       | \$1,575.00 |
|                                   | SC1442 | Hyd. Control Discharge Flap on SC1964              | \$1,505.00 |
| Right Hand Chute                  |        |  | Std.       |
| <i>Options R/H Chute</i>          | SC1339 | Hydraulic Control RH Chute Flap                    | \$1,523.00 |
| Strawberry Chute Kit              | SC1876 | Requires Lower Chute Kit SC1867                    | \$1,890.00 |

| Miscellaneous Options |        |   |                      |
|-----------------------|--------|---|----------------------|
| Hyd. Flow Control     | SC1332 | Drum Speed when no Flow/Control on Tractor    | \$963.00             |
| Hydraulic Top Link    | HTL    | Hydraulic Top Link Cat 2/3 - with check valve | <b>Std. 1,575.00</b> |

| Dust Suppression |        |                        |            |
|------------------|--------|------------------------|------------|
| Tailgate Mesh    | SC2230 | Fine Mesh For Tailgate | \$1,103.00 |

**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.


| <b>Teagle</b>  |             |  | <b>Tomahawk 500B</b> |
|--|-------------|--|----------------------|
| <b>Description</b><br>Process material outside, distribute inside for increased bio security. The booster fan with on-board hydraulic system (PTO driven) can transfer straw up to 320ft.<br>· 5ft. Diameter Round Bales<br>· 4ft. x 4ft. x 8ft. Rectangular Bales<br>· <b>Dry Material Only</b><br>· Includes radio remote drum control |             | <b>Specifications</b><br>· 3 Pt. Cat 2/3<br>· 1000 RPM<br>· Slip & Overrun Clutch WAJ PTO<br>· Single acting Hyd.Drum Drive<br>· PTO req. min. 120 hp<br>· Weight 3065lbs.<br>· Weight 3840lbs. (XLM). |                      |
| Additional Information is available on the Teagle website  |             |  |                      |
| Item   | Part Number | Description  | Price                |
| 9ft Tomahawk 505BXL  | 500BXL      | 9ft. Drum Length in Lieu of Standard 5ft.  | \$72,503.00          |
| <b>Rotor / Screen Options - See T505M</b>  |             |  |                      |
| <b>Chute Options</b>   |             |  |                      |
| Non-supply of RH Chute   |             | For improved straw containment   | \$525.00             |
| <b>PTO Options</b>   |             |  |                      |
| 6 Spline WAJ PTO   | PTO8130     | 6 Spline Tractor End WAJ at Machine end  | Std.                 |
| <b>Miscellaneous Options</b>   |             |  |                      |
| Hyd. Flow Control  | SC1332      | Drum Speed when no Flow/Control on Tractor   | Std.                 |
| <b>Booster Fan Options</b>   |             |  |                      |
| 127mm Hose Kit x 20m   | SC2307      | Complete with male coupler and clips   | \$2,275.00           |
| Straw Divertor Valve   | SC2336      | Asymmetric diverter valve L/H  | \$2,170.00           |
| Straw Divertor Valve   | SC2341      | Asymmetric diverter valve R/H  | \$2,170.00           |
| Straw Divertor Valve   | SC2337      | Symmetric diverter "Y" valve   | \$2,450.00           |
| Rearward deflector kit   | SC2335      | Deflector for Bauer connector  | \$1,418.00           |
| <b>Dust Suppression</b>  |             |  |                      |
| Tailgate Mesh  | SC2230      | Fine Mesh For Tailgate   | Std.                 |
| Dust seal kit  | SC2254      | Drum/Backplate seal kit, including brush   | Std.                 |
| Liquid Spray Kit   | SC2350      | Tank, power lead enclosure, hose and nozzles for booster fan   | \$3,850.00           |
|   |             |   |                      |
| Dust Suppression Spray Kit   |             | Asymmetric Divertor Valve  |                      |

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

## Teagle Tomahawk 500FS (Feed Slide)

|  |   |  |
|--|---|--|
| <b>Description</b><br>See T505M / T5050 with the following benefits: <ul style="list-style-type: none"> <li>Non-stop processing for high output up to 4 tons/hr</li> <li>Straightforward loading and removal of bale net / twine</li> <li>For round bales up to 5ft, or rectangular bales up to 4ft x 4ft x 8ft</li> <li><b>Feed slide cannot be retrofitted and is not available for T404M / T4040</b></li> </ul> | <b>Specifications</b> <ul style="list-style-type: none"> <li>Wide Angle PTO Standard</li> <li>3 Pt. Cat 2 / 3 <b>**NEW**</b></li> <li>Drum flow control valve Standard</li> <li>Hydraulic control of feed slide angle</li> <li>Tractor 140hp (mounted)</li> <li>Tractor 80hp (trailed option)</li> <li>3 hydraulic services required</li> <li>Weight : T505FSM 2778lbs / T5050FS 2980lbs</li> </ul> |  |
|--|---|--|

Additional Information is available on the Teagle website

| Item                                     | Part Number      | Description   | Price           |
|--|------------------|---|-----------------|
| Base machine T505M                       | T505FSM          | Tomahawk 505M with 1.85m drum and feed slide & hydraulic top link.                                    | \$49,840.00     |
| Base machine T5050                       | T5050FS          | Tomahawk 5050 with 1.85m drum and feed slide & hydraulic top link                                     | \$48,265.00     |
| <i>Chute Options - See T5050</i>         |                  |   |                 |
| <b>PTO Options</b>                       |                  |   |                 |
| 6 Spline WAJ PTO                         | PTO8130          | 6 Spline Tractor End WAJ at Machine end   | Std.            |
| 21 Spline WAJ PTO - in lieu              |                  | 21 Spline Tractor End In Lieu of 6 Spline   | \$438.00        |
| <b>Chute Options - See T505M / T5050</b> |                  |   |                 |
| Non-supply of RH Chute                   |                  | For improved straw containment  | \$525.00        |
| <b>Miscellaneous Options</b>             |                  |   |                 |
| Hyd. Flow Control                        | SC1332           | Control drum speed from ground level  | Std.            |
| Hydraulic Top Link                       | HTL              | Hydraulic Top Link Cat 2/3 - with check valve   | Std. \$1,575.00 |
| <b>Dust Suppression</b>                  |                  |   |                 |
| Dust seal kit                            | SC1996 + SC2254  | Drum/Backplate seal kit, including brush  | Std.            |
| Liquid Spray Kit                         | SC2350 (+EC1038) | Tank, power lead enclosure, hose and nozzles (Power Lead and Junction Box depending on serial number) | \$3,850.00      |




Can be attached to Optional Trailed Chassis

**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

**Teagle** **Tomahawk Trailed Chassis**

|   |   |   |
|---|---|---|
| <p><b>Description</b><br/>A trailed chassis to fit all models of Drum Tomahawks. Recommended for smaller tractors or for improved maneuverability.<br/>· Not for Highway Use<br/>· Pivoting axle to set drum angle<br/>· Includes extension hydraulic hoses for Drum Tomahawk</p> | <p><b>Specifications</b><br/>· Lower Link Beam as Standard<br/>· Ring Hitch included<br/>· Check valves in hydraulic rams<br/>· 10.5x15 6 Stud Wheels and Tires<br/>· Weight 970lbs.<br/>· Tractor requires 1 x double acting service for chassis and 1 double acting for Tomahawk.</p> |  |
|---|---|---|

Additional Information is available on the Teagle website

| Item                        | Part Number | Description                                      | Price       |
|-----------------------------|-------------|--|-------------|
| Base machine                | RDC         | Trailed Chassis for use with drum Machines       | \$12,478.00 |
| <b>PTO Options</b>          |             |  |             |
| 6 Spline WAJ PTO - in lieu* | PTO8130     | Upgrade the standard PTO to WAJ (at machine end) | \$1,505.00  |
| 6 Spline WAJ PTO - retrofit | PTO8130     | Upgrade the standard PTO to WAJ (at machine end) | \$3,360.00  |



\* must be ordered at same time as Drum Tomahawk. Note WAJ PTO standard with T500B.  
Image shows T500B on trailed chassis



**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.


| <b>Teagle</b>   |                 | <b>Tomahawk 500E (Electric Drive)</b>  |             |
|---|-----------------|--|-------------|
| <b>Description</b><br>No tractor required.<br>Convenient operation with stationary machine<br>Fits Tomahawk 500 series models<br>Intuitive electronic controls with load monitoring<br>Sequenced rotor and drum speed<br>Robust subframe for machine and main drive |                 | <b>Specifications</b><br>Two rotor motor size options<br>Dust seal kit standard<br>Inverter control system<br>Control cabinet included |             |
|   |                 |  |             |
| <b>Additional Information is available on the Teagle website</b>  |                 |  |             |
| Item  | Part Number     | Description  | Price       |
| Base machine  | T505M           | Tomahawk 505M with 1.55m drum - configured for electric  | \$31,378.00 |
| <b>Rotor / Screen Options - See T505M - Please specify screen size and Hammer/Blade rotor at time of ordering</b>   |                 |  |             |
| <b>Dust Supression</b>  |                 |  |             |
| Dust seal kit   | SC1996 + SC2254 | Drum/Backplate seal kit, including brush   | Std.        |
| Liquid Spray Kit  | SC2350          | Tank, power lead enclosure, hose and nozzles (Power Lead and Junction Box depending on serial number)                                  | \$3,850.00  |
| <b>Chute Options - See T505M</b>  |                 |  |             |
| <b>Motor Options</b>  |                 |  |             |
| 45kW DC motor   | EDS45           | 45kW electric rotor drive motor complete with control cabinet  | \$77,980.00 |
| 55kW DC motor   | EDS55           | 55kW electric rotor drive motor complete with control cabinet  | \$81,515.00 |
| <b>Booster fan Option</b>   |                 |  |             |
| Booster fan with electric   | EDS BOOSTER     | Booster fan, 11kW electric Motor, 127mm hose adaptor   | \$22,208.00 |
| <b>Feed Conveyor Options</b>  |                 |  |             |
| First feed conveyor   | EDS CONV1       | 3m feed conveyor attached to drum incl. 1.5kW el. motor  | \$21,368.00 |
| Additional feed conveyor  | EDS CONV2       | 3m feed conveyor attached to prev. conveyor incl. 1.5kW el. motor  | \$19,495.00 |
| <b>**MUST COMPLETE QUESTIONNAIRE - CONTACT HARCO AG OR SEE OUR WEBSITE UNDER TEAGLE PRICE LIST FOR A COPY**</b>   |                 |  |             |
|   |                 |  |             |

**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**


Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

## Teagle Tomahawk C12

|   |   |   |
|---|---|---|
| <b>Description</b><br><br>High Capacity bale processor for precision milling of dry materials such as straw for livestock feeding and bedding.<br>· 6.5ft Diameter Round Bales<br>· 4ft. x 4ft x 8ft Rectangular Bales<br>· Suitable for Dry Materials <20% moisture content<br>· Includes 6 quick change screens<br>· Auto Greasing System | <b>Specifications</b><br><br>· Trailed Machine with air/ hyd. brakes<br>· Shear Bolt & Overrun Clutch PTO 1000rpm<br>· Clevis Hitch Drawbar<br>· Road Lights<br>· Bluetooth Electric Controls<br>· Homologated to 25 mph<br>· Min PTO 180HP<br>· Weight 9240 lbs. |  |
|---|---|---|

Additional Information is available on the Teagle website

| Item         | Part Number | Description  | Price        |
|--------------|-------------|--|--------------|
| Base machine | C12         | Tomahawk C12 High Capacity Bale Processor (incl. 40 gallons hydraulic oil). Auto Greasing Kit. | \$180,822.00 |

| Rotor Options  |             |  |  |
|--|-------------|--|--|
| Screen Sizes   | Part Number | Description                                    | Price  |
| Six screens supplied with machine - Please specify which sizes are to be supplied at time of machine order - additional screens prices indicated here. | CM2366      | 4-15/16s" 125mm Screen                         | REFER TO C120 FOR PRICING ON PAGE 38<br> |
|  | CM2072      | 3-15/16ths." 100mm Screen                      |  |
|  | CM2073      | 2-15/16ths." 75mm Screen                       |  |
|  | CM2074      | 2-3/8ths." 60mm Screen                         |  |
|  | CM2079      | 2" 50 mm Screen                                |  |
|  | CM2075      | 1-9/16ths" 40mm Screen                         |  |
|  | CM2076      | 1-3/16ths." 30mm Screen                        |  |
|  | CM2077      | 13/16ths." 20mm Screen                         |  |
|  | CM2361      | 1/2" 13mm Screen                               |  |
|  | CM2373      | 3/8ths." 10mm Screen                           |  |
|  | CM2078      | 5/16th" 8mm Screen                             |  |
|  | CM2376      | 1/4" 6mm Screen - For grain milling hopper     |  |
|  | CM2374      | 3/16th" 5mm Screen - For grain milling hopper  |  |
|  | CM2080      | 5/32nd". 4mm Screen - For grain milling hopper |  |
|  | CM2375      | 1/8th." 3mm Screen - For grain milling hopper  |  |

| PTO Options             |         |   |  |
|-------------------------|---------|---|--|
| 21 Spline PTO - in lieu | PTO8142 | 21 Spline Tractor End In Lieu of 6 Spline |  |

| Highway / Trailed Options |        |  |  |
|---------------------------|--------|--|--|
| Road Lights               | SC4269 | LED Road Light Kit   |  |
| Jack                      | CM2545 | Manual Hydraulic Drawbar Jack  |  |
| Brake System Air & Hyd.   | CM2340 | Combined Optional Brake system, Air & Hydraulic, in lieu of Air Only |  |
| C-Type Air Brake Coupling | TB1155 | Standard C-Type Coupling   |  |
| Palm Type Air Brake       | TB1156 | Palm type in-lieu of C-Type  |  |
| K80 Hitch                 | SC5018 | K80 Ball Hitch in Lieu of standard ring hitch                        |  |
| Clevis Hitch              | SC5051 | Clevis Hitch in Lieu of ring hitch - (not homologated)               |  |

| Miscellaneous Options    |                 |  |  |
|--------------------------|-----------------|--|--|
| Conveyor Deflector       | CM2143          | Deflector to control discharge of material from conveyor |  |
| Oil heater               | EC2017 + EC2018 | Hydraulic tank oil heater                                |  |
| Low temperature conveyor | SC2377          | Extend min. operating temperature                        |  |

|                              |        |   |  |
|------------------------------|--------|---|--|
| Hopper - not including scree | GMH    | Hopper for grain milling - capacity 1350lbs (Barley). Does not include screens. Select 2 from the list above. |  |
| Hopper Extensions            | CM3040 | Increase capacity to 2400lbs. Bucket opening width from 96" to 106".  |  |



Grain Milling Hopper




NEW : Auto Greasing System as Standard

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.


| Teagle  |  | Tomahawk C120   |              |
|---|--|---|--------------|
| <b>Description</b><br>High Capacity bale processor for precision milling of dry materials such as straw for livestock feeding and bedding. <ul style="list-style-type: none"> <li>· 6.5ft Diameter Round Bales</li> <li>· 4ft. x 4ft x 8ft Rectangular Bales</li> <li>· Suitable for Dry Materials &lt;20% moisture content</li> <li>· Includes 6 quick change screens</li> <li>· Auto Greasing System</li> </ul> |  | <b>Specifications</b> <ul style="list-style-type: none"> <li>· Trailed Machine with air/ hyd. brakes</li> <li>· Shear Bolt &amp; Overrun Clutch PTO 1000rpm</li> <li>· Clevis Hitch Drawbar &amp; Jack</li> <li>· Road Lights</li> <li>· Bluetooth Electric Controls</li> <li>· Homologated to 40 kmph</li> <li>· Min PTO 180HP</li> <li>· Weight 12125 lbs.</li> </ul> |              |
|    |  |   |              |
| <b>Additional Information is available on the Teagle website</b>  |  |   |              |
| Item  | Part Number  | Description   | Price        |
| Base machine  | C120   | Tomahawk C120 High Capacity Bale Processor (incl. 40 gallons hydraulic oil). Auto Greasing Kit.   | \$234,500.00 |
| <b>Mill Screen Options - 6 screens included with machine, specify when ordering.</b>  |  |   |              |
| Screen Sizes<br>Six screens supplied with machine - Please specify which sizes are to be supplied at time of machine order - additional screens prices indicated here.  | CM2365   | 4-15/16s" 125mm Slotted Screen  | \$1,033.00   |
|   | CM2366   | 4-15/16s" 125mm Screen  | \$1,033.00   |
|   | CM2072   | 3-15/16ths." 100mm Screen   | \$1,033.00   |
|   | CM2073   | 2-15/16ths." 75mm Screen  | \$1,033.00   |
|   | CM2074   | 2-3/8ths." 60mm Screen  | \$1,033.00   |
|   | CM2079   | 2" 50 mm Screen   | \$1,470.00   |
|   | CM2075   | 1-9/16ths" 40mm Screen  | \$1,470.00   |
|   | CM2076   | 1-3/16ths." 30mm Screen   | \$1,470.00   |
|   | CM2077   | 13/16ths." 20mm Screen  | \$1,470.00   |
|   | CM2361   | 1/2" 13mm Screen  | \$1,715.00   |
|   | CM2373   | 3/8ths." 10mm Screen  | \$1,715.00   |
|   | CM2078   | 5/16th" 8mm Screen  | \$1,890.00   |
|   | CM2376   | 1/4" 6mm Screen - For grain milling hopper  | \$1,890.00   |
|   | CM2374   | 3/16th" 5mm Screen - For grain milling hopper   | \$1,890.00   |
|   | CM2080   | 5/32nd". 4mm Screen - For grain milling hopper  | \$1,890.00   |
|   | CM2375   | 1/8th" 3mm Screen - For grain milling hopper  | \$1,890.00   |
|   | CM2378   | 5/32nd" 4mm Slotted Screen - For grain milling hopper   | \$1,890.00   |
| CM2379  | 1/8th" 3mm Slotted Screen - For grain milling hopper | \$1,890.00  |              |
| Adjustable Bale restraint   |  | Adjustable bale restraint (bolted) to allow operator to optimise output for different materials.  | Std.         |
| <b>PTO Options</b>  |  |   |              |
| 6 Spline PTO  | PTO8140  | 6 Spline Tractor End  | Std.         |
| 21 Spline PTO - in lieu   | PTO8142  | 21 Spline Tractor End In Lieu of 6 Spline   | \$490.00     |
| 20 Spline PTO - in lieu   | PTO8140 +  | 20 Spline Tractor End In Lieu of 6 Spline   | \$1,155.00   |
| <b>Highway / Trailed Options</b>  |  |   |              |
| Road Lights   | SC4269   | LED Road Light Kit  | Std.         |
| Jack  | CM2545   | Hydraulic Drawbar Jack Powered by Tractor Aux.  | Std.         |
| Brake System Air & Hyd.   | CM2340   | Combined Brake system, Air & Hydraulic,   | Std.         |
| C-Type Air Brake Coupling   | TB1155   | Standard C-Type Coupling  | Std.         |
| Palm Type Air Brake Coupling  | TB1156   | Palm type in-lieu of C-Type   | \$0.00       |
| K80 Hitch   | SC5018   | K80 Ball Hitch in Lieu of standard ring / clevis hitch  | \$333.00     |
| Clevis Hitch  | SC5051   | Clevis Hitch in Lieu of ring hitch - (not homologated)  | Std.         |
| <b>Miscellaneous Options</b>  |  |   |              |
| Conveyor Deflector  | CM2143   | Deflector to control discharge of material from conveyor  | \$1,435.00   |
| Oil heater  | EC2017 + EC2018                                      | Hydraulic tank oil heater for 110V  | \$1,260.00   |
| Low temperature conveyor  | CM3122 +CM3162                                       | Extend min. operating temperature Below -22deg F ( -30deg C)  | \$3,745.00   |
| <b>Grain Milling Hopper</b>   |  |   |              |
| Hopper - not including screens  | GMH120   | Grain Milling Hopper - capacity 85 Bushel. Does not include screens. Select at least 2 from the list above.   | \$20,125.00  |
| <b>Non-homologated options - not available UK &amp; EUR</b>   |  |   |              |
| Tub - fixed in lieu of folding sides*   | CM2321   | Bolted infill panels for the tub - in lieu of folding   | -\$1,050.00  |
| Combined Air Hydraulic brakes*  | CM2349   | Additional hydraulic lines for braking  | \$525.00     |
| Hydraulic brakes only*  | CM2342   | Non-supply of air brake kit   | -\$700.00    |
| Non-supply of wheels / mudguards  |  | Steel transport wheels in lieu of wheels/mudguards  | -\$1,575.00  |

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE







Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

## Teagle TOMAHAWK 6100H

|  |   |   |
|--|---|---|
| <b>Description</b><br>· Spread bales of straw using a Telehandler / Tractor<br>· Hydraulic Folding Bale Clamp Opt.<br>· <b>Stop / Start Fan Control</b><br>· Max. 5' Diameter Round Bales<br>· Half a 4' x 4' x 8' Rectangular Bale<br>· Suitable for <b>Straw and dry materials</b><br>· Max. Spreading distance 40'<br>· <b>NO PTO REQUIRED!</b> | <b>Specifications</b><br>· Minimum handler capacity 1.4 tons<br>· Minimum handler oil flow 40 I/min (10.5 gal/min). Improve performance at 50I/min (13.2gal/min)<br>· Minimum handler oil pressure 160 bar (2320psi)<br>· Bluetooth Electric Controls<br>· Weight without brackets : 1713/1892 lbs without/with bale clamp. |  |
|--|---|---|



Additional Information is available on the Teagle website

| Item                              | Part Number              | Description   | Price       |
|-----------------------------------|--------------------------|---|-------------|
| Base machine                      | T6100H<br><b>**NEW**</b> | Tomahawk 6100H - Hydraulic drive straw spreader           | \$37,048.00 |
| Hydraulic Bale Clamp              | SC6540                   | Bale Clamp in lieu of chain to retain bale (WiFi control) | \$2,625.00  |
| <b>Skidsteer Mounting Bracket</b> |                          |   |             |
| Skidsteer Bracket                 | SC6220                   | Skidsteer KIT including mounting brackets                 | \$1,663.00  |
| <b>Tractor Mounting Bracket</b>   |                          |   |             |
| Tractor Bracket                   | SC6215                   | Category 2/3 Bracket for Tractor                          | \$2,100.00  |
| Hydraulic Top Link                | HTL                      | Hydraulic Top Link Cat 2/3 - with check valve             | \$1,575.00  |
| <b>Handler Mounting Brackets</b>  |                          |   |             |
| See T6200 Specifications          |                          |   |             |
| <b>Miscellaneous Options</b>      |                          |   |             |
| Side Extensions                   | SC6550                   | For extra capacity  | \$1,050.00  |
| Hvd. Oil Filter                   | SC6565                   | In Line Hydraulic Pressure Filter                         | Std.        |

|  |   |
|--|---|
| <p><b>Tractor Front Loader</b></p>  <p><b>Tractor-Front Loader or 3 Point Hitch</b></p>  <p><b>Skidsteer</b></p>  | <p><b>Bale Clamp</b></p>  <p><b>Side Extensions</b></p>  <p><b>Brackets</b></p>  |
|--|---|

**A 3/4" freeflow return fitted to the handler using flat face fittings is recommended for best performance. These items are not available from Teagle and are dealer fit.**

**PRICED IN CANADIAN DOLLARS**  
**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**  
 Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.


| <b>Teagle</b>   |             | <b>TOMAHAWK 6200H</b>   |             |
|---|-------------|---|-------------|
| <b>Description</b><br>· Spread bales of straw using a Telehandler / Tractor<br>· Upgraded crossbeater driveline<br>· Hydraulic Folding Loading Gate Std.<br>· Stop / Start Fan Control<br>· Max. 5 ft. Diameter Round Bales<br>· 4 ft x 4 ft x 8 ft Rectangular Bales<br>· Suitable for <b>Straw and dry materials</b><br>· Max. Spreading distance 44 ft.<br>· <b>NO PTO REQUIRED!</b> |             | <b>Specifications</b><br>· Minimum handler capacity 2.8 tons<br>· Minimum handler oil flow 60 I/min (13.3 gal/min)<br>· Minimum handler oil pressure 160 bar (2320psi)<br>· Bluetooth Electric Controls<br>· Weight 3219 lbs (without brackets) |             |
|    |             |   |             |
| <b>Additional Information is available on the Teagle website</b>  |             |   |             |
| Item  | Part Number | Description   | Price       |
| Base machine  | T6200H      | Tomahawk 6200H - Hydraulic drive straw spreader   | \$53,638.00 |
| <b>Tractor Mounting Bracket</b>   |             |   |             |
| Tractor Bracket   | SC6215      | Category 2/3 Bracket for Tractor  | \$2,100.00  |
| <b>Handler Mounting Brackets</b>  |             |   |             |
| Please verify brackets with Teagle before ordering. Engineering drawings available for reference.   | SC6001      | JCB Q fit   | \$1,470.00  |
|   | SC6005      | Merlo ZM2 P26/27/30   |             |
|   | SC6010      | JCB / / Matbro / John Deere Pin and Cone  |             |
|   | SC6015      | Manitou   |             |
|   | SC6020      | New Holland   |             |
|   | SC6025      | Claas Scorpion (Dark Grey), also Kramer Telescopic  |             |
|   | SC6030      | Caterpillar Telescopic after Sept 2000 TH337C/226C  |             |
|   | SC6035      | Claas Scorpion (Light Grey Older Models)  |             |
|   | SC6040      | JCB Tool Carrier  |             |
|   | SC6045      | JCB Compact Toolcarrier   |             |
|   | SC6050      | Dieci   |             |
|   | SC6055      | Kramer older models 380, 412, 516, 520, 620, 712  |             |
|   | SC6060      | Volvo   |             |
|   | SC6065      | Bobcat / Massey 8925, 8926  |             |
|   | SC6070      | Euro 8  |             |
|   | SC6090      | Merlo ZM3   |             |
| SC6095  | Terex       |   |             |
| SC6200  | Weideman    |   |             |
| SC6210  | Atlas       |   |             |
| SC6220  | Skidsteer   |   |             |
| <b>Highway / Trailed Options</b>  |             |   |             |
| Road Lights   | SC6275      | LED Road Light Kit incl. number plate bracket and light + EC1123  | \$1,225.00  |
| <b>Miscellaneous Options</b>  |             |   |             |
| Tailgate Switch   | SC6276      | In lieu of hydraulic loading gate - specify at time of ordering   | \$875.00    |
| Crossbeater Hooks / Blades  | N/A         | Specify hooks / blades (SC1100) at time of ordering.  | \$0.00      |
| Hyd. Oil Filter   | SC6153      | In Line Hydraulic Pressure Filter   | \$1,173.00  |
| Hydraulic Flow Divider and Oil Filter (combined)  | SC6157      | Req. for Hyd oil flows over 120 I/min (26.6 gal/min) / 270 bar 3915psi @ 80 ° (176 °F)  | \$1,873.00  |
| Ski Jump Chute Kit - Hydraulic Control  | SC6277      | For SC models to deliver straw into calf hutches and pig arcs or under trees. Includes extended yellow beak. Includes hydraulic control of chute angle (separate hydraulic service required).   | \$2,275.00  |
| <b>A 3/4" freeflow return must be fitted to the handler using flat face fittings. These items are not available from Teagle and are Dealer Fit.</b>   |             |   |             |
|   |             |   |             |

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

## Teagle Tomahawk 8200

|   |  |   |
|---|--|---|
| <b>Description</b><br>Spread bales of straw for bedding or shred silage for feeding applications.<br>· 6ft. 6inch Diameter Round Bales<br>· 4ft x 4ft x 8ft Rectangular Bales<br>· Suitable for <b>Straw, Hay and Silage</b><br>· Max. Spreading distance >65ft | <b>Specifications</b><br>· Mounted or Trailed<br>· Slip & Overrun Clutch PTO<br>· Rear Tailgate Switch<br>· Bluetooth Electric Controls<br>· 2 speed Gearbox - 540 RPM PTO<br>· PTO req. min. 60hp/45kW Trailer<br>PTO req. min. 140hp Mounted<br>· Weight > 4600 lbs.<br>· Standard wheels 10.0/75-15 | <br>(also available in trailed format) |
|---|--|---|

Additional Information is available on the Teagle website

| Item                             | Part Number | Description  | Price              |
|----------------------------------|-------------|--|--------------------|
| Base machine                     | T8200M      | T8200 Swivel Chute - fixed bale restraint - 3 point mounted  | \$57,770.00        |
|                                  | T8200T      | T8200 Swivel chute - fixed bale restraint - Trailed (unbraked)   | \$62,146.00        |
|                                  | T8200SM     | T8200 Swivel Chute - SYNCHRO Control - 3 point mounted   | \$60,654.00        |
|                                  | T8200ST     | T8200 Swivel chute - SYNCHRO Control - Trailed (unbraked)  | \$65,030.00        |
| <b>PTO Options</b>               |             |  |                    |
| 6 Spline WAJ PTO - in            | PTO8085     | 6 Spline Tractor End, WAJ at Machine end   | \$1,400.00         |
| <b>Highway / Trailed Options</b> |             |  |                    |
| Road Lights                      | SC7120      | Optional for Mounted LED Road Light Kit with EC1123<br>Standard Equipment with Trailed Machine with EC1123   | \$1,225.00<br>Std. |
| Jack                             | SC7147      | Drawbar Jack   | Std.               |
| Clevis Hitch                     | SC5051      | Clevis Hitch in Lieu of Standard Ring Hitch  | Std.               |
| <b>Crossbeater Options</b>       |             |  |                    |
| Extra Blade Kit                  | SC3768      | For Standard Staw / Silage Crossbeater (Additional 48 blades)  | \$543.00           |
| Hook Ripper Kit                  | SC7138      | Increased Feed Rate Less chopping Standard Straw/ Silage Crossbeater   | \$350.00           |
| <b>Miscellaneous Options</b>     |             |  |                    |
| Hyd. Oil Filter                  | SC7145      | In Line Hydraulic Pressure Filter  | Std.               |
| Automatic Chain Oiler            | SC7140      | Automatically lubricates crossbeater drive chain   | \$1,523.00         |
| Ski Jump Chute Kit               | SC7205      | For SC models to deliver straw into calf hutches and pig arcs or under trees. Includes extended yellow beak. | \$2,275.00         |
| Dust Supression Kit              | SC7150      | High Pressure water spray to reduce dust   | \$3,850.00         |

**SYNCHRO : Our latest development!**  
 Adjust processing speed with adjustable bale restraint Start/Stop operation  
 Linked bed speed / bale restraint position




**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

## Teagle Tomahawk 8250 Dual Chop

|   |  |   |
|---|--|---|
| <b>Description</b><br>Spread bales of straw for bedding or shred silage for feeding applications.<br>· 6ft. 6inch Diameter Round Bales<br>· 4ft x 4ft x 8ft Rectangular Bales<br>· Suitable for <b>Straw &amp; dry material only</b><br>· Max. Spreading distance >65ft | <b>Specifications</b><br>· Mounted or Trailed<br>· Slip & Overrun Clutch PTO<br>· Rear Tailgate Switch<br>· Bluetooth Electric Controls<br>· 2 speed Gearbox - 540 RPM PTO<br>· PTO req. min. 80 hp Trailed<br>PTO req. min 150 hp Mounted<br>· Weight > 4600 lbs.<br>· Standard wheels 10.0/75-15 | <br>(also available in trailed format) |
|---|--|---|

Additional Information is available on the Teagle website

| Item                             | Part Number | Description  | Price              |
|----------------------------------|-------------|--|--------------------|
| Base machine                     | T8250SM     | T8250 Swivel Chute - 3 point mounted   | \$66,458.00        |
|                                  | T8250ST     | T8250 Swivel chute - Trailed (unbraked)  | \$78,106.00        |
| <b>PTO Options</b>               |             |  |                    |
| 6 Spline WAJ PTO - in            | PTO8085     | 6 Spline Tractor End, WAJ at Machine end   | \$1,400.00         |
| <b>Highway / Trailed Options</b> |             |  |                    |
| Road Lights                      | SC7120      | Optional for Mounted LED Road Light Kit with EC1123<br>Standard Equipment with Trailed Machine with EC1123 | \$1,225.00<br>Std. |
| Jack                             | SC7147      | Drawbar Jack   | Std.               |
| Clevis Hitch                     | SC5051      | Clevis Hitch in Lieu of Standard Ring Hitch  | Std.               |
| <b>Miscellaneous Options</b>     |             |  |                    |
| Hyd. Oil Filter                  | SC7145      | In Line Hydraulic Pressure Filter  | Std.               |
| Automatic Chain Oiler            | SC7140      | Automatically lubricates crossbeater drive chain   | Std.               |
| Ski Jump Chute Kit               | SC7205      | For SC models to deliver straw into calf hutches and pig arcs or under                                     | \$2,275.00         |
| Dust Supression Kit              | SC7150      | High Pressure water spray to reduce dust   | \$3,850.00         |


**SYNCHRO : Our latest development!**  
 Adjust processing speed with adjustable bale restraint Start/Stop operation  
 Linked bed speed / bale restraint position



**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

| <b>Teagle</b>   |               | <b>Tomahawk 8500 CHIEF</b>   |             |
|---|---------------|--|-------------|
| <b>Description</b><br>Spread bales of straw for bedding or shred silage for feeding applications. Wide body for easier loading and greater performance <ul style="list-style-type: none"> <li>· 6ft. Diameter x 5ft width Round Bales</li> <li>· 4ft. x 4ft. x 8ft Rectangular Bales</li> <li>· Suitable for <b>Straw, Hay and Silage</b></li> <li>· Max. Spreading distance 80ft.</li> <li>· Wear Resistant Steel Fan Housing</li> </ul> |               | <b>Specifications</b> <ul style="list-style-type: none"> <li>· Trailed Machine</li> <li>· Slip &amp; Overrun Clutch PTO</li> <li>· Rear Tailgate Switch</li> <li>· Bluetooth Electric Controls</li> <li>· 2 speed Gearbox - 540 RPM PTO</li> <li>· PTO req. min. 80hp</li> <li>· Weight 4586 / 4970lbs.</li> <li>· Standard wheels 12.5/75-15</li> </ul> |             |
|    |               |  |             |
| <b>Additional Information is available on the Teagle website</b>  |               |  |             |
| Item  | Part Number   | Description  | Price       |
| Base machine  | T8500 CHIEF   | T8500 Side chute incl. lights/mudguards/extension sides/12.5 wheels  | \$66,766.00 |
|   | T8500SC CHIEF | T8500SC Swivel chute incl. lights/mudguards/extension sides/12.5 wheels  | \$67,939.00 |
| <b>PTO Options</b>  |               |  |             |
| 6 Spline WAJ PTO - in   | PTO8085       | 6 Spline Tractor End, WAJ at Machine end   | \$1,383.00  |
| <b>Highway / Trailed Options</b>  |               |  |             |
| Road Lights   | SC4270        | LED Road Light Kit + EC1123  | Std.        |
| Wheels  | WE1121        | Tires and Rims 12.5/75 -15in .   | Std.        |
| Jack  | SC4069        | Drawbar Jack   | Std.        |
| Clevis Hitch  | SC5051        | Clevis Hitch and Jack in Lieu of Standard Ring Hitch   | Std.        |
| <b>Crossbeater Options</b>  |               |  |             |
| Extra Blade Kit   | SC3768        | For Standard Straw / Silage Crossbeater (Additional 48 blades)   | \$543.00    |
| Hook Ripper Kit   | SC4218        | Increased Feed Rate Less chopping Standard Straw/ Silage Crossbeater Only  | \$333.00    |
| Hardox Tips   | SC4702        | Crossbeater wear Tips - trianqular between knife rings   | \$473.00    |
| <b>Miscellaneous Options</b>  |               |  |             |
| Dust Sppression Kit   | SC5410        | 5 Nozzle Water Spray Kit, 13 USG Capacity  | \$3,745.00  |
| Hyd. Oil Filter   | SC4309        | In Line Hydraulic Pressure Filter  | Std.        |
| Automatic Chain Oiler   | SC5340        | Automatically lubricates crossbeater drive chain   | \$1,488.00  |
| Side Extensions   | SC4594        | Increase bale chamber capacity   | Std.        |
| Tailgate Extension  | SC4710        | Extension for Increased Length +24"  | \$1,348.00  |
| Power Fly Lead  | SC3598        | Power Fly Lead with Female Socket  | Std.        |
| Rear Tailgate Switch  | SC5241        | Tailgate and Bed Control at Ground Level   | Std.        |
| Ski Jump Chute Kit - Hydraulic Control  | SC5064        | For SC models to deliver straw into calf hutches and pig arcs or under trees. Includes extended yellow beak.   | \$2,275.00  |

PRICED IN CANADIAN DOLLARS


PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0  
Phone: 519-338-2923, Fax: 519-338-2756  
Email: sales@harcoag.ca, www.harcoag.ca

**Teagle**

**Tomahawk 8555 CHIEF Dual Chop**

|  |  |  |
|--|--|--|
| <p><b>Description</b><br/>Spread straw long or chop it short at the touch of a button. Suitable for cubicle bedding, TMR processing or bedding loose housing.<br/><b>Removable screen now allows wet materials to be processed.</b></p> <ul style="list-style-type: none"> <li>· 6ft. Diameter x 5ft width Round Bales</li> <li>· 4ft. x 4ft. x 8ft Rectangular Bales</li> <li>· Suitable for <b>Straw, Hay and Silage</b></li> <li>· Max. Spreading distance 80ft.</li> <li>· Wear Resistant Steel Fan Housing</li> </ul> | <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>· Trailed Machine</li> <li>· Slip &amp; Overrun Clutch PTO</li> <li>· Rear Tailgate Switch</li> <li>· Bluetooth Electric Controls</li> <li>· 2 speed Gearbox - 540 RPM PTO</li> <li>· PTO req. min. 80hp</li> <li>· Weight 5340lbs.</li> <li>· Standard wheels 12.5/75-15</li> </ul> |  <p><b>8555 Dual Chop</b></p> <p>OIL Automatic crossbeater chain lubrication system</p> <p>HARDOX WEARPLATE</p> |
|--|--|--|

Additional Information is available on the Teagle website

| Item                                   | Part Number | Description   | Price       |
|--|-------------|---|-------------|
| Base Machine                           | T8555 CHIEF | T8555SC Dual Chop Swivel chute incl. lights/mudguards/extension sides/chain oiler/12.5 wheels | \$82,639.00 |
| <b>Chopping System Options</b>         |             |   |             |
| 40mm Screen                            | SC5312      | Standard specification 40mm screen supplied with 8555   | Std.        |
| 50mm Screen                            | SC5310      | Optional 50mm screen In lieu of std. 40mm screen  | \$0.00      |
| Additional screen                      |             | Select both 40mm and 50mm screens   | \$1,190.00  |
| Bypass screen                          | SC5314      | Blanking screen required to process wet materials   | \$840.00    |
| Storage rack                           | SC5359      | Screen rack (to store one screen under the machine)   | \$840.00    |
| <b>402</b>                             |             |   |             |
| 6 Spline WAJ PTO - in                  | PTO8085     | 6 Spline Tractor End, WAJ at Machine end  | \$1,383.00  |
| <b>Highway / Trailed Options</b>       |             |   |             |
| Road Lights                            | SC4270      | LED Road Light Kit + EC1123   | Std.        |
| Wheels                                 | WE1121      | Tires and Rims 12.5/75 -15in .  | Std.        |
| Jack                                   | SC4069      | Drawbar Jack  | Std.        |
| Clevis Hitch                           | SC5051      | Clevis Hitch and Jack in Lieu of Standard Ring Hitch  | Std.        |
| <b>Miscellaneous Options</b>           |             |   |             |
| Dust Sppression Kit                    | SC5410      | 5 Nozzle Water Spray Kit, 13 USG Capacity   | \$3,745.00  |
| Hyd. Oil Filter                        | SC4309      | In Line Hydraulic Pressure Filter   | Std.        |
| Automatic Chain Oiler                  | SC5340      | Automatically lubricates crossbeater drive chain  | Std.        |
| Side Extensions                        | SC4594      | Increase bale chamber capacity  | Std.        |
| Tailgate Extension                     | SC4710      | Extension for Increased Length +24"   | \$648.00    |
| Power Flv Lead                         | SC3598      | Power Flv Lead with Female Socket   | Std.        |
| Rear Tailgate Switch                   | SC5241      | Tailgate and Bed Control at Ground Level  | Std.        |
| Ski Jump Chute Kit - Hydraulic Control | SC5064      | Material Delivery into Hutches. Inc Yellow Beak   | \$2,275.00  |

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

**Teagle** **Tomahawk 9500**

**Description**  
Spread bales of straw for bedding or shred silage for feeding applications.  
Wide body for easier loading with twin crossbeaters for greater performance.  
· 6ft. Diameter x 5ft width Round Bales  
· 4ft. x 4ft. x 8ft Rectangular Bales  
· Suitable for **Straw, Hay and Silage**  
· Max. Spreading distance 80ft.  
· Wear Resistant Steel Fan Housing

- Specifications**
- Trailed Machine
  - Slip & Overrun Clutch PTO
  - Rear Tailgate Switch
  - Bluetooth Electric Controls
  - 2 speed Gearbox - 540 RPM PTO
  - PTO req. min. 90hp
  - Weight 6650lbs.
  - Standard wheels 305/55 R22



Additional Information is available on the Teagle website

| Item         | Part Number | Description                                 | Price       |
|--------------|-------------|---|-------------|
| Base machine | T9500       | T9500 Side chute incl. lights/mudguards     | \$82,520.00 |
|              | T9500SC     | T9500SC Swivel chute incl. lights/mudguards | \$83,692.00 |

| PTO Options        |         |  |            |
|--------------------|---------|--|------------|
| 6 Spline WAJ PTO - | PTO8085 | 6 Spline Tractor End. WAJ at Machine end | \$1,400.00 |

| Highway / Trailed Options |        |  |      |
|---------------------------|--------|--|------|
| Road Lights               | SC5219 | LED Road Light Kit + FC1123                          | Std. |
| Jack                      | SC4069 | Drawbar Jack   | Std. |
| Clevis Hitch              | SC5051 | Clevis Hitch and Jack in Lieu of Standard Ring Hitch | Std. |

| Crossbeater Options |            |  |          |
|---------------------|------------|--|----------|
| Hardox Tips         | SC4702 x 2 | Crossbeater wear Tips - triangular between knife rings | \$945.00 |

| Miscellaneous Options        |        |   |            |
|------------------------------|--------|---|------------|
| Dust Sppression Kit          | SC5410 | 5 Nozzle Water Spray Kit, 13 USG Capacity         | \$3,745.00 |
| Hyd. Oil Filter              | SC4309 | In Line Hydraulic Pressure Filter                 | Std.       |
| Automatic Chain Oiler        | SC5365 | Automatically lubricates crossbeater drive chains | \$2,013.00 |
| Swivel Chute Ext.            | SC7029 | Swivel Chute Lift Extension +12" supplied loose   | \$998.00   |
| Side Extensions              | SC5261 | For extended capacity                             | \$1,173.00 |
| Tailgate Extension           | SC4710 | Extension for Increased Length +24"               | \$998.00   |
| Power Fly Lead               | SC3598 | Power Fly Lead with Female Socket                 | Std.       |
| Rear Tailgate Switch         | SC5241 | Tailgate and Bed Control at Ground Level          | Std.       |
| Swivel Chute, Ski Jump Chute | SC5064 | Material Delivery into Hutches. Inc Yellow Beak   | \$2,275.00 |

9500 / 1010 Updated hinged hood




PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

## Teagle

## Tomahawk 1010

|  |   |  |
|--|---|--|
| <b>Description</b><br>Spread bales of straw for bedding or shred silage for feeding applications.<br>Wide body for easier loading with twin crossbeaters for greater performance.<br>• 5ft x 6ft Diameter Round Bales<br>• 4ft. x 4ft. x 8ft Rectangular Bales<br>• Suitable for <b>Straw, Hay and Silage</b><br>• Max. Spreading distance 80'<br>• Wear Resistant Steel Fan Housing | <b>Specifications</b><br>• Trailed Machine with Hyd. Brakes<br>• Slip & Overrun Clutch P.T.O.<br>• Rear Tailgate Switch<br>• Bluetooth Electric Controls<br>• 2 speed Gearbox - 540 RPM PTO<br>• PTO req. min. 90hp<br>• Weight 7826 / 7915 lbs.<br>• Standard wheels 385/55R22.5 |  |
|--|---|--|

Additional Information is available on the Teagle website

| Item                                   | Part Number | Description   | Price       |
|--|-------------|---|-------------|
| Base machine                           | T1010       | T1010 Side chute incl. lights/brakes/mudguards/oil filter     | \$98,602.00 |
|  | T1010SC     | T1010SC Swivel chute incl. lights/mudguards/oil filter        | \$99,775.00 |
| 6 Spline WAJ PTO -                     | PTO8085     | 6 Spline Tractor End. WAJ at Machine end                      | \$1,400.00  |
| <b>Highway / Trailed Options</b>       |             |   |             |
| Road Lights                            | SC5270      | LED Road Light Kit + FC1123                                   | Std.        |
| Jack                                   | SC4069      | Drawbar Jack  | Std.        |
| Clevis Hitch                           | SC5051      | Clevis Hitch in Lieu of Standard Ring Hitch                   | Std.        |
| <b>Crossbeater Options</b>             |             |   |             |
| Hardox Tips                            | SC4702 x 2  | Crossbeater wear Tips - triangular between knife rings        | \$945.00    |
| <b>Miscellaneous Options</b>           |             |   |             |
| Bale Lift Plates                       | SC4902      | Hyd. Cylinders & Mounting with Bale Lift Plates - Control box | \$7,508.00  |
| Dust Spression Kit                     | SC5410      | 5 Nozzle Water Spray Kit, 13 USG Capacity                     | \$3,745.00  |
| Power Fly Lead                         | SC3598      | Power Fly Lead with Female Socket                             | Std.        |
| Hyd. Oil Filter                        | SC4309      | In Line Hydraulic Pressure Filter                             | Std.        |
| Rear Tailgate Switch                   | SC5241      | Tailgate and Bed Control at Ground Level                      | Std.        |
| Automatic Chain                        | SC5365      | Automatically lubricates crossbeater drive chains             | \$2,013.00  |
| Swivel Chute Ext.                      | SC7029      | Swivel Chute Lift Extension +12" supplied loose               | \$998.00    |
| Side Extensions                        | SC4728      | For extended capacity   | \$1,278.00  |
| Ski Jump Chute Kit - Hydraulic Control | SC5064      | Material Delivery into Hutches. Inc Yellow Beak               | \$2,275.00  |



Hydraulic Bale Lift Plates SC4902




**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

**Teagle** **Spiromix 200H**

|  |  |   |
|--|--|---|
| <p><b>Description</b></p> <ul style="list-style-type: none"> <li>· A robust steel drum with auger flight offers unparalleled mixing action. Low Level Fill Height, and simple unloading by reversing drum rotation.</li> <li>· 110lbs of Cement 6:1 Mix</li> <li>· Min Tractor Size 50 HP</li> <li>· Hydraulic Drum Rotation controlled from tractor</li> <li>· Low maintenance drive</li> <li>· Parking Stands</li> </ul> | <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>· 3 point hitch, category 1/2</li> <li>· Drum volume 20cu.ft.</li> <li>· Approx. Mix Volume 10cu.ft.</li> <li>· Loading Height to drum lip 22"</li> <li>· Empty weight 420lbs</li> <li>· Laden weight 1790lbs</li> <li>· Drum Diameter 32"</li> <li>· Drum Length 43"</li> </ul> |  |
|--|--|---|

Additional Information is available on the Teagle website

| Item         | Part Number | Description             | Price      |
|--------------|-------------|-------------------------|------------|
| Base machine | SPIRO200H   | Spiromix Concrete Mixer | \$6,003.00 |

**Discontinued Item - Contact us for exclusive pricing**




**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

## Teagle XT24 & XT48

|   |   |  |
|---|---|--|
| <p><b>Description</b><br/>                 Straightforward spreading up to 40ft. with a reliable quadruple overlap spread pattern. Tilt boundary spreading system.<br/>                 Professional finish - Powder coated with stainless steel spreading components and tractor guard<br/> <b>**NEW**</b><br/>                 Straightforward setup - simple rate and pattern adjustment</p> | <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>· Bout Width : Up to 40ft.</li> <li>· 3 point hitch, category 1/2</li> <li>· S/S Hopper Sieve Standard</li> <li>· Capacity XT24 : 1400lbs.</li> <li>· Capacity XT48 : 2950lbs.</li> <li>· Empty weight XT24 : 408lbs.</li> <li>· Empty weight XT48 : 597lbs.</li> </ul> |  |
|---|---|--|

Additional Information is available on the Teagle website

| Item                | Part Number | Description   | Price             |
|---------------------|-------------|---|-------------------|
| <b>Base machine</b> | <b>XT24</b> | <b>Twin Disc Fertilizer Spreader with hydraulic shutter control and hopper sieve: 1400lbs</b> | <b>\$8,439.00</b> |
| Base machine        | XT24B       | As above but with Band Spreading kit fitted   | \$8,439.00        |

**Options**

|                             |        |  |          |
|-----------------------------|--------|--|----------|
| Hydraulic Tilt Kit          | MB3019 | Hydraulic ram to control tilt from tractor cab         | \$718.00 |
| Hopper Cover                | MB3016 | Canvas Hopper Cover                                    | \$613.00 |
| Band Spreading Kit Unfitted | MB2264 | Enables user to switch from standard to band spreading | \$385.00 |

| Item                | Part Number | Description  | Price              |
|---------------------|-------------|--|--------------------|
| <b>Base machine</b> | <b>XT48</b> | <b>Twin Disc Fertilizer Spreader with hydraulic shutter control and hopper sieve: 2950lbs.</b> | <b>\$11,253.00</b> |
| Base machine        | XT48B       | As above but with Band Spreading kit fitted  | \$11,253.00        |

**Options**

|                             |        |  |          |
|-----------------------------|--------|--|----------|
| Hydraulic Tilt Kit          | MB3124 | Hydraulic ram to control tilt from tractor cab         | \$945.00 |
| Hopper Cover                | MB3125 | Canvas Hopper Cover                                    | \$735.00 |
| Band Spreading Kit Unfitted | MB2264 | Enables user to switch from standard to band spreading | \$385.00 |

**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

**Teagle**

**Superted 221**

**Description**

A robust high speed swath conditioner to introduce air to a swath, reducing drying times and preserving crop condition.

- 7'3" Pickup Width / 9'6 Overall Width
- Castor Wheels 6.00/9 V50

**Specifications**

- 3 point hitch, category 2
- 540 rpm PTO
- Belt Drive Rotor
- Min Tractor Size 60 HP
- Weight 1540lbs.



Additional Information is available on the Teagle website

| Item         | Part Number | Description                           | Price       |
|--------------|-------------|---------------------------------------|-------------|
| Base machine | TED221      | Superted High Speed Swath Conditioner | \$20,227.00 |

**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

## Harco Ag Set-Up Charges

Harco Ag 'Set-Up' includes basic assembly only; machines are not considered field ready.  
Final preparation for use is the dealer's responsibility.

| Model                | Estimated Time (Hours) | Price    |
|----------------------|------------------------|----------|
| Teagle 505M          | 1                      | \$100.00 |
| Teagle 505B          | 1                      | \$100.00 |
| Teagle 505XLM/5050XL | 3.5                    | \$350.00 |
| Teagle 500FS         | 3.5                    | \$350.00 |
| Teagle 5050          | 1                      | \$100.00 |
| Teagle 6100H         | 2                      | \$200.00 |
| Teagle 6200H         | 2                      | \$200.00 |
| Teagle 8200          | 2                      | \$200.00 |
| Teagle 8250          | 2                      | \$200.00 |
| Teagle 8500          | 2                      | \$200.00 |
| Teagle 8555          | 2                      | \$200.00 |
| Teagle 9500          | 3                      | \$300.00 |
| Teagle 1010          | 6                      | \$600.00 |
| Teagle C12           | 6                      | \$600.00 |
| Teagle C120          | 6                      | \$600.00 |

| Options           | Estimate Time (Hours) | Price    |
|-------------------|-----------------------|----------|
| Chute             | 1.25                  | \$125.00 |
| Tailgate Mesh Kit | 0.5                   | \$50.00  |
| Dust Seal Kit     | 1.5                   | \$150.00 |
| Liquid Spray Kit  | 3.75                  | \$375.00 |
| New Screen        | 0.75                  | \$75.00  |
| Bale Lifts        | 0.5                   | \$50.00  |

Please contact us for any set-up charges on any models/options not listed.

**PRICED IN CANADIAN DOLLARS**

**PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.