

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca


Tomahawk 404M

ONTARIO ONLY

Tomahawk 404 Mill

- 3 Pt. Cat 2, + Q/A Couple F/M
- 540 or 1000 RPM
- Slip & Overrun Clutch
- S/A Hydraulic Drum Drive
- PTO req. Min. 60HP
- Weight – 1425 lbs
- For 4' Diameter Bales
- Std. Drum Length 60"
- Dry Material Only
- Distance Blown max. 15' @ 540
- Distance Blown 20' @ 1000
- Supplied with one screen



Item	Part #	Description	Price
Base Machine	T404M	T404M Knife Rotor (Std. Production Build)	\$19,940.00
		T404M with Optional Hammer Rotor	\$19,940.00
	T404XLM	118" Drum Length Machine	\$24,153.00
Hyd. Flow Control	SC1332	Drum Speed when no Flow/Control on Tractor	\$634.00
Hyd. Center Link	CYL1052	Required for Ultimate Performance	\$944.00
PTO & Options	PTO8125	6 Spline Tractor End	Std.
	PTO8127	21 Spline Tractor End in Lieu of 6 Spline	\$0
Q/A Coupler Male	AF0100	Tractor End A Frame	\$634.00
Lower Chute	SC1867	Left Hand Lower Discharge Chute	Std.
Options Lower Chute	SC1873*	Hose Adaptor for SC1867 (7" Dia.)	\$425.00
	SC1871*	Rearward Deflector 135 Deg. *Requires SC1867 for on/off control	\$886.00
L/H Giraffe Chutes	SC1227	Chute for Dry Material Only	\$1,028.00
	SC1861	Mechanical Swivel Chute Dry Material	\$1,540.00
Options L/H Giraffe Chutes	SC1966	Hyd. Rotation Kit for SC1861	\$1,028.00
	SC1442	Hyd. Control Discharge Flap on SC1861	\$981.00
	SC1374	Hyd. Control Discharge Flap on SC1227	\$981.00
Vertical Hose Ad.	SC1277	Hose Adaptor in place of Giraffe Chute	\$987.00
R/H Chute		Side Discharge Chute	Std.
Options R/H Chute	SC1625	Hydraulic Control RH Chute Flap	\$981.00
Drum Option	SC1894	72" Drum Length in Lieu of Standard	\$239.00
 HARDOX SCREENS Screen Sizes Please stipulate which size is to be supplied at time of machine order	SC1674	3/8" Screen Hole Dia.	\$886.00
	SC1673	1/2" Screen Hole Dia.	\$886.00
	SC1676	19/32" Screen Hole Dia.	\$886.00
	SC1695	23/32" Screen Hole Dia.	\$886.00
	SC1660	13/16" Screen Hole Dia.	\$886.00
	SC1776	1" Screen Hole Dia.	\$866.00
	SC1677	1 1/8" Screen Hole Dia.	\$886.00
	SC1661	1 7/16" Screen Hole Dia.	\$886.00
	SC1771	2" Screen Hole Dia.	\$886.00
	SC1662	5" Slotted Screen Hole Dia.	\$886.00
Mesh Kit	SC2236	Fine Mesh for Tailgate	\$532.00
Dust Suppression Kit	SC2350	Spray nozzles in Outlets w/pump & tank	\$2,528.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.


5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca

Tomahawk 505M

Tomahawk 505 Mill

- 3 Pt. Cat 2, + Q/A Couple F/M
- 540 or 1000 RPM
- Slip & Overrun Clutch
- S/A Hydraulic Drum Drive
- PTO req. Min. 70HP
- Weight – 1620 lbs
- Bale size max. 5' dia.
- Std. Drum Length 60"
- Dry Material Only
- Distance Blown max. 15' @ 540
- Distance Blown 20'+ @ 1000
- Supplied with one screen



Item	Part #	Description	Price
Base Machine	T505M	T505M Knife Rotor (Std. Production Build) 72" Drum length in lieu of standard	\$23,370.00
		T505M with Optional Hammer Rotor	\$22,097.00
	T505XLM	118" Drum Length Machine	\$24,985.00
Hyd. Flow Control	SC1332	Drum Speed when no Flow/Control on Tractor	\$634.00
Hyd. Center Link	CYL1052	Required for Ultimate Performance	\$944.00
PTO & Options	PTO8125	6 Spline Tractor End	Std.
	PTO8127	21 Spline Tractor End in Lieu of 6 Spline	\$0
Q/A Coupler Male	AF0100	Tractor End A Frame	\$634.00
Lower Chute	SC1867	Left Hand Lower Discharge Chute	Std.
Options Lower Chute	SC1873*	Hose Adaptor for SC1867 (7" Dia.)	\$425.00
	SC1871*	Rearward Deflector 135 Deg. *Requires SC1867 for on/off control	\$886.00
L/H Giraffe Chutes	SC1227	Chute for Dry Material Only	\$1,028.00
	SC1964	Mechanical Swivel Chute Dry Material	\$1,813.00
Options L/H Giraffe Chutes	SC1966	Hyd. Rotation Kit for SC1964	\$1,028.00
	SC1442	Hyd. Control Discharge Flap on SC1964	\$981.00
	SC1374	Hyd. Control Discharge Flap on SC1227	\$981.00
Vertical Hose Ad.	SC1277	Hose Adaptor in place of Giraffe Chute	\$987.00
R/H Chute		Side Discharge Chute	Std.
Options R/H Chute	SC1725	Hydraulic Control RH Chute Flap	\$981.00
 HARDOX SCREENS Screen Sizes Please stipulate which size is to be supplied at time of machine order	SC1674	3/8" Screen Hole Dia.	\$886.00
	SC1673	1/2" Screen Hole Dia.	\$886.00
	SC1676	19/32" Screen Hole Dia.	\$886.00
	SC1695	23/32" Screen Hole Dia.	\$886.00
	SC1660	13/16" Screen Hole Dia.	\$886.00
	SC1776	1" Screen Hole Dia.	\$886.00
	SC1677	1 1/8" Screen Hole Dia.	\$886.00
	SC1661	1 7/16" Screen Hole Dia.	\$886.00
	SC1771	2" Screen Hole Dia.	\$886.00
	SC1662	5" Slotted Screen Hole Dia.	\$886.00
Mesh Kit	SC2250	Fine Mesh for Tailgate	\$532.00
Dust Suppression Kit	SC2350	Spray nozzles in Outlets w/pump & tank	\$2,528.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

Tomahawk 500B

Tomahawk 500

- Process material outside, distribute inside for increased bio security. The booster fan w/on-board hydraulic system (PTO driven) can transfer straw up to 320 feet!
- 5' Diameter Round Bales
- 4' x 4' x 8' Rectangular Bales
- Dry Material Only
- Includes radio remote drum control

- Specifications
- 3 pt. Cat 2 w/female quick hitch
 - 1000 RPM
 - Slip & Overrun Clutch WAJ PTO
 - Single acting hydraulic drum drive
 - PTO req. min 100 hp.
 - Weight 3065 lbs.
 - Weight 3840 lbs (XLM)



Item	Part #	Description	Price
Base Machine	T500B	Tomahawk 500B incl. one screen, 6' drum length in lieu of standard 5'	\$43,134.00
Chute Options			
Non-supply of RH Chute		For improved straw containment	Less (\$442.00)
Misc Options			
Hyd. Flow Control	SC1332	Drum speed when no flow/control on tractor	Std.
Booster Fan Options			
127mm host kit x 20m	SC2307	Complete with male coupler and clips	\$1,501.00
Straw diverter valve type 1	SC2336	Asymmetric diverter valve	\$1,422.00
Straw diverter valve type 2	SC2337	Symmetric diverter valve	\$1,627.00
Rearward deflector kit	SC2335	Deflector for Bauer connector	\$932.00
Dust Suppression			
Tailgate mesh	SC2230	Fine mesh for tailgate	Std.
Dust seal kit	SC2254	Drum/backplate seal kit, including brush	Std.
Liquid spray kit	SC2350	Tank, power lead enclosure, hose & nozzles for booster fan	\$2,433.00



Dust Suppression Spray Kit



Asymmetric Diverter Valve

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca



Tomahawk 4040

Tomahawk 4040 Silage Feeder & Straw Spreader

- 3 Pt. Cat 2, + Q/A Couple F/M
- 540 or 1000 RPM
- Slip & Overrun Clutch
- S/A Hydraulic Drum Drive
- PTO req. Min. 60HP
- Weight – 1395 lbs
- Bale size max. 4' dia.
- Std. Drum Length 60"
- Dry Material Only
- Distance Blown max. 25' @ 540
- Distance Blown 30'+ @ 1000
- Round or Square Bales



Item	Part #	Description	Price
Base Machine	T4040	Tomahawk 4040	\$18,960.00
	T4040XL	118" Drum Length Machine	\$23,172.00
Hyd. Flow Control	SC1332	Drum Speed when no Flow/Control on Tractor	\$634.00
Hyd. Center Link	CYL1052	Required for Ultimate Performance	\$944.00
PTO & Options	PTO8125	6 Spline Tractor End	Std.
	PTO8127	21 Spline Tractor End in Lieu of 6 Spline	\$0
Q/A Coupler Male	AF0100	Tractor End A Frame	\$634.00
Lower Chute	SC1867	Left Hand Lower Discharge Chute	\$634.00
Options Lower Chute	SC1873*	Hose Adaptor for SC1867 (7" Dia.)	\$425.00
	SC1876*	Strawberry Chute Kit L/H & R/H *Requires SC1867 for on/off control	\$1,267.00
L/H Giraffe Chutes & Options Options L/H Giraffe Chutes	SC1226	Chute for Silage, Hay & Straw	\$1,230.00
	SC1861	Mechanical Swivel Chute Dry Material	\$1,540.00
	SC1966	Hyd. Rotation Kit for SC1861	\$1,028.00
	SC1442	Hyd. Control Discharge Flap for SC1861	\$981.00
	SC1374	Hyd. Control Discharge Flap for SC1226	\$981.00
R/H Chute		Side Discharge Chute	Std.
Options R/H Chute	SC1374	Hydraulic Control RH Chute Flap	\$981.00
Drum Options	SC1894	72" Drum Length in Lieu of Standard	\$229.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca



Tomahawk 5050

Tomahawk 5050 Silage Feeder & Straw Spreader

- 3 Pt. Cat 2, + Q/A Couple F/M
- 540 or 1000 RPM
- Slip & Overrun Clutch
- S/A Hydraulic Drum Drive
- PTO req. Min. 60HP
- Weight – 1595 lbs
- Bale size max. 5' dia.
- Std. Drum Length 60"
- Silage & Dry Material
- Distance Blown max. 25' @ 540
- Distance Blown 30'+ @ 1000
- Round or Square Bales



Item	Part #	Description	Price
Base Machine	T5050	Tomahawk 5050, 72" Drum length in lieu of standard	\$21,376.00
	T5050XLM	9' Drum Length Machine (Only for dry material)	\$24,197.00
Hyd. Flow Control	SC1248	Drum Speed when no Flow/Control on Tractor	\$634.00
Hyd. Center Link	CYL1052	Required for Ultimate Performance	\$944.00
PTO & Options	PTO8125	6 Spline Tractor End	Std.
	PTO8127	21 Spline Tractor End in Lieu of 6 Spline	\$0
Q/A Coupler Male	AF0100	Tractor End A Frame	\$634.00
Lower Chute	SC1867	Left Hand Lower Discharge Chute	\$634.00
	SC1873*	Hose Adaptor for SC1867 (7" Dia.)	\$425.00
Options Lower Chute	SC1876*	Strawberry Chute Kit L/H & R/H *Requires SC1867 for on/off control	\$1,267.00
	SC1305	Chute for Silage, Hay & Straw	\$1,321.00
L/H Giraffe Chutes	SC1964	Mechanical Swivel Chute Dry Material	\$1,813.00
	SC1966	Hyd. Rotation Kit for SC1964	\$1,028.00
Options L/H Giraffe Chutes	SC1442	Hyd. Control Discharge Flap for SC1964	\$981.00
	SC1374	Hyd. Control Discharge Flap for SC1305	\$981.00
R/H Chute		Side Discharge Chute	Std.
Options R/H Chute	SC1374	Hydraulic Control RH Chute Flap	\$981.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca



Trailer Chassis

Trailer Chassis Only – 404, 4040, 505, 5050

- Pivoting Axle for Machine Inclination
- Hyd. Check Valves in Pivot Cylinders
- Clevis Hitch Drawbar & Support Jack
- 10.5x15 6-stud Wheels & Tires
- Maximum Road Speed of 25 mph
- Tractor Req. 2x Double Acting Hyd. Services
- Powder Painted

Ordered in Multiples of 5 Units
Flat Packed for Shipment



Item	Part #	Description	Price
<i>MUST BE ORDERED IN MULTIPLES OF 5 UNITS</i>			
Base Machine	SC1980	Trailer Chassis for use with Drum Machines* *Drum Machines manufactured prior to 2013 may need small modifications to machine chassis	\$5,935.00
PTO Shaft	SC1984	Extended Tubes and Cover Shields to Convert Original Supplied PTO Shaft. In Field Fitment	\$580.00
Hydraulic Hoses	HYD2723	Hydraulic Hoses to Extend OEM Specifications for Drum Drive	Std.

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.



5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca

Telehawk

Telehawk Straw Spreader

- Bluetooth Electronic Controls
- Hydraulic Drive from Telehandler
- Hyd. Load Sensing Crossbeater
- Weight – 5733 lbs
- Priority Oil Flow to Fan
- Self Loading
- Dry Material Only
- Bale Size – Round Max. 4'x5'
- Bale Size – Square Max. 4'x4'x8'
- Hyd. Oil Filter (Pressure)
- Distance Blown up to 44'
- Swivel Chute 280 deg. Rotation



Item	Part #	Description	Price
Base Machine	Telehawk	Base Unit Telehawk*	\$35,301.00
		*MUST ADD one of the following Bracket Kits Includes Container Transport Frame U-Bolts Included in Bracket Kits	
Mounting Bracket Kits	SC6001	JCB Q Fit	\$1,014.00
	SC6005	Merlo ZM2 P26/27/30	\$1,014.00
	SC6010	JCB Pin and Cone	\$1,014.00
	SC6015	Manitou	\$1,014.00
	SC6020	New Holland	\$1,014.00
	SC6025	Claas (Dark Green)	\$1,014.00
	SC6030	Caterpillar	\$1,014.00
	SC6035	Claas (Light Green)	\$1,014.00
	SC6040	JCB Tool Carrier	\$1,014.00
	SC6045	JCB Compact Tool Carrier	\$1,014.00
	SC6050	Dieci	\$1,014.00
	SC6055	Kramer	\$1,014.00
	SC6060	Volvo	\$1,014.00
	SC6065	Bobcat	\$1,014.00
	SC6070	Euro 8	\$1,014.00
	SC6080	Schaffer	\$1,014.00
	SC6085	Dieci	\$1,014.00
	SC6090	Merlo ZM3	\$1,014.00
SC6095	Terex	\$1,014.00	
SC6200	Wideman	\$1,014.00	
		Please verify with Teagle before ordering. Engineered drawing available to verify correct Telehandler Quick Hitch/Bracket set dimensions. Other bracket kits available. Check with Teagle.	
Hyd. Oil Filter	SC6153	In Line Pressure Oil Filter Kit	Std.
Hyd. Flow Divider	SC6146	Req. for Hyd. Oil Flows Over 31 U.S. Gal. Per Min.	\$1,011.00
Hydraulic Return		A 3/4" free flow return pipe from Telehawk to the Telehandler must utilize 3/4 flat faced couplings	Dealer Supply
Electrics		Bluetooth Controls	Std.
Power Cable		20' Power Cable Telehandler to Machine	Std.

Please verify all orders with Teagle: Ensure Correct Mounting Brackets & Telehandler Requirements are understood prior to order

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca



Tomahawk 7100

Tomahawk 7100 Straw Spreader & Silage Feeder

- 3 Pt. Hitch Only
- Rear Tailgate Switch
- Slip & Overrun Clutch @ 540 RPM
- Bluetooth Electronic Controls
- 2 Speed Gearbox
- Bale Size – Round max. 4'x6'
- Bale Size – Square max. 4'x4'x8'
- Hyd. Oil Filter (Pressure)
- Distance Blown up to 65'
- Silage & Dry Material
- Min. PTO – 60HP



Weight (lbs)	7100	7100SC
3 Pt	3307 lbs	3616 lbs
3 Pt & Castor Wheels	3609 lbs	3918 lbs

Item	Part #	Description	Price
Base Machine	T7100	Base Unit Tomahawk 7100 Std. Side Chute Right Hand Discharge	\$34,927.00
	T7100SC	Base Unit Tomahawk 7100SC Hydraulic Swivel Chute	\$36,183.00
Linkage Kit	SC4316	3 Point Q/A Linkage Kit	Std.
PTO Shaft	PTO8084	PTO Shaft 6 Spline with Slip & Over Run	Std.
Caster Wheels	SC4306	Mounted Machine Assist Wheels	\$4,141.00
Electric Controls	SC3598	Power Fly Lead (6') with Female Socket	Std.
Hyd. Oil Filter	SC3785	In Line Hydraulic Pressure Filter	Std.
Road Lights	SC4390 & EC1123 & EC1519	Road Light Kit	\$950.00
Rear Tailgate Switch	SC4302	Tailgate + Bed Control at Ground Level	Std.
Strawberry Chute Kit	SC4005	Use with 7100 Only, Mechanical **	\$419.00
Extra Blade Kit	SC3768	For Standard Straw / Silage Crossbeater (Additional 48 Blades)	\$335.00
Hook Ripper Kit	SC4218	Increased Feed Rate Less Chopping Standard Straw/Silage Crossbeater Only Distributor Fitment	\$200.00
Tail Gate Extension	SC4307	Extension for Increased Length +18"	\$696.00
Hose Adaptor	SC4791	Hose Adaptor for Swivel Chute. Supplied Less Hose. Require local supply of 10" dia. Hose x 12'	\$628.00
Chain Oiling Kit	SC5364	Lubrication of Crossbeater drive chain and bed motor drive chain	\$1,027.00

**Only available for use on Tomahawk 7100 basic model (right hand chute)

PRICED IN CANADIAN DOLLARS


PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca



Tomahawk 7150

Tomahawk 7150 Dual Chop Short Chop or Spreader									
<ul style="list-style-type: none"> 3 Pt. Hitch Only Rear Tailgate Switch Slip & Overrun Clutch @ 540 RPM Bluetooth Electronic Controls 	<ul style="list-style-type: none"> 2 Speed Gearbox Bale Size – Round max. 4'x6' Bale Size – Square max. 4'x4'x8' Hyd. Oil Filter (Pressure) Distance Blown up to 65' Dry Materials Only Min. PTO – 90HP 		<table border="1"> <tr> <td>Weight (lbs)</td> <td>7150SC</td> </tr> <tr> <td>3 Pt</td> <td>3792 lbs</td> </tr> <tr> <td>3 Pt & Castor Wheels</td> <td>4094 lbs</td> </tr> </table>	Weight (lbs)	7150SC	3 Pt	3792 lbs	3 Pt & Castor Wheels	4094 lbs
Weight (lbs)	7150SC								
3 Pt	3792 lbs								
3 Pt & Castor Wheels	4094 lbs								

Item	Part #	Description	Price
Base Machine	T7150SC	Base Unit & 7150 Dual Chop Hydraulic Swivel Chute Dual Chop Dry Crop Cutting System Crossbeater with Replaceable Tips	\$43,914.00
Linkage Kit	SC4316	3 Point Q/A Linkage Kit	Std.
PTO Shaft	PTO8084	PTO Shaft 6 Spline with Slip & Over Run	Std.
Caster Wheels	SC4306	Mounted Machine Assist Wheels	\$4,183.00
Electric Controls	SC3598	Power Fly Lead (6') with Female Socket	Std.
Hyd. Oil Filter	SC3785	In Line Hydraulic Pressure Filter	Std.
Road Lights	SC4390 & EC1123 & EC1519	Road Light Kit	\$960.00
Rear Tailgate Switch	SC4161	Tailgate + Bed Control at Ground Level	Std.
Tail Gate Extension	SC4307	Extension for Increased Length +18"	\$702.00
Hose Adaptor	SC4791	Hose Adaptor for Swivel Chute. Supplied less hose. Require local supply of 10" dia. Hose x 12'	\$634.00
Chain Oiling Kit	SC5364	Lubrication of Crossbeater drive chain and bed motor driven chain	\$1,027.00

PRICED IN CANADIAN DOLLARS


PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca



Tomahawk 8100

Tomahawk 8100 Straw Spreader & Silage Feeder			
<ul style="list-style-type: none"> Trailed Machine Slip & Overrun Clutch @ 540 RPM Bluetooth Electronic Controls Rear Tailgate Switch Weight – 4145 lbs – 4321 lbs Min. PTO – 60HP 10.0/75-15.3 10 Ply Tires 	<ul style="list-style-type: none"> 2 Speed Gearbox Bale Size – Round max. 4'x6' Bale Size – Square max. 4'x4'x8' Distance Blown up to 65' Clevis Hitch & Jack Silage & Dry Material Oil Filter 		

Item	Part #	Description	Price
Base Machine	T8100	Trailed Tomahawk 8100 Std. Side Chute Right Hand Discharge	\$39,365.00
	T8100SC	Trailed Tomahawk 8100SC Hydraulic Swivel Chute	\$40,105.00
Drawbar		Clevis Drawbar & Jack Assembly	Std.
Electric Controls	SC3598	Power Fly Lead (6') with Female Socket	Std.
Hydraulic Oil Filter	SC3785	In Line Hydraulic Pressure Filter	Std.
Tires		Tire and Rims – 10.0/75-15.3 10 Ply	Std.
PTO Shaft	PTO8085	Wide Angle PTO for Trailed Units in Lieu of Std.	\$679.00
1000 RPM Kit	SC4681	Allows for 1000 RPM Input Speed	\$3,284.00
Road Lights	SC4264 & EC1123 & EC1519	Road Light Kit	\$950.00
Rear Tailgate Switch	SC3587	Tailgate + Bed Control at Ground Level	Std.
Extra Blade Kit	SC3768	For Standard Straw / Silage Crossbeater (Additional 48 Blades)	\$335.00
Hook Ripper Kit	SC4218	Increased Feed Rate Less Chopping Standard Straw / Silage Crossbeater Only Distributor Fittment	\$200.00
Tail Gate Extension	SC4595	Extension for Increased Length + 2'	\$753.00
Hose Adaptor	SC4791	Hose Adaptor for Swivel Chute. Supplied Less Hose Require Local Supply of 10" dia. Hose x 12'	\$628.00
Chain Oiling Kit	SC5340	Lubrication of Crossbeater Drive Chain and Bed Motor Drive Chain	\$1,027.00

**Only available for use on Tomahawk 8100 basic model (right hand chute)

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca



Tomahawk 8150

Tomahawk 8150 Dual Chop Short Chop or Spreader	
<ul style="list-style-type: none"> • Trailed Machine • Slip & Overrun Clutch @ 540 RPM • Bluetooth Electronic Controls • Rear Tailgate Switch/Hyd Controlled Knives • Weight – 4971 lbs • Min. PTO – 100 hp D/Chop • 10.0/75-15.3 10 Ply Tires 	<ul style="list-style-type: none"> • 2 Speed Gearbox • Bale Size – Round max. 4'x6' • Bale Size – Square max. 4'x4'x8' • Distance Blown up to 65' • Clevis Hitch & Jack • Dry Material Only • Oil Filter • Replacement tips on CrossBeater



Item	Part #	Description	Price
Base Machine	T8150SC	Trailed Tomahawk 8150 Hydraulic Swivel Chute Dual Chop Dry Crop Cutting System Crossbeater with Replaceable Tips	\$49,842.00
Drawbar		Clevis Drawbar and Jack Assembly	std
Electric Controls	SC3598	Power Fly Lead (6') with Female Socket	std
Hyd. Oil Filter	SC3785	In Line Hydraulic Pressure Filter	std
Tires		Tire and Rims 10.0/75-15.3 10 ply	std
PTO Shaft	PTO8085	Wide Angle PTO for Trailed Units in Lieu of Std	\$696.00
1000 RPM Kit	SC4681	Allows for 1000 RPM Input Speed	\$3,368.00
Road Lights	SC4264 & EC1123 & EC1519	Road Light Kit	\$972.00
Rear Tailgate Switch	SC3587	Tailgate + Bed Control at Ground Level	std
Tail Gate Extension	SC4595	Extension for Increased Length + 2ft.	\$753.00
Hose Adaptor	SC4791	Hose Adaptor for swivel chute. Supplied less hose. Require local supply of 10" dia. Hose x 12 ft	\$644.00
Chain Oiling Kit	SC5340	Lubrication of Crossbeater drive chain and bed motor drive chain	\$1,027.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca



Tomahawk 8500 Chief

Tomahawk 8500 Straw Spreader & Silage Feeder

- Trailed Machine
- Slip & Overrun Clutch @ 540 RPM
- Bluetooth Electronic Controls
- Rear Tailgate Switch
- Weight – 4970 lbs, 4586 lbs
- Wear Resistant Steel Used in Housing
- Min. PTO – 60HP
- 12.5x15 Tires & Rims
- 2 Speed Gearbox
- Bale Size – Round max. 5'x6'
- Bale Size – Square max. 4'x4'x8'
- Distance Blown up to 80'
- Clevis Hitch & Jack
- Silage & Dry Material
- Oil Filter
- Fenders



Item	Part #	Description	Price
Base Machine	T8500	Trailed Tomahawk 8500 Std. Side Chute Right Hand Discharge	\$43,505.00
	T8500SC	Trailed Tomahawk 8500SC Hydraulic Swivel Chute	\$44,401.00
Drawbar		Clevis Drawbar & Jack Assembly	Std.
Electric Controls	SC3598	Power Fly Lead (6') with Female Socket	Std.
Hydraulic Oil Filter	SC3785	In Line Hydraulic Pressure Filter	Std.
Tires	WE1121	Tires and Rims – 12.5x15	Std.
Fenders	SC4261	Fenders for 12.5x15 Tire Size	Std.
PTO Shaft	PTO8085	Wide Angle PTO for Trailed Units in Lieu of Std.	\$673.00
1000 RPM Kit	SC4681	Allows for 1000 RPM Input Speed	\$3,284.00
Road Lights	SC4250 & EC1123 & EC1519	Road Light Kit	Std.
Rear Tailgate Switch	SC3587	Tailgate + Bed Control at Ground Level	Std.
Extra Blade Kit	SC3768	For Standard Straw / Silage Crossbeater (Additional 48 Blades)	\$332.00
Hook Ripper Kit	SC4218	Increased Feed Rate Less Chopping Standard Straw / Silage Crossbeater Only. Distributor Fitment	\$196.00
Greedy Boards	SC4594	Extension Sides	Std.
Hardox Tips	SC4702	Crossbeater Wear Tips for 8500WB Only	\$296.00
Tailgate Extension	SC4710	Extension for Increased Length +2'	\$763.00
Loading Arm in Lieu of	SC4736 Optional	In Lieu of Tailgate Controlled via Bluetooth	\$5,487.00
Hose Adaptor	SC4791	Hose Adaptor for Swivel Chute. Supplied less hose. Local supply of 10" dia. Hose x 12'	\$621.00
Chain Oiling Kit	SC5340	Lubrication of Crossbeater drive chain and bed motor drive chain	\$1,027.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca



Tomahawk 8555 Chief

Tomahawk 8555 Dual Chop, Short Chop or Spreader and Silage Feeder

- | | |
|--|---|
| <ul style="list-style-type: none"> • Trailed Machine • Slip & Overrun Clutch @ 540 RPM • Bluetooth Electronic Controls • Rear Tailgate Switch • Min. PTO – 60HP (100HP D/Chop) • Weight – 5324 lbs • Wear Resistant Steel Used in Housing • Hyd. Controlled Knives • 12.5x15 Tires & Rims | <ul style="list-style-type: none"> • 2 Speed Gearbox • Bale Size – Round max. 5'x6' • Bale Size – Square max. 4'x4'x8' • Distance Blown up to 80' • Clevis Hitch & Jack • Oil Filter • Replaceable Tips • Silage & Dry Material. Blanking screen frame required for silage • Fenders |
|--|---|



Item	Part #	Description	Price
Base Machine	T8555SC	Trailed Tomahawk 8555 Hydraulic Swivel Chute Dual Chop Dry Crop Cutting System Crossbeater with Replaceable Tips	\$54,019.00
Drawbar		Clevis Drawbar & Jack Assembly	Std.
Screen Sizes <i>*Please stipulate screen size to be supplied</i>			
	SC5312	40mm Replaceable Screen*	\$564.00
	SC5310	50mm Replaceable Screen*	Std.
	SC5314	Blanking Screen Frame (if above not used)	\$370.00
Screen Storage	SC5359	Storage Rack for One Additional Screen	\$370.00
Electric Controls	SC3598	Power Fly Lead (6') with Female Socket	Std.
Hydraulic Oil Filter	SC3785	In Line Hydraulic Pressure Filter	Std.
Tires	WE11121 SC4261	Tires and Rims 12.5x15 in lieu of Std. Fenders for 12.5x15 Tire Size	Std. Std.
PTO Shaft	PTO8085	Wide Angle PTO for Trailed Units in Lieu of Std.	\$686.00
1000 RPM Kit	SC4681	Allows for 1000 RPM Input Speed	\$3,284.00
Road Lights	SC4264 & EC1123 & EC1519	Road Light Kit	Std.
Rear Tailgate Switch	SC3587	Tailgate + Bed Control at Ground Level	Std.
Greedy Boards	SC4594	Extension Sides	Std.
Tailgate Extension	SC4710	Extension for Increased Length +2'	\$779.00
Hose Adaptor	SC4791	Hose Adaptor for Swivel Chute. Supplied less hose. Require local supply of 10" dia. Hose x 12'	\$634.00
Chain Oiling Kit	SC5340	Lubrication of Crossbeater drive chain and bed motor drive chain	Std.

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca



Tomahawk 9500

Tomahawk 9500 Straw Shredder & Silage Feeder

- Trailed Machine
- Slip & Overrun Clutch @ 540 RPM
- Bluetooth Electronic Controls
- Rear Tailgate Switch
- Dual Crossbeaters
- Weight – 6650 lbs
- Wear Resistant Steel Used in Housing
- 2 Speed Gearbox
- Bale Size – Round max. 5'x6' – Quantity 2
- Bale Size – Square max. 4'x4'x8' – Quantity 1
- Silage & Dry Material
- Distance Blown up to 80'
- In Line Oil Filter (Pressure)
- Min PTO – 80HP



Item	Part #	Description	Price
Base Machine	T9500	Trailed Tomahawk 9500 Standard Right Hand Discharge Chute Crossbeaters with Replaceable Tips Electric Controls Included	\$51,984.00
	T9500SC	Trailed Tomahawk 9500 Hydraulic Swivel Chute Crossbeaters with Replaceable Tips Electric Controls Included	\$52,889.00
Drawbar		Clevis Drawbar & Jack Assembly	Std.
Electric Controls	SC3598	Power Fly Lead (6') with Female Socket	Std.
Hydraulic Oil Filter	SC3785	In Line Hydraulic Pressure Filter	Std.
Swivel Chute Ext.	SC4921	Swivel Chute Lift Extension +12" * *Supplied Loose Due to Container Height	\$638.00
Tires		Tire and Rim 305/55-R22 (Non Braked Axle)	Std.
PTO Shaft	PTO8085	Wide Angle PTO for Trailed Units in Lieu of Std.	\$1,001.00
1000 RPM Kit	SC4681	Allows for 1000 RPM Input Speed	\$3,284.00
Hyd. Oil Filter	SC3785	In Line Hydraulic Pressure Filter	Std.
Road Lights	SC5219 & EC1123 & EC1519	Road Light Kit	Std.
Rear Tailgate Switch	SC3587	Tailgate + Bed Control at Ground Level	Std.
Cross Slat Extensions	SC4161	Cross Slat Extension for Added Bale Traction	Std.
Fenders		Steel Fenders for Wheel Equipment	Std.
Brakes	SC4901	Hyd. Braked Axle with 385/55R22	\$3,587.00
Weigh Cells	EZ3400V	Special Order – No Retrofit	\$6,852.00
Hardox Tips	SC4702	Crossbeaters Wear Tips	\$615.00
Loading Arm In Lieu of	SC4736 Optional	In Lieu of Tailgate Controlled via Bluetooth	\$5,538.00
Chain Oiling Kit	SC5365	Lubrication of Crossbeater drive chain and bed motor drive chain	\$1,359.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.



Tomahawk 1010

Tomahawk 1010 Straw Shredder & Silage Feeder

- Trailed Machine
- Slip & Overrun Clutch @ 540 RPM
- Bluetooth Electronic Controls
- Dual Crossbeaters
- Min. PTO – 90HP
- Rear Tailgate Switch
- Wear Resistant Steel Used In Housing
- 2 Speed Gearbox
- Bale Size – Round max. 5'x6'
- Bale Size – Square max. 4'x4'x8'
- Silage & Dry Material
- Distance Blown up to 80'
- Brakes & Fenders
- Weight – 7826 lbs, 7915 lbs



Item	Part #	Description	Price
Base Machine	T1010	Trailed Tomahawk 1010 Standard Right Hand Discharge Chute Crossbeaters with Replaceable Tips Electric Controls Included	\$59,576.00
	T1010SC	Trailed Tomahawk 1010 Hydraulic Swivel Chute Crossbeaters with Replaceable Tips Electric Controls Included	\$61,157.00
Drawbar		Clevis Drawbar & Jack Assembly	Std.
Electric Controls	SC3598	Power Fly Lead (6') with Female Socket	Std.
Hydraulic Oil Filter	SC3785	In Line Hydraulic Pressure Filter	Std.
Swivel Chute Ext.	SC4921	Swivel Chute Lift Extension +12" * *Supplied Loose Due to Container Height	\$638.00
Tires		Tire and Rims 385/55R22.5 10 Ply	Std.
PTO Shaft	PTO8085	Wide Angle PTO for Trailed Units in Lieu of Std.	\$692.00
1000 RPM Kit	SC4681	Allows for 1000 RPM Input Speed	\$3,284.00
Hyd. Oil Filter	SC3785	In Line Hydraulic Pressure Filter	Std.
Road Lights	SC5270 & EC1123 & EC1519	Road Light Kit	Std.
Fenders		Steel Fenders for Wheel Equipment	Std.
Rear Tailgate Switch	SC3587	Tailgate + Bed Control at Ground Level	Std.
Bale Lift Hydraulics	SC4902	Hyd. Cylinders & Mounting Less Bale Lift Plates	\$3,648.00
Bale Lift Plates	BJBLP	**Bale Lift Assist Plates	\$975.00
Weigh Cells	EZ3400V	Special Order No Retrofit	\$6,720.00
Hardox Tips	SC4702	Crossbeaters Wear Tips	\$615.00
Loading Arm in Lieu of	SC4736 Optional	In Lieu of Tailgate Controlled via Bluetooth	\$5,538.00
Chain Oiling Kit	SC5365	Lubrication of Crossbeater drive chain and bed motor drive chain	\$1,359.00

** Bale Life Assist Plates not manufactured or supplied from factory. Must be fabricated in country of the machine destination.

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca




Calibrator C12

High Capacity Bale Processor

- Trailed Machine
- Slip & Overrun Clutch @ 1000 RPM
- Bluetooth Electronic Controls
- Electric & Hydraulic Controls
- Minimum PTO – 150 HP
- Weight – 9300 lbs
- Road Lights & Drawbar Jack
- Six Quick Change Screens
- Bale Size (Round) Max. – 6.5'
- Electronic Rate Governor
- Bale Size (Square) Max – 4'x4'x8'
- Discharge Height Max. – 165"
- Dry Materials Only
- Brakes & Mudguards



Item	Part #	Description	Price
Base Machine	C12	Tomahawk C12 High Capacity Bale Processor Six QUICK Change Screens* <i>*Must Nominate Screen Sizes at time of Order</i> Bluetooth Controls with Rate Governor 285/55 R22 Wheels with Fenders Road Lighting Kit 40 Gallon Oil Tank & Oil Included	\$132,720.00
Drawbar	SC5021	Ring Hitch Drawbar	Std.
	SC5025	K80 Ball Hitch Drawbar in Lieu of Standard	\$205.00
Jack	SC1421	Jack Assembly	Std.
 HARDOX SCREENS Quick Change Screens	CM2072	3.15/16" Screen	\$664.00
	CM2073	2.15/16" Screen	\$664.00
	CM2074	2.3/8" Screen	\$664.00
	CM2079	2" Screen	\$948.00
	CM2075	1.9/16" Screen	\$948.00
	CM2076	1.3/16" Screen	\$948.00
	CM2077	13/16" Screen	\$948.00
	CM2361	1/2" Screen	\$1,169.00
	CM2373	3/8" Screen	\$1,169.00
	CM2376	1/4" Screen – for grain milling hopper	\$1,296.00
CM2374	3/16" Screen – for grain milling hopper	\$1,296.00	
CM2080	5/32" Screen – for grain milling hopper	\$1,296.00	
CM2375	1/8" Screen – for grain milling hopper	\$1,296.00	
Deflector	CM2126	Conveyor End Tip Deflector	\$932.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.



5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca

Titan 6 / 8 / 9

Titan Manure Spreader

- Trailed Machine
- Overrun Clutch @ 540 RPM
- Hydraulic Driven Bed Chain
- Dual Vertical Beaters
- Min. PTO – 80 / 90 / 100HP
- Weight – 7576 / 8198 / 8691 lbs
- Titan 6 – 173 Bushel Capacity
- Titan 8 – 225 Bushel Capacity
- Titan 9 – 258 Bushel Capacity
- Single 3.25" x 3.25" Axle Beam
- Hydraulic Braked Axle
- Slurry Gate



Item	Part #	Description	Price
Base Machine	Titan 6	Trailed Titan 6 Dual Vertical Beaters Ring Rigid Drawbar and Skid	\$47,498.00
	Titan 8	Trailed Titan 8 Dual Vertical Beaters Ring Rigid Drawbar and Skid	\$49,031.00
	Titan 9	Trailed Titan 9 Dual Vertical Beaters Ring Rigid Drawbar and Skid	\$51,839.00
Drawbars		Only Ring Hitch Unsprung Currently Available	\$1,742.00
		*Jack Assembly for Rigid Ring Drawbar	
		*Jack Powered from Tractor Hydraulics	
Tires	Titan 6	16.9-30	Std.
	Titan 8	18.4-30	Std.
	Titan 9	18.4-34	Std.
Tire Options	Titan 6	Specifications and Availability on Request	
	Titan 8		
	Titan 9		
PTO Shaft	PTO8037	Wide Angle PTO+ Ratchet clutch in Lieu of Std.	\$1,446.00
Flashing Beacon	RS4631	Rotating Amber Beacon	\$261.00
Road Lights		Road Light Kit	Std.
Greedy Boards	RS4210	Increase Capacity Titan 6 to 212 Bushels	\$905.00
	RS4310	Increase Capacity Titan 8 to 278 Bushels	\$905.00
	RS4510	Increase Capacity Titan 9 to 311 Bushels	\$1,085.00
Electric Speed Co.	RS4590	In Cab, Bed Chain Speed Controller	\$1,475.00
Beater Tips	RS3079	Compost / Poultry Beater Tips In Lieu of Standard, Dealer Fitted	\$873.00
Deductions			
No Slurry Door	RS4220	Slurry Gate	\$(2,489.00)

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca

Titan 10 / 12

Titan Manure Spreader

- Trailed Machine
- Overrun Clutch @ 540 RPM
- Hydraulic Driven Bed Chain
- Dual Vertical Beaters
- Min. PTO – 140HP
- Weight – 10450 / 11022 lbs
- Titan 10 – 280 Bushel Capacity
- Titan 12 – 333 Bushel Capacity
- Rigid Drawbar
- Single 4" x 4" Axle Beam
- Hyd. Braked Axle
- Slurry Gate



Item	Part #		Description	Price
Base Machine	Titan 10		Tailed Titan 10 Dual Vertical Beaters Ring Rigid Drawbar and Skid	\$63,118.00
	Titan 12		Trailed Titan 12 Dual Vertical Beaters Ring Rigid Drawbar and Skid	\$66,741.00
Options	TN10	TN12		
Drawbars	RS4595		Rigid Ring Drawbar and Skid	Std.
	RS4598	RS4598	Rigid Clevis Drawbar and Jack*	\$1,568.00
	RS4503	RS4603	Sprung Ring Drawbar in Lieu of Standard & Skid	\$1,278.00
	RS4516	RS4616	Sprung Clevis Drawbar in Lieu of Standard & Jack*	\$2,846.00
				*Jack Powered from Tractor Hydraulics
Tires	WE1309	WE1309	580/70R38	Std.
Tire Option	WE1303	WE1303	Tire and Rims 18.4/15x38 14 Ply (Deduction)	\$(3,848.00)
PTO Shaft	PTO8037	PTO8037	Wide Angle PTO+ Ratchet Clutch in Lieu of Std.	\$1,446.00
Flashing Beacon	RS4361		Rotating Amber Beacon	\$206.00
Road Lights			Road Light Kit	Std.
Greedy Boards	RS4510		Additional Capacity Titan 10 +61 Bushels	\$1,085.00
	RS4610		Additional Capacity Titan 12 +74 Bushels	\$1,433.00
Electric Speed Co.	RS4590	RS4590	In Cab, Bed Chain Speed Controller	\$1,475.00
Beater Tips	RS3079		Compost / Poultry Beater Tips In Lieu of Standard, Dealer Fitted	\$873.00
Deductions				
No Slurry Door	RS4640		Slurry Gate	\$(2,714.00)

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.



5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca

Titan 15 / 17

Titan Manure Spreader	
<ul style="list-style-type: none"> • Trailed Machine • Overrun Clutch @ 540 RPM • Hydraulic Driven Bed Chain • Dual Vertical Beaters • LED Lights & Beacon • Weight – 13845 / 14462 lbs 	<ul style="list-style-type: none"> • Titan 15 – 437 Bushel Capacity • Titan 17 – 488 Bushel Capacity • Sprung Drawbar • Slurry Gate • Air/Hyd. Braked Axle



Item	Part #	Description	Price
Base Machine	Titan 15	Tailed Titan 15 Dual Vertical Beaters Ring Hitch, Spring Drawbar & Skid	\$76,684.00
	Titan 17	Trailed Titan 17 Dual Vertical Beaters Ring Hitch, Sprung Drawbar and Skid	\$79,869.00
Options	TN15 TN17		
Drawbars		Rigid Hitch, Spring Drawbar & Skid	Std.
		Hydraulic Jack*	\$1,568.00
		Other Drawbar Configurations	POA
		*Jack Powered from Tractor Hydraulics	
Tires		580/70R38	Std.
Tire Option		60/65 R38	\$2,161.00
Flashing Beacon		Rotating Amber Beacon	Std.
Road Lights		Road Light Kit	Std.
Greedy Boards		Additional Capacity Titan 15 +71 Bushels	\$1,436.00
		Additional Capacity Titan 17 +82 Bushels	\$1,607.00
Electric Speed Co.	RS4590	In Cab, Bed Chain Speed Controller	\$1,426.00
Weigh Cells		Weigh Cells	POA
Beater Tips	RS3079	Compost / Poultry Beater Tips In Lieu of Standard, Dealer Fitted	\$805.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.

5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca







A-Frames

Quick-Connect A-Frames

Allows implements to be attached to the tractor without the driver getting off of the tractor.

Built to International Standards.



Item	Part #	Description	Price
	AF0100	Tractor Rear 3 Point Applications Normal Duty Category 1/2 Max. Capacity – 1 Ton	\$644.00
	AF0200	Tractor Front Linkage Applications Heavy Duty Category 1/2 Max. Capacity – 2 Ton	\$940.00
	AF0110	Machine End Basic Model Weld on to Existing Machine No Hitch Points	\$276.00
	AF0115	Machine End With 3-Point Linkage Weld on to Existing Machine Category 1/2	\$448.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.



5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca

Spiromix Mixers

Spiromix Hydraulic Driven Mixers	
<ul style="list-style-type: none"> 3 Point Hitch Category 1/2 Hitch Steel Drum with Auger Flight Hydraulic Drum Rotation Drum Rotation Controlled from Tractor 	<ul style="list-style-type: none"> Low Level Fill Height Large Diameter Drum Parking Stands Maintenance Free Drive



Item	Part #	Description	Price
Base Machine	SPIRO200H	200H Spiromix Drum Volume – 20 Cubic Feet Approx. Mix Volume – 10 Cubic Feet Loading Height to Drum Lip – 22” Weight Empty – 420 lbs Approx. Laden Weight – 1790 lbs Drum Diameter – 32” Drum Length – 43” Cat 2 Mounting Min. Tractor Size – 50HP 110 lbs of Cement 6:1 Mix	\$3,626.00
Skid Steer Options	TM0450	Skid Steer Bracket	\$570.00
	TM0451	Flow Divider Valve	\$1,540.00

PRICED IN CANADIAN DOLLARS


PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.



5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca

Single Disc Spreader

XT20 Single Disc Spreader			
<ul style="list-style-type: none"> • 3 Point Hitch • Category 1/2 Hitch • Loading Height – 46" • 40' Bout Width • PTO Driven • Weight – 265 lbs 		<ul style="list-style-type: none"> • Stainless Steel Rotor Vanes • Adjustable for Balanced Spread • PTO Shaft • Steel Chassis/Plastic Hopper • Stainless Steel Shutter • Powder Paint Finish 	
			
Item	Part #	Description	Price
Base Machine	XT20	XT20 Single Disc Spreader Plastic Hopper Stainless Steel Spreading Vanes Stainless Steel Shutter Plate PTO Shaft	\$3,340.00
Options	MB2923	Hydraulic Remote Shutter Control	\$613.00
	MB2924	Hopper Cover	\$229.00
	MB2953	Hopper Sieve	\$293.00
	MB2257	Powder Agitator – Can't Be Used with MB2953	\$155.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.



5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca

XT Twin Disc Spreader

XT24/48 Twin Disc Spreader	
<ul style="list-style-type: none"> 3 Point Hitch Category 1/2 Hitch Loading Height – 46" 40' Bout Width Boundary Spreading Weight – 408/597 lbs 	<ul style="list-style-type: none"> Stainless Steel Rotor Vanes Overlapping Spread Patterns PTO Shaft Steel Chassis/Plastic Hopper Stainless Steel Shutter Powder Paint Finish



Item	Part #	Description	Price
Base Machine	XT24	XT24 Twin Disc Spreader 1485 lbs Capacity Plastic Hopper Stainless Steel Spreading Vanes Stainless Steel Shutter Plate Manual Shutter Control PTO Shaft	\$5,867.00
	XT24B	As Above, With Band Spreading Kit Fitted	\$5,867.00
Options	MB3019	Hydraulic Shutter Kit	\$539.00
	MB3014	Hopper Extension (+330 lbs)	\$782.00
	MB3004	Hopper Sieve	\$367.00
	MB3016	Hopper Cover	\$425.00
	MB3018	Hopper Cover if Fitted With Extension	\$495.00
	MB3011	High Lift Brackets x 2	\$253.00
	MB2257	Powder Agitator – Requires x2	\$199.00
MB2264	Band Spreading Kit as Unfitted Kit	\$367.00	

Item	Part #	Description	Price
Base Machine	XT48	XT48 Twin Disc Spreader 2970 lbs Capacity Plastic Hopper Stainless Steel Spreading Vanes Stainless Steel Shutter Plate Hydraulic Remote Shutter Control High Lift Brackets PTO Shaft	\$7,829.00
	XT48B	As Above, With Band Spreading Kit Fitted	\$7,829.00
Options	MB3124	Hydraulic Tilt Kit	\$664.00
	MB3122	Hopper Extension (+440 lbs)	\$873.00
	MB3106	Hopper Sieve	\$391.00
	MB3125	Hopper Cover	\$495.00
	MB3126	Hopper Cover if Fitted With Extension	\$539.00
	MB3011	High Lift Brackets x 2	\$253.00
	MB2257	Powder Agitator Requires x 2	\$199.00
MB2264	Band Spreading Kit as Unfitted Kit	\$367.00	

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.



5808 Hwy #9, Harriston, Ontario, N0G 1Z0
Phone: 519-338-2923, Fax: 519-338-2756
Email: sales@harcoag.ca
www.harcoag.ca

Superted

Super-Ted 221 High Speed Swath Conditioners

- 3 Point Hitch
- Category 1/2 Hitch
- Tires – 170/60-8
- 540 PTO
- Min. Tractor Required – 45/60HP
- Weight – 1133/1540 lbs
- Suitable for Hay, Straw, Silage
- Belt Drive Rotor



Item	Part #	Description	Price
Base Machine	TED221	Super-Ted 221, 7'3" Pickup Width 9'6" Overall Width Castor Wheels with 6.00-9x10 Tires "Through the Coil" Tine Breakage Retainers Door Extensions	\$16,483.00

PRICED IN CANADIAN DOLLARS

PRICES ARE FOB HARRISTON, ONT. IN CDN DOLLARS – DESIGN & PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE

Our right of continuous improvement has been implemented without prior notification. It does not constitute that these improvements and changes were applied to end user, retailing dealer or distributor inventory. Product improvements will apply only as production schedules permit. All dimensions are approximate.