

SNOWMOBILE TRAILERS



BUILT FOR ADVENTURE.

TC SERIES

The TC is a year-round crossover trailer perfect for snow machines, ATVs, lawn mowers and household goods whatever an outdoor adventure or a weekend project entails.



DEPEND ON TRITON FIT AND FINISH, EVERY TIME

FULLY WELDED, ALL-ALUMINUM FRAME

Fully welded lower and upper frames provide a solid structure for years of loading and unloading. Outperforms alternatives that use joined/screwed frame construction.

SEALED TO A **T**

All doors have an integrated seal design to prevent leaks, keeping cargo dry.

FOUR CORD RUBBER GALVANIZED TORSION AXLE

Designed for a smooth ride and corrosion resistance.

5/8" DECK

Durable 5/8" deck stands up to the elements for years of use.

OTHER STANDARD FEATURES

- Interior light switch
- Sealed exterior LED lights
- .024 corrugated aluminum front
- .030 aluminum sides
- Tongue jack
- Two airflow vents
- Two tie down bars

THE DETAILS MATTER

A SMOOTH FINISH

Sleek, screwless aluminum side walls and clear lenses on the exterior trailer lights add a modern touch.

4'X4' FRONT DOOR Get full access to machines and cargo through the huge 4'x4' front door option.

BETTER LIGHTING INSIDE AND OUT An easy flip of the switch illuminates a bright interior dome light and the integrated rear loading light.

DESIGNED FOR LOADING AFTER THE RIDE

- RAMP APPROACH AND BRIDGE It's the loading trifecta. The wear strip on the ramp approach is positioned at the strike point for snowmobile carbides. The kick panel at the door frame guides skis or wheels to prevent catching. A rubber ramp bridge protects the door hinges from snow and ice buildup. Up, in, done.
- INFINITE TIE DOWN POSITIONS Secure whatever you're carrying. Fulllength Quickslides™ offer adjustable tie down positions the full length of the trailer bed.

POPULAR OPTIONS

Side access door Fuel door Spare tire carrier Tire and wheel upgrades Electric brakes Stabilizer jacks

Colors: Light Metallic Pewter, Metallic Charcoal Gray, Black, White

Tw Tw

2

TC SERIES MODELS



8' Wide Deck

TC118

Two place snowmobile or one ATV Full-length quickslides 141" interior length with bullnose 127" usable deck length

TC128

Two place snowmobile or one ATV Full-length quickslides 157" interior length with bullnose 143" usable deck length



8' Wide Deck LowRider

TC118-LR

4" lower for improved aerodynamics Two place snowmobile or one ATV Full-length quickslides 141" interior length with bullnose 127" usable deck length

TC128-LR

4" lower for improved aerodynamics Two place snowmobile or one ATV Full-length quickslides 157" interior length with bullnose 143" usable deck length

TC SPECIFICATIONS



7' Wide Deck

TC167

Two place snowmobile or ATV Ideal for long track snowmobiles Full-length quickslides 206" interior length with bullnose 191" usable deck length



	TC118	TC128	TC118-LR	TC128-LR	TC167							
# Of Snowmobiles	2	2	2	2	2							
Usable Deck Width (in.)	98	98	98	98	80.5							
Usable Deck Length (in.)	127	143	127	143	191							
Overall Width (in.)	102	102	102	102	102							
Overall Length (in.)	186	202	186	202	249							
Overall Height (in.)	92	93	87	87	91							
Rear Door Opening (in.) W X H	93 x 63	93 x 63	93 x 63	93 x 63	76 x 63							
Carrying Capacity w/o Brakes (Ib.)	2025	2000	2025	2000	1815							
GVWR w/o Brakes (lb.)	2995	2995	2995	2995	2995							
Carrying Capacity With Brakes (Ib.)	2030	2005	2030	2005	2320							
GVWR With Brakes (lb.)	3000	3000	3000	3000	3500							
Trailer Weight (lb.)	970	995	970	995	1180							
Standard Tires	20.5x10E	20.5x10E	ST145/R12E	ST145/R12E	ST205/75D14C							
Tire and Wheel Upgrade Options	ST145/R12E painted silver or aluminum	ST145/R12E painted silver or aluminum	ST145/R12E aluminum	ST145/R12E aluminum	ST205/75R14C aluminum							
Hitch Height (in.)	19	19	15	15	18							

Measure your particular vehicles for needed model size. Recommended tongue weight for all enclosed trailers is 7-10% of GVWR. Please note: It is the responsibility of the purchaser to adhere to the brake laws regarding trailers. For full information on the laws in your state, contact the appropriate State Motor Vehicle Department. Contact your local dealer for order lead times. All trailers ordered without brakes will have a GVWR of 2995#. Specifications, parts, and accessories can change without notice.

A YEAR-ROUND CROSSOVER TRAILER





TC167



TC128

TC SERIES ACCESSORIES



Side Access Door: 13922 This aluminum side access door comes with a stainless steel door catch. The door is 30 1/2" x 62 1/2". For all models.



TC128

Fuel Door: 18339 Fuel your machines through this 13" x 13" door after they have been loaded. The door also comes with a keyed lock. For all models.



White Lauan Walls: 13921 Additional protection on the walls for a clean look. For: TC167 Spare Tire Carrier: 21659 Mounts in the upper rear passenger side. (Tire sold separately) For all models.



Roof Vent 13229 Side Vent 18338 Provide additional air flow and allow interior to dry. For all models.



3-Way Wall Switch: 21663 Add a second switch for added convenience. For all models.



Quickslide Tie Down Kit (sold in pairs): **08840** The low profile and infinite adjustability make it a solid tie down for a number of items on one trailer. For all models.




Spare Tire Carrier: 14190 This kit tucks a spare tire out of the way in the front bullnose. (Tire sold separately) For: TC167



Stabilizer Jack: 13317 (LR only) & 21662 (TC118, TC128 and TC167 only) Stabilize the rear of your trailer during loading.

ELITE AND XT SERIES 🖊

Triton's open snowmobile trailers are designed for hauling one to four sleds. Choose from ramp or tilt bed models to suit your loading and unloading preference, and add accessories to customize and protect machines from salt and road debris.



FULLY WELDED FRAME

The Triton difference - all-aluminum, fully welded box frame with no C-channels provides a solid structure for years of loading and unloading.

SEALED LIGHTS

Sealed lights and wiring harnesses throughout trailer resist corrosion caused by moisture. (Elite and XT-QP have sealed LED lights.)

Full-length quickslides on Elite and XT-QP models offer maximum adjustability for securing short- to long-track snow machines, plus provide versatility for multi-season hauling. (XT-SQ offers partial quickslides.)

DURABLE DECK

Fully treated 5/8" (Elite) or 1/2" (XT) marine grade plywood deck stands up to the elements for years of outdoor use.

TORSION AXLE

Independent suspension with four cord rubber torsion axle provides a smooth ride.

SUR-LOCK TIE DOWNS

Steel tie down bars have a vinyl-dip finish and stainless steel handles to easily secure snowmobile skis. (Elite tie down bars have a boot at each end to protect skis.)

POPULAR ACCESSORIES

Ramp shield kit Salt shield Spare tire carrier Spring lift kit Gas shock lift kit Tongue Jack

OTHER STANDARD FEATURES

Aluminum deck protector Custom molded wiring harness Single place trailers: one tie down bar Two place trailers: two tie down bars Three place trailers: three tie down bars Four place trailers: four tie down bars

ELITE AND XT SERIES



ELITE 16-101 Pictured With Accessories

ELITE SERIES

Elite trailers are the most versatile for snow and multi-season use.

- 5/8" fully treated marine grade plywood
- Full-length quickslides for infinite tie down positions
- Sealed LED lightsWear bars at the deck
- approach lessen the wear and tear of carbides

XT-QP SERIES

XT-QP trailers are optimized for snow season hauling and offer multi-season flexibility.

- 1/2" fully treated marine grade plywood
- Full-length quickslides for infinite tie down positions
- Sealed LED lights



XT10-101 SQ Pictured With Accessories



XT10-101 Pictured With Accessories

XT-SQ SERIES

XT-SQ trailers offer variable tie down positions for hauling snowmobiles.

- 1/2" fully treated marine grade plywood
- Partial quickslides
- Incandescent lights

XT SERIES

XT trailers keep it simple for hauling snowmobiles.

- 1/2" fully treated marine grade plywood
- Fixed-position tie-downs
- Incandescent lights

ELITE AND XT SERIES ACCESSORIES



DOS Ramp Shield Kit: 06942 This multi-tasker acts as a protective salt shield and a ramp. All-aluminum frame with tough black plastic skids. Designed for single-axle V-front two-place trailers.

Salt Shield: 04775 This shield

can be installed on any two

place, straight front trailer. Its

all-aluminum design will provide

years of service and protect your

cargo from road debris. It comes

with all mounting hardware and

instructions for an easy install.



Tandem DOS Kit: 09576

This multi-tasker acts as a protective salt shield and a ramp. All-aluminum frame with tough UV-resistant black plastic skids. Designed for tandem-axle trailers to allow unloading without angling the tow vehicle.





Spring Lift Kit (pictured left) Straight Pole: 03173 Wishbone: 07984

A spring lift kit helps tilt the trailer. This is especially useful when there is added weight from accessories. It works great in extreme cold. **Gas Shock Lift Kit: 06933** (pictured right) The gas shock lift kit will assist tilting your straight front trailer when loading.



Quickslide Tie Down Kit (sold in pairs): **08840** The low profile and infinite adjustability make it a solid tie down for a number of items on one trailer. Flush mount allows you to drive over.



XT10-101 QP Pictured With Accessories

ELITE AND XT SERIES SPECIFICATIONS

FOUR & THREE PLACE



ELITE 22-101 Pictured With Accessories

	# Of Vehicles		Bed Length (in.)	Overall Length (in.)	Ramp Standard	Tilt Bed	Carrying Capacity without Brakes (lb.)	GVWR without Brakes (lb.)	Carrying Capacity with Brakes (lb.)	GVWR with Brakes (lb.)	Trailer Weight (lb.)	No. of Axles	Hitch Height (in.)	Deck Height (in.)	Standard Tires	Tire Upgrade Options*	Straight Pole or Wishbone Tongue	Brake Options
ELITE 22-10 ⁻	4	101	264	333	YES	NO	1520	2995	3525	5000	1475	2	25	29	ST145/ R12E	D	SP	1 or 2 Axles
ELITE 16-10 ⁻	3	101	192	261	YES	NO	1995	2995	4000	5000	1000	2	25	29	ST145/ R12E	D	SP	1 or 2 Axles

Carrying Capacity

without

Brakes

(lb.)

1655

GVWR

without

Brakes

(lb.)

2200

Trailer

(lb.)

545



Bed

Length

(in.)

144

Overall

Length

(in.)

215

Ramp

Standard

YES

Tilt

Bed

NO

Bed

Width

(in.)

101


Of

Vehicles

2

TWO PLACE TILT BED

XT12VR-101 QP



					XT 10-101 Pictured With Accessories											
	# Of Vehicles	Bed Width (in.)	Bed Length (in.)	Overall Length (in.)	Ramp Standard	Tilt Bed	Carrying Capacity without Brakes (lb.)	GVWR without Brakes (lb.)	Trailer Weight (lb.)	No. Of Axles	Hitch Height (in.)	Deck Height (in.)	Standard Tires	Tire Upgrade Options*	Straight Pole or Wishbone Tongue	
XT10-101 QP	2	101	120	172	NO	YES	1505	1870	375	1	19	23	18.5X8C	ВC	WB	
XT12-101 SQ	2	101	144	196	NO	YES	1735	2200	465	1	19	23	20.5X10C	CD	WB	
XT11-101 SQ	2	101	132	184	NO	YES	1455	1870	425	1	19	23	18.5X8C	ВC	WB	
XT10-101 SQ	2	101	120	172	NO	YES	1505	1870	375	1	19	23	18.5X8C	ВC	WB	
XT10-101	2	101	120	172	NO	YES	1505	1870	375	1	19	23	18.5X8C	ВC	WB	

SINGLE	E PLAC	the sta		ŕ	XT4.5 Pictured With Accessories										
	# Of Vehicles	Bed Width (in.)	Bed Length (in.)	Overall Length (in.)	Ramp Standard	Tilt Bed	Carrying Capacity without Brakes (Ib.)	GVWR without Brakes (lb.)	Trailer Weight (lb.)	No. Of Axles	Hitch Height (in.)	Deck Height (in.)	Standard Tires	Tire Upgrade Options*	Straight Pole or Wishbone Tongue
XT4.5	1	53	120	172	NO	YES	1350	1700	350	1	17	21	18.5X8C	А	SP

TIRE UPGRADE OPTIONS

Option	Tire	Rim	Option	Tire	Rim	 Option	Tire	Rim	Option	Tire	Rim
А	5.30X12 C	painted silver	В	20.5X10 C	painted silver	с	ST145/R 12E	painted silver or aluminum	D	ST175/80 D13C	painted silver

Note: Some tire upgrades require spacer kits. See your dealer.



www.tritontrailers.com



Snowmobile Trailers

Off Road Vehicle Trailers

Multi-Season Enclosed Trailers

Cargo & Utility Trailers

Personal Watercraft Trailers

AUTHORIZED DEALER:



Register your trailer at tritontrailers.com for a limited 5 year warranty.