

# Operator's Manual 99944200490 Blower Attachment

FOR MODELS: SRM-2100SB, 2400SB, 210SB, 211SB, 225SB, 260SB, 261SB, PAS-2100, 2400, 2601, 210, 211, 225, 225VP, 225VPB, 230, 231, 260, 261, 265, 266, 280, 2620

# WARNING

The engine exhaust from this product contains chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.





Read and understand all provided literature before use. Failure to do so could result in serious injury.

X7702095407 © 06/2020 ECHO Inc.

# TABLE OF CONTENTS

| Table of Contents                               | 2  |
|---|----|
| Introduction                                    | 3  |
| Servicing Information                           | 3  |
| Parts/Serial Number                             |    |
| Service   | 4  |
| ECHO Consumer Product Support                   | 4  |
| Product Registration                            |    |
| Additional Literature                           |    |
| Safety  |    |
| Manual Safety Symbols and Important Information |    |
|   |    |
| International Symbols                           | 5  |
| Personal Condition and Safety Equipment         |    |
| Equipment                                       |    |
| Description                                     |    |
| Contents  |    |
| Assembly  | 15 |
| Power Head Shaft to Lower Shaft Assembly        |    |
| Operation                                       |    |
| Operating Blower                                |    |
| Maintenance                                     |    |
| Skill Levels                                    |    |
| Maintenance Intervals                           | 19 |
| Storage   |    |
| Storage Hook Installation                       |    |
| Specifications                                  |    |
| Product Registration                            |    |
| Notes   |    |
| • • • • • •                                     |    |



# INTRODUCTION

Specifications, descriptions and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories, and may not include all standard equipment.



Read and understand all provided literature. Literature contains specifications and information for safety, operation, maintenance, storage, and assembly specific to this product. Scan QR codes for more information.



For additional literature, including safety manuals where applicable, or questions regarding terms used in this manual, visit:

https://www.echo-usa.com/manuals

OR





https://www.shindaiwa-usa.com/manuals

# SERVICING INFORMATION

### Parts/Serial Number

Genuine ECHO Parts and Assemblies for your ECHO products are available only from an Authorized ECHO Dealer. When you do need to buy parts always have the Model Number and Serial Number of the unit with you. For future reference write them in the space provided below.





X7702095407 © 06/2020 ECHO Inc.



### Service

Service of this product during the warranty period must be performed by an Authorized ECHO Service Dealer. For the name and address of the Authorized ECHO Service Dealer nearest you, ask your retailer or call: 1-800-432-ECHO (3246). Dealer information is also available on our Web Site www.echo-usa.com. When presenting your unit for Warranty service/ repairs, proof of purchase is required.

### **ECHO Consumer Product Support**

If you require assistance or have questions concerning the application, operation, or maintenance of this product, call the ECHO Consumer Product Support Department at 1-800-432-ECHO (3246) from 8:00 am to 5:00 pm (Central Standard Time) Monday through Friday. Before calling, please know the model and serial number of your unit.

### **Product Registration**

Register your ECHO equipment on-line at www.echo-usa.com or by filling out the product registration sheet included in this manual. Registering your product confirms warranty coverage and provides a direct link to ECHO if we find it necessary to contact you.

### Additional Literature

In addition to finding information online, information is available from your Authorized ECHO Service Dealer, or by contacting ECHO Inc., 400 Oakwood Road, Lake Zurich, IL 60047 1-800-432-ECHO (3246).

# SAFETY

### Manual Safety Symbols and Important Information

Throughout this manual and on the product itself, you will find safety alerts and helpful, informational messages preceded by symbols or key words. The following is an explanation of those symbols and key words and what they mean to you.

# **DANGER**

The safety alert symbol accompanied by the word "DANGER" calls attention to an act or condition which WILL lead to serious personal injury or death if not avoided.





The safety alert symbol accompanied by the word "WARNING" calls attention to an act or condition which CAN lead to serious personal injury or death if not avoided.



The safety alert symbol accompanied by the word "CAUTION" calls attention to an act or condition which might lead to minor or moderate personal injury if not avoided.



The enclosed message provides information necessary for the protection of the unit.

Note: This enclosed message provides tips for use, care and maintenance of the unit.



CIRCLE AND SLASH SYMBOL

This symbol means the specific action shown is prohibited. Ignoring these prohibitions can result in serious or fatal injury.

### International Symbols

| Symbol | Description                             | Symbol | Description                     |
|--------|---|--------|---------------------------------|
|        | Warning, see<br>Operator's<br>Manual    |        | Safety / Alert                  |
|        | Wear eye, ear<br>and head<br>protection |        | Finger severing                 |
|        | Wear hand and foot protection           |        | Rotating cutting attachment     |
|        | Wear face shield                        | بلا    | Wear slip<br>resistant footwear |



SAFETY

99044200490

| Symbol   | Description                                   | Symbol   | Description  |  |  |
|----------|---|--|--|--|--|
|          | Keep feet away<br>from blade                  | 15 M-50 FT   | Do not operate<br>closer than 15 m<br>(50 ft.) from<br>electrical<br>hazards. Keep<br>bystanders at<br>least 15 m (50 ft.)<br>away |  |  |
|          | DO NOT USE<br>BLADES - line<br>head only      |  | Beware of thrown objects   |  |  |
| *        | Plan retreat path<br>from falling<br>objects. |  | Hot surface  |  |  |
| A<br>R   | DO NOT USE LINE<br>HEAD - blades only         |  |  |  |  |
|          |   | Keep bystanders and helpers<br>away 15 m (50 ft.). |  |  |  |
| <b>X</b> |   | Beware thrown objects.<br>Wear eye protection.     |  |  |  |
| .000 15m | (50ft)  | Keep bystanders and helpers<br>away 15 m (50 ft.). |  |  |  |
|          |   | Keep bystanders and helpers<br>away 15 m (50 ft.)  |  |  |  |



### Personal Condition and Safety Equipment



Cancer and Reproductive Harm www.P65Warnings.ca.gov





The muffler or catalytic muffler and surrounding cover may become extremely hot. Always keep clear of exhaust and muffler area, otherwise serious personal injury might occur.

# WARNING

Users of this product risk injury to themselves and others if the unit is used improperly and/or safety precautions are not followed. Proper clothing and safety gear must be worn when operating unit.

#### **Physical Condition**

Your judgment and physical dexterity may not be good:

- If you are tired or sick
- If you are taking medication
- If you have taken alcohol or drugs

Operate unit only if you are physically and mentally well.

#### **Eye Protection**

# WARNING

- Eye protection that meets ANSI Z87.1 or CE requirements must be worn whenever you operate the unit.
- For additional safety, a full-face shield can be worn over safety glasses or goggles to provide protection from sharp branches or flying debris.



#### Hand Protection

Wear sturdy, no-slip, rubber work gloves to improve your grip on the handles. Gloves also provide protection against cuts and scratches, cold environments, and reduce the transmission of machine vibration to your hands.

#### **Hearing/Ear Protection**

ECHO recommends wearing personal protective equipment whenever unit is used.

#### **Breathing Protection**

Operators who are sensitive to dust or other common airborne allergens may need to wear a dust mask to prevent inhaling these materials while operating unit. Dust masks can provide protection against dust, plant debris, and other plant matter such as pollen. Make sure the mask does not impair your vision, and replace the mask as needed to prevent air restrictions.

#### **Proper Clothing**

Wear snug-fitting, durable clothing:

- · Pants should have long legs, shirts should have long sleeves.
- DO NOT WEAR SHORTS.
- DO NOT WEAR TIES, SCARVES, JEWELRY, or clothing with loose or hanging items that could become entangled in moving parts or surrounding growth.
- · Keep clothing buttoned or zipped, and keep shirt tails tucked in.
- Wear sturdy work shoes with nonskid rubber soles.
- DO NOT WEAR OPEN TOED SHOES.
- DO NOT OPERATE UNIT WITH BARE FEET.

Keep long hair away from engine and air intake. Retain hair with cap or net.

Heavy protective clothing can increase operator fatigue, which may lead to heat stroke. Schedule heavy work for early morning or late afternoon hours when temperatures are cooler.



# WARNING

The components of this machine generate an electromagnetic field during operation, which can interfere with some pacemakers. To reduce the risk of serious or fatal injury, persons with pacemakers should consult with their physician and the pacemaker manufacturer before operating this machine. In the absence of such information, ECHO <u>does not</u> <u>recommend</u> the use of this machine by anyone who has a pacemaker.

#### **Extended Operation / Extreme Conditions**

# **A**CAUTION

Prolonged exposure to cold and/or vibration can result in injury. Read and follow all safety and operation instructions to minimize risk of injury. Failure to follow instructions can result in painful wrist/hand/arm injuries.

It is believed that a condition called Raynaud's Phenomenon, which affects the fingers of certain individuals, may be brought about by exposure to vibration and cold. Exposure to vibration and cold may cause tingling and burning sensations, followed by loss of color and numbness in the fingers. The following precautions are strongly recommended, because the minimum exposure, which might trigger the ailment, is unknown.

- Keep your body warm, especially the head, neck, feet, ankles, hands, and wrists.
- Maintain good blood circulation by performing vigorous arm exercises during frequent work breaks, and also by not smoking.
- Limit the hours of operation. Try to fill each day with jobs where operating the unit or other hand-held power equipment is not required.
- If you experience discomfort, redness, and swelling of the fingers followed by whitening and loss of feeling, consult your physician before further exposing yourself to cold and vibration.




#### **Repetitive Stress Injuries (RSI)**

It is believed that overusing the muscles and tendons of the fingers, hands, arms, and shoulders may cause soreness, swelling, numbness, weakness, and extreme pain in those areas. Certain repetitive hand activities may put you at a high risk for developing a Repetitive Stress Injury (RSI). An extreme RSI condition is Carpal Tunnel Syndrome (CTS), which could occur when your wrist swells and squeezes a vital nerve that runs through the area. Some believe that prolonged exposure to vibration may contribute to CTS. CTS can cause severe pain for months or even years.

To reduce the risk of RSI/CTS, do the following:

- Avoid using your wrist in a bent, extended, or twisted position. Instead try to maintain a straight wrist position. Also, when grasping, use your whole hand, not just the thumb and index finger.
- Take periodic breaks to minimize repetition and rest your hands.
- Reduce the speed and force with which you do the repetitive movement.



- Do exercises to strengthen the hand and arm muscles.
- Immediately stop using all power equipment and consult a doctor if you feel tingling, numbness, or pain in the fingers, hands, wrists, or arms. The sooner RSI/CTS is diagnosed, the more likely permanent nerve and muscle damage can be prevented.

# 

All over head electrical conductors and communications wires can have electricity flow with high voltages. This unit is not insulated against electrical current. Never touch wires directly or indirectly, otherwise serious injury or death can result.



# A DANGER

#### Do not operate this product indoors or in inadequately ventilated areas. Engine exhaust contains poisonous emissions and can cause serious injury or death.

#### **Read the Manuals**

• Provide all users of this equipment with the Operator's Manual and Safety Manual for instructions on Safe Operation.

#### **Clear the Work Area**

- Spectators and fellow workers must be warned, and children and animals prevented from coming nearer than 15 m (50 ft.) while the unit is in use.
- Take wind conditions into account: avoid open doors and windows.
- Do not point blower at people or animals.
- Review area to be cleared. Look for potential hazards such as stones or metal objects.

#### Keep a Firm Grip

• Always hold throttle handle and support handle with thumbs and fingers tightly encircling the handles.

#### Keep a Solid Stance

 Maintain footing and balance at all times. Do not stand on slippery, uneven or unstable surfaces. Do not work in odd positions or on ladders. Do not over reach.

#### Avoid Hot Surfaces

 During operation, the drive shaft housing and attachment bearing housing may become very hot, too hot to touch. Avoid contact during and immediately after operation.



### Equipment



Use this attachment with ECHO approved models only. Serious injury can result from the use of this attachment combined with a non approved ECHO product.

| X7702095407         |
|---------------------|
| © 06/2020 ECHO Inc. |



- Check unit for loose/missing nuts, bolts, and screws. Tighten and/or replace as needed.
- Do not use blower if any part is missing or damaged.
- Have repairs done only by an authorized ECHO Service dealer.
- Note: ECHO, INC. will not be responsible for the failure of cutting devices, attachments or accessories which have not been tested and approved by ECHO.

# 


Moving parts can amputate fingers or cause severe injuries. Keep hands, clothing and loose objects away from all openings.

- ALWAYS stop engine, disconnect spark plug, and make sure all moving parts have come to a complete stop before removing obstructions, clearing debris, or servicing unit.
- DO NOT start or operate unit unless all guards and protective covers are properly assembled to unit.
- NEVER reach into any opening while the engine is running. Moving parts may not be visible through openings.



# DESCRIPTION

Locate the safety decal(s) on your unit. Make sure the decal(s) is legible and that you understand and follow the instructions on it. If a decal cannot be read, a new one can be ordered from your ECHO dealer. Safety label is for example only. Your label my appear slightly different.



- 1. Drive Shaft Assembly
- 2. Blower Pipe

X7702095407 © 06/2020 ECHO Inc.



# CONTENTS

The ECHO product you purchased has been factory pre-assembled for your convenience. Due to packaging restrictions, some assembly may be necessary.

After opening the carton, check for damage. Immediately notify your retailer or ECHO Dealer of damaged or missing parts. Use the contents list to check for missing parts.

- 1 Blower Attachment
- 1 Operator's Manual
- 1 Warranty Sheet
- 1 Storage Hook Assembly



# ASSEMBLY


### Power Head Shaft to Lower Shaft Assembly




# Do not perform maintenance or assembly procedures with engine running.

Parts Required: PAS or SRM-SB Power Head Shaft and Coupling

- 1. Set Power Head/Shaft Assembly on a level surface.
- 2. Pull locater pin (A) out, and turn counterclockwise one-quarter turn to lock-out position.
- 3. Remove storage hook and cap from attachment drive shaft.
- Note: Your coupler may appear different than coupler shown. Earlier model power heads may have shorter couplings.
- Carefully fit attachment drive shaft assembly into coupler (B). Rotate the shaft (C) to make sure the inner lower drive shaft engages the square upper drive shaft socket.
- Note: Lower bearing housing and head assembly must be in line with the engine.
- Note: Some models have an assembly line decal to assist in assembly.
- Rotate locater pin (A) onequarter turn clockwise to engage lower shaft hole. Make sure locater pin is fully engaged by rotating the lower drive shaft. Locater pin should snap flush in coupler. Full engagement will prevent further shaft rotation.
- Secure lower shaft assembly to coupler by tightening clamping knob (D).







### OPERATION

## **OPERATION**

Refer to your PAS power source Operator's Manuals for correct engine fueling, starting and stopping instructions.

### **Operating Blower**



Moving parts can amputate fingers or cause severe injuries. Keep hands, clothing and loose objects away from all openings. Always stop engine, disconnect spark plug, and make sure all moving parts have come to a complete stop before removing obstructions, clearing debris, or servicing unit. Blower housing might contain shredder blades and other sharp edges that can cause serious injuries if touched, even if engine is off and blades are not moving. Wear gloves to protect hands from sharp edges and hot surfaces.

# **WARNING**

Always wear safety glasses, hearing protection and a face filter mask or serious personal injury can result. Do not point the blower pipe in the direction of people or pets.

# NOTICE

Use reduced speed only when performing light-duty tasks or to comply with local noise regulations. Continuous low speed operation may allow fuel/oil residue to build-up on the piston and cause rapid build-up of carbon on the spark arrestor screen, resulting in overheating and engine damage. To reduce harmful build-up, run engine at wide open throttle for at least 5 minutes every hour, and inspect/clean the spark arrestor screen after approximately 40 hours of operation.

Read the Safety Section carefully.

# NOTICE

To avoid engine damage due to over-revving, do not block blower pipe.

1. Use only during appropriate hours.



- 2. Allow the engine to warm up at a fast idle for a few minutes.
- 3. Use lower speed to blow debris from hard surfaces.
- 4. Additional speed may be necessary to clean debris, snow, etc. from lawns and flowerbeds.
- Note: Never use a higher speed setting than necessary to perform a task. Remember, the higher the engine speed, the louder the blower noise. Minimize dust by using blower at lower speeds. Keep debris on your property. Be Smart - be a good neighbor.



## MAINTENANCE

# WARNING

Moving parts can amputate fingers or cause severe injuries. Keep hands, clothing and loose objects away from all openings. Always stop engine, disconnect spark plug, and make sure all moving parts have come to a complete stop before removing obstructions, clearing debris, or servicing unit. Allow unit to cool before performing service. Wear gloves to protect hands from sharp edges and hot surfaces.

# WARNING

Operating a poorly maintained unit can result in serious injuries to operator or bystanders. Always follow all maintenance instructions as written, otherwise serious personal injury can result.

Your unit is designed to provide many hours of trouble free service. Regular scheduled maintenance will help your unit achieve that goal. If you are unsure or are not equipped with the necessary tools, we recommend that you take your unit to a Servicing Dealer for maintenance. To help you decide whether you want to DO-IT-YOURSELF or have the Dealer do it, each maintenance task has been graded. If the task is not listed, see your Dealer for repairs.

# NOTICE

The use of emission control components other than those specifically designed for this unit is a violation of federal law.

### Skill Levels

Level 1 = Easy to do. Common tools may be required.

- Level 2 = Moderate difficulty. Some specialized tools may be required.
- **Level 3** = See your dealer.

Click HERE or go to http://www.echo-usa.com/products/maintenance-kit

or

HERE https://www.shindaiwa-usa.com/you-can.aspx

For information about maintenance kits.



X7702095407 © 06/2020 ECHO Inc.

18


#### **Maintenance Intervals**

| Component             | Maintenance             | Skill | Interval        |
|-----------------------|-------------------------|-------|-----------------|
| /System               | Procedure               | Level |                 |
| Screws/<br>Nuts/Bolts | Inspect/Tighten/Replace | 1     | Before Each Use |

# STORAGE

### **Storage Hook Installation**


- 1. Insert small end of hook into locating hole on attachment shaft.
- 2. Slide plastic cap onto end of attachment shaft.



# SPECIFICATIONS

| MODEL                   | 99944200490                  |
|-------------------------|------------------------------|
| Length                  | 635 mm (25.01 in.)           |
| Width                   | 231 mm (9.10 in.)            |
| Height                  | 212 mm (8.35 in.)            |
| Weight                  | 1.80 kg (3.96 lb.)           |
| Flexible Drive Shaft    | 6.35 mm (1/4 in.) Flex Shaft |
| Maximum Air Speed (MPH) | 129 - 142 mph *              |
| Maximum Air Volume      | 347 - 383 cu. ft./min. *     |







### PRODUCT REGISTRATION

| MODEL  | 99944200490                            |
|--|--|
| Sound Level at 50 ft. dB(A) scale per<br>ANSI B175.2 | 71 dB(A)                               |
| * Specifications are for a variety of power vary.    | heads. Individual unit performance may |

# PRODUCT REGISTRATION

#### Thank you for choosing ECHO Power Equipment

Please go to <u>http://www.echo-usa.com/Warranty/Register-Your-ECHO</u> to register your new product on-line. It's *FAST* and *EASY*! NOTE: your information will never be sold or misused by ECHO, Incorporated. Registering your purchase enables us to contact you in the unlikely event of a service update or product recall, and verifies your ownership for warranty consideration.

If you do not have access to the Internet, you can complete the form below and mail to:

# ECHO Incorporated, Product Registration, PO Box 1139, Lake Zurich IL 60047.



| INCECHO, PRODUCT REGISTRATION CARD : TARJETA DE REGISTRO : CARTE D'ENREGISTREMENT DU PRODUIT | OPCIÓN POR INTERNET: ¡Registrese en la pagina web y<br>obrore una estamplial. Le alertarán sobre actualizaciones del<br>producto yos e le mizia información sobre los navevos pro-<br>productos ECHO y las ofiertas especiales. Simplemente visite:<br>www.echo-usa.com   | Confidential: Information provided will not be shared or sold                 | Primary use of tool: □Professional □ Homeowner □ Rental Equip.<br>Uso primario de la herramienta: □Professional □ Dueño de casa □ Aquiler<br>Usage principal: □ Professional □ Rental □ Location<br>Du sou unión homeoius periodis ECHO mediari information and social office | by provincing in the Vector Draw and a concentration and special and a<br>by email? The Concentration periodicary offertas especiales por corrected effort<br>topico sobre el producto ECHO? Thest Draw<br>Sumhairs-Anton sure reservicing finding interment of Tinformation sure les produitis. |   | Visió usted la pagina web ECHO antes de comprar su producto?             | What factor(s) most influenced your purchase? What factor(s) most influenced your purchase? Dealer Compra: | influencia más en su comp<br>D Precio<br>Experiencia Anterior          | Quel fracteur (facteurs) vous a influencé le p<br>Priformance Prix<br>Frabilité Expérience        | uct recail and verifies your   |
|--|---|---|---|--|---|--|--|--|---|--|
| CT REGISTRATION CAR  | thew ECHO will about a stampt you will about a stampt thew ECHO productio y/o se le ductos ECHO y la ductos | le Molde : En Lettre Carré S.V.P.   | Nom de l'acheteur   |  | State : Estado : Zip Code : Código Postal : Code Postal<br>Province | ónico : Courrier Électronique  | phone Date of Purchase : Fecha de la Compra :<br>Date de l'achat   | le fue Comprado : Lieu d'achat   | modéle   Serial Number : Numero d   | te unlikely event of a service update or prod<br>S permite estar en contacto con usted en ca<br>autorior y verificación de projectad en caso   |
| //////// PRODUC  | ONLINE OPTION: Register online and save a stamp! You will<br>be alerted of product updates and/or be sen new ECHO<br>product information and special offers. Simply go to:<br>www.echo-usa.com  | Please Print : Por Favor Enscriba Con Letra De Molde : En Lettre Carré S.V.P. | Purchaser's Name : Nombre del Comprador : Nom de l'acheteur   | Address : Dirección : Adresse  | City : Ciudad : Ville Stat  | E-Mail Address : Dirección De Correo Electrónico : Courrier Électronique | Phone Number : Número De Teléfono : Téléphone  | Where Purchased : Nombre del Almacén donde fue Comprado : Lieu d'achat | Model Number : Numero del Modelo : No. de modéle   Serial Number : Numero de Serie : No. de série | Registimity our purchase enables us to contact you in the unlikely evend of a service updated product recall and vertiles your<br>wereight in the event of uses. If registra is common stremiller exist an contactor variated must be characterer event<br>como existing the event of asservice of a revocation de productor y entification. As progread en exist or inco o periode, service or a revocation of a product or y entification. |

MECHO.

## NOTES



X7702095407 © 06/2020 ECHO Inc.



S68600095500-S68600999999

