

VAT included



SIMPLE AND EFFECTIVE

With the Typhoon™, you can instantly decide to go out boating: light and compact, it easily fits in the boot of your car.

THE "+" of the PRODUCT

A removable inflatable floor: inflated at high pressure, it is as rigid and less heavy than a traditional floor! An inflatable keel: it ensures a good heading hold and provides an extra buoyancy. Semi-recessed valve and swimming platform.


	TECHNICA	L FEATURES	
EXTERNAL LENGTH (m-ft)	3.1 - 10'2"	SHAFT	S
INSIDE LENGTH (m-ft)	1.94 - 6'4''	AVERAGE RECOMMENDED POWER (HP)	5
OVERALL BEAM (m-ft)	1.62 - 5'4"	AVERAGE RECOMMENDED POWER (kW)	4
INSIDE BEAM (m-ft)	0.79 - 2'7"	MAXIMUM AUTHORIZED POWER (HP)	8
FLOAT DIAMETER (m-ft)	0.42 - 1'5"	MAXIMUM AUTHORIZED POWER (kW)	6
NUMBER OF PASSENGERS (ISO)	4	MAXIMUM AUTHORIZED ENGINE WEIGHT (Kg-Lbs)	42 - 92
MAXIMUM AUTHORIZED LOAD (Kg-Lbs)	500 - 1102	MAXIMUM SPEED (MONO) (km/h - mph)	26-16
TOTAL WEIGHT (Kg-Lbs)	39 - 86	HULL LENGTH AT THE 1st BAG (tube) (m - ft)	1.15 - 3'9"
NUMBER OF WATERTIGHT COMPARTMENTS	3+1+1	HULL WIDTH AT THE 1st BAG (tube) (m - ft)	0.6 - 1'12"
DESIGN CATEGORY	С	HULL HEIGHT AT THE 1st BAG (Tube) (m - ft)	0.32 - 1'1"

VERSIONS

310 AERO



Typhoon 310 Aero



OPTIONS

HULL & DECK Side rigid ladder

OTHER(S) Launching wheels Pressure indicator valve bravo 5

Taxes Eco contribution France -4m pneumatiques