

**ShoreLand'r**<sup>®</sup>

Go the extra mile

WATERCRAFT TRAILERS





# ***Go that extra mile with ShoreLand'r!***

*ShoreLand'r goes above and beyond the competition in a number of key areas. These all add up to a trailer you can depend on year in and year out. A trailer that will look better, last longer and go farther. Get the most out of every weekend and every summer vacation.*



## Boating is all about relaxing...

and you can't do that if you're worried about your trailer. That's why all ShoreLand'r trailers, even the smaller models, have the same quality and attention to detail that you'll find in our larger trailers. Combine that with our 5-Year Limited Warranty and you get one thing—peace of mind.



**At ShoreLand'r we understand that creating the perfect trailer starts with creating the perfect fit...**

## Find Your Fit

Whether your watercraft is a 35' deck boat, 15' bass boat, or a 1200 lb. PWC, ShoreLand'r provides a trailer that can properly haul your craft. With over 60+ years in the industry we've perfected the way our trailers cradle the watercrafts they carry.



### BOAT TRAILERS

Our innovative support system, engineered to take the hassle out of launching and loading. Get the most out of your boat trip with ShoreLand'r!  
Available in 700 lb. to 15,000 lb. capacity  
See Pages 11-14



### PONTOON TRAILERS

Updated with new models to better fit today's larger, heavier pontoons, these trailers are loaded with great ShoreLand'r features!  
Available in 1500 lb. to 6700 lb. capacity  
See Pages 15-16



### PWC TRAILERS

Designed to fit one or two large modern-day 3-person watercrafts, these trailers have the options you need to make your time on the water a blast!  
Available in 1000 lb. to 2400 lb. capacity  
See Pages 17-18

# Better performance on the road.

Built for smooth, stable towing

In today's hustle-bustle world, it can be tough to find quality family time. When you finally get a chance to break away, you want to spend it relaxing with the kids, not broken down by the side of the highway. That's why a dependable trailer is so important. One with features such as disc brakes or optional electric-over-hydraulic brakes, to ensure that all state laws are met, and more importantly, that everyone gets home safely.

## Safety First

You need a trailer that is equipped to protect both your family and your boat in an emergency. ShoreLand'r doesn't take any chances, featuring **Disc Brakes** to ensure you have the reliable, smooth, stopping power you need. **DOT approved lighting** keeps your boat visible at night. Heavy-duty **Double Safety Chains** keep the trailer secured to your tow vehicle. A **Bow Eye Safety Chain** keeps your boat on the trailer if the winch fails. Your safety is our first priority. Period.



## High Road Performance

ShoreLand'r makes the journey as painless as possible with features like smooth rolling **factory-balanced radial tires**, **uni-frame construction**, and **adjustable axles**, for better performance and less vibration. Less vibration is a good thing for your boat and its sensitive electronic equipment. In addition to that, the frame is designed to keep the boat riding low for less wind resistance and better gas mileage out on the highway.



## 7-Way Wire Connector

Standard on all ShoreLand'r brake trailers, the **7-Way Round Connector** connects directly to most tow vehicles without an adapter or splicing. **Heavy-duty Recoil Harness** helps protect wiring from dragging or pinching. **Tongue Clips** keep connector off the ground when not connected to tow vehicle.



## Advanced Protection for Your Boat

Enclosed, custom-molded **side step fenders** that protect your boat from road debris. **Protective Pads on all cross-members** protect the boat keel if contact is made during loading.



## Easier Maintenance

**Grease-Packed Hubs and Bearing Protectors** create positive pressure to keep water and contaminants out. This prolongs bearing life and prevents breakdowns with lubrication covering the bearings 100% of the time unlike oil-bath systems.




## Trouble-Free LED Lighting System

**Sealed taillights** with dependable, **fully-grounded wiring** and **LED side-marker lights** with a **7-way wire connector** that eliminates troublesome loose wires and plug adapters. It all adds up to a dependable system you can count on.

# Better performance at the ramp.

## Stress-free launching and loading

All you want to do is get in and get out... and look like a pro doing it. That's precisely why ShoreLand'r trailers have an innovative support system, engineered to take the hassle out of launching and loading. This system self-adjusts for maximum hull support and easier centering, even in strong currents and rough winds.




### Bunks vs. Rollers

Our patented roller design not only centers your boat quickly, it allows you to land your boat with less of the trailer underwater. Getting more of the boat out of the water when landing lessens the effect of current and waves when loading. It will also help keep your feet dry on the ramp!

### Innovative to the Core

Unique, patented roller features a durable, thermoplastic hub covered with soft, non-marking rubber for cushioned support that retains its shape. An innovative cat's-eye shaped axis limits side-to-side movement to keep the boat centered during loading, while allowing the roller to conform to the geometry of the boat hull. Corrosion-free aluminum washers and no metal-to-metal contact, ensure it will keep rolling smoothly, year after year.






***“Loading my boat after a long day on the water is painless with ShoreLand’r. The trailer has been fit to my boat perfectly. It rides down the road so smooth!”***

*ShoreLand’r Owner - Okoboji, IA*

# A Trailer You Can Depend on.

Imagine the dreadful feeling of leaving your boat stranded on the side of the road. When you pull a ShoreLand'r trailer, you can leave those fears behind. ShoreLand'r trailers are built for years of dependable service. Available in 700 lb. to 15,000 lb. capacity.




**DISC BRAKES**  
Smoother braking action and improved performance for greater safety. Less maintenance.



**FENDERS**  
A variety of fender options available to protect your boat and trailer from chips and corrosion. Side-step also available on some models.


**ROBUST FRAME CONSTRUCTION**  
Welded uni-frame construction that provides maximum strength and less flex to ensure longer trailer life and advanced protection for your boat.



**ADJUSTABILITY FOR THE PERFECT FIT**  
The perfect fit means better performance both on the road and at the ramp. This is achieved with unique features like the patented, fully-adjustable, and super-stylish Profile Performance winch. The axles are also adjustable to fine-tune tongue weight for perfectly balanced trailering that minimizes stress on your tow vehicle.



**PREMIUM SUPPORT SYSTEMS**  
Self-adjusting rollers feature a durable, thermoplastic hub covered with soft, non-marking rubber for cushioned support that retains its shape. If you prefer bunks, the Patented EquiLoad System uses self-adjusting bunks that pivot to evenly distribute the weight.



SHOREARM'R  
(TEXTURED  
MATTE BLACK)



RUGGED  
GALVANIZED

**SUPERIOR FINISH**  
Whether you choose our ShoreArm'r finish or rugged galvanized, you'll appreciate the extra care we put into making sure your trailer looks good for the long haul.



**ADVANCED LIGHTING**  
A trouble-free lighting system you can count on! Sealed taillights with dependable and fully ground wiring. LED lights available on 1800 lb. trailers on up.

# Find Your Perfect Fit.

Whether you've got a 12' fishing boat or a whopping 35' cruiser weighing up to 15,000 lb., from simple to luxury custom, ShoreLand'r has you covered!



## 700 - 1500 lb. Trailers

Built with small fishing boats and Jon boats in mind. Choose from roller or bunk for ideal launching and loading. Available in ShoreArm'r black or rugged galvanized.



## 4000 - 5500 lb. Trailers

The double-axle trailers fit a wide range of 18-24' boats. The custom fenders available on some models upgrade the look to perfectly suit your rig. Choose from our patented EquiLoad pivoting roller or bunk for ideal launching and loading. Available in ShoreArm'r black and rugged galvanized.



## Inboard Trailers

Built specifically for inboard boats, these models come loaded with unique features, including: EquiLoad bunk system, custom style fenders, prop guards, and post load guides. Available in ShoreArm'r black or rugged galvanized from 3300 - 5500 lb. capacity.



## 1800 - 2200 lb. Trailers

Designed for mid-sized fishing boats, these models come standard with our trouble-free LED lighting system among other great features. Available in ShoreArm'r black and rugged galvanized in roller or bunk.



## 5800 - 6800 lb. Trailers

These heavy duty frame, double-axle, double-brake trailers are tough enough for heavier loads. The custom fenders are as rugged as they are good looking. Choose from our patented EquiLoad pivoting roller or bunk for ideal launching and loading. Available in ShoreArm'r black and rugged galvanized.



## 2300 - 3400 lb. Trailers

These single-axle trailers accommodate pleasure or bass boats and feature convenient step fenders for easy boarding. To ensure safe and smooth stopping power, our 3,000 lb. trailers and up feature disc brakes. Choose from our patented EquiLoad pivoting roller or bunk supports for ideal launching and loading. Available in ShoreArm'r black and rugged galvanized.



## 8000 lb. Trailers

Designed for "Big Water" boats, this 3"x5" steel tube frame trailer is as tough as they come. They feature a heavy-duty uni-frame construction, dual axle disc brakes, heavy duty winchpost with double roller bow stop and solid aluminum fenders. Available in ShoreArm'r black and rugged galvanized in roller or bunk.



## Aluminum Trailers


No other trailer stands up to the rigors and corrosive destruction of saltwater better than ShoreLand'r. Heavy-duty I-beam aluminum frames resist corrosion with strong, galvanized steel crossmembers and a long list of ShoreLand'r features. Available in 3000 - 15,000 lb. capacities.

# More Sizes. More Features.

The complete line of ShoreLand'r Pontoon Trailers has been updated with new models to fit today's larger, heavier pontoons. In addition to these new sizes and better fit, these trailers are loaded with great ShoreLand'r features. Available in 1500 lb. to 6700 lb. capacity.



**LOAD GUIDES**  
Make it easier to center the boat on the trailer during loading. These are particularly helpful if you do a lot of launching or loading in windy conditions or river currents.



**PRECISE LOADING AT THE RAMP**  
Fully carpeted full-length bunks, adjustable winch post, heavy-duty geared winch and dual cushioned deck stops.



**BUILT TO LAST**  
This heavy duty, 3" x 5" tube steel frame is the toughest in the industry. The welded uni-frame construction provides maximum strength and less flex for longer trailer life.



**SAFE STEP-UP ACCESS**  
Heavy-duty steps with safety handrail for easy boarding.



**SUPERIOR FINISH**  
Available in ShoreArm'r or rugged galvanized, you'll appreciate the extra care we put into making sure your trailer looks good for the long haul.



SHOREARM'R (TEXTURED MATTE BLACK)



RUGGED GALVANIZED



**DISC BRAKES**  
Smoother braking action and improved performance for greater safety. Less maintenance.



# Personal Water Craft. Personal Trailer.

A trailer is much more than just a couple of wheels under your machine. It is the home-sweet-home where your craft will spend most of its life. That's why ShoreLand'r trailers are engineered to fit better, ride smoothly and last longer. All so you can relax and focus on the fun. Available in 1000 lb. to 2400 lb. capacity as a double or single craft trailer.



### HOW LOW CAN YOU GO?

These "v" crossmembers allow your machines to ride as low as possible. This lower center of gravity provides safer towing, better gas mileage and easier loading at the ramp.




### FULLY ADJUSTABLE PIVOTING BUNKS

Carpeted bunk supports conform to the hull for the perfect fit.

### GEARED WINCH

This sturdy crank winch features an adjustable bow stop and durable nylon strap that will not tangle or fray.



### WALKBOARD

Optional Walkboard provides easy access to your watercraft.



### LONGER FRAME FOR A BETTER FIT

These trailers have been designed around the largest PWCs on the market to ensure a perfect fit. Better fit means better performance on the road and at the ramp.

### SUPERIOR FINISH

Available in ShoreArm'r or rugged galvanized, you'll appreciate the extra care we put into making sure your trailer looks good for the long haul.



SHOREARM'R  
(TEXTURED  
MATTE BLACK)



RUGGED  
GALVANIZED



# Customize. Maximize. Accessorize.

Okay, you store your boat in the garage and take it to the lake six times a year. Your neighbor parks his in his backyard and takes it to the river almost every weekend. Different users have different needs and that's why ShoreLand'r offers a complete line of Genuine ShoreLand'r Accessories. Everything you need to make your trailer fit your lifestyle.



POST LOAD GUIDE



HORIZONTAL BUNK

## Load Guides

Make it easier to center the boat on the trailer during loading. These are particularly helpful if you do a lot of launching or loading in windy conditions or river currents. Choose from bunk, post or roller load guides.

## Retractable Tie Downs & Transom Savers

Retractable Tie Downs quickly and easily secure your boat to the trailer. A Transom Saver will give your outboard motor the extra support it needs.



TRANSMOM SAVER




RETRACTABLE TIE DOWN

ROLLER LOAD GUIDE



## Swing Tongue

Trying to squeeze your trailer in a small garage, and it just won't fit? This hinged tongue swings out of the way, allowing storage in tight quarters.



## Spare Tire & Spare Tire Bracket

Be prepared with a dependable spare that meets the same specs as your original tire. Free-up space in your tow vehicle by carrying your spare on the trailer frame with a spare tire bracket.

## Aluminum & Chrome Wheels

Find your trailer's finishing touch with the right set of rims. Whether you need flat black, brushed aluminum, or shiny chrome to complete your custom look, you can upgrade your wheels to perfectly suit your set-up.

## Peace of Mind

ShoreLand'r makes sure you're protected in three different ways: our 5-Year Limited Warranty, NMMA Certification and BoatU.S. Protection.

This all adds up to peace of mind, so you can relax and enjoy every minute of your vacation.



## NMMA Certified

The "NMMA Certified" decal is your guarantee that every ShoreLand'r is built to meet or exceed the National Marine Manufacturer's Association safety and quality standards. Don't settle for less!



## Free BoatU.S. Membership

To protect you in the unlikely event of a breakdown, all ShoreLand'r trailers come with a FREE 90-day BoatU.S. Membership. It features over 26 benefits, including trailer assist and tow, and on-the-water towing services.



## 5-Year Limited Warranty

For added peace of mind, our 5-Year Limited Warranty includes a 1-Year Tongue-to-Tailight Warranty. Ask your dealer for details.

## MODELS & SPECIFICATIONS

### Standard Models 700 - 5000 lb.

| Maximum Carrying Capacity | Frame Length & Width Code | Standard Tongue Length Code | Measure Your Boat's Length Bow Eye to Transom <sup>†</sup> | Measure Your Boat's Width at Chine Beam <sup>‡</sup> | Disc Brakes Standard | Fully Grounded Sealed LED Lighting | Tires      | Fender Style  |
|---------------------------|---------------------------|-----------------------------|--|--|----------------------|------------------------------------|------------|---------------|
| 700 lb.                   |                           | S                           | 15'-4"   | 46"  |                      |                                    | 12" Bias   | Poly          |
| 700 lb.                   |                           | L                           | 17'-4"   | 46"  |                      |                                    | 12" Bias   | Poly          |
| 1200 lb.                  |                           | S                           | 12'-7"   | 46"  |                      |                                    | 12" Bias   | Poly          |
| 1200 lb.                  |                           | M                           | 14'-1"   | 46"  |                      |                                    | 12" Bias   | Poly          |
| 1200 lb.                  |                           | L                           | 15'-7"   | 46"  |                      |                                    | 12" Bias   | Poly          |
| 1200 lb.                  |                           | S                           | 14'-0"   | 58"  |                      |                                    | 12" Bias   | Poly          |
| 1200 lb.                  |                           | M                           | 15'-6"   | 58"  |                      |                                    | 12" Bias   | Poly          |
| 1200 lb.                  |                           | L                           | 17'-0"   | 58"  |                      |                                    | 12" Bias   | Poly          |
| 1400 lb.                  |                           | S                           | 14'-0"   | 58"  |                      |                                    | 12" Bias   | Poly          |
| 1400 lb.                  |                           | M                           | 15'-6"   | 58"  |                      |                                    | 12" Bias   | Poly          |
| 1400 lb.                  |                           | L                           | 17'-0"   | 58"  |                      |                                    | 12" Bias   | Poly          |
| 1500 lb.                  |                           |                             | 15'-4"   | 66"  |                      |                                    | 12" Bias   | Poly          |
| 1800 lb.                  | LN                        | S                           | 16'-8"   | 68"  |                      | ✓                                  | 13" Radial | Molded w/Step |
| 2200 lb.                  | S                         | S                           | 15'-1"   | 74"  |                      | ✓                                  | 13" Radial | Molded w/Step |
| 2200 lb.                  | L                         | S                           | 16'-7"   | 74"  |                      | ✓                                  | 13" Radial | Molded w/Step |
| 2200 lb.                  | LW                        | S                           | 16'-7"   | 84.5"  |                      | ✓                                  | 13" Radial | Molded w/Step |
| 2300 lb.                  | S                         | S                           | 16'-8"   | 78.5"  |                      | ✓                                  | 14" Radial | Molded w/Step |
| 2300 lb.                  | SW                        | S                           | 16'-8"   | 84.5"  |                      | ✓                                  | 14" Radial | Molded w/Step |
| 2300 lb.                  | L                         | S                           | 17'-8"   | 78.5"  |                      | ✓                                  | 14" Radial | Molded w/Step |
| 2300 lb.                  | LW                        | S                           | 17'-8"   | 84.5"  |                      | ✓                                  | 14" Radial | Molded w/Step |
| 2300 lb.                  | XXL                       | S                           | 18'-11"  | 78.5"  |                      | ✓                                  | 14" Radial | Molded w/Step |
| 2800 lb.                  | XXL                       | S                           | 19'-5"   | 78.5"  | ✓                    | ✓                                  | 14" Radial | Molded w/Step |
| 3000 lb.                  | S                         | S                           | 16'-8"   | 78.5"  | ✓                    | ✓                                  | 14" Radial | Molded w/Step |
| 3000 lb.                  | SW                        | S                           | 16'-8"   | 84.5"  | ✓                    | ✓                                  | 14" Radial | Molded w/Step |
| 3000 lb.                  | L                         | S                           | 17'-8"   | 78.5"  | ✓                    | ✓                                  | 14" Radial | Molded w/Step |
| 3000 lb.                  | LW                        | S                           | 17'-8"   | 84.5"  | ✓                    | ✓                                  | 14" Radial | Molded w/Step |
| 3400 lb.                  | LW                        | S                           | 17'-8"   | 84.5"  | ✓                    | ✓                                  | 15" Radial | Molded w/Step |
| 3400 lb.                  | XLW                       | S                           | 18'-8"   | 84.5"  | ✓                    | ✓                                  | 15" Radial | Molded w/Step |
| 4000 lb.                  | LW                        | S                           | 17'-8"   | 84.5"  | ✓                    | ✓                                  | 13" Radial | Molded w/Step |
| 4000 lb.                  | XLW                       | S                           | 18'-8"   | 84.5"  | ✓                    | ✓                                  | 13" Radial | Molded w/Step |
| 4000 lb.                  | LW                        | S                           | 17'-8"   | 84.5"  | ✓                    | ✓                                  | 14" Radial | Painted Steel |
| 4000 lb.                  | XLW                       | S                           | 18'-8"   | 84.5"  | ✓                    | ✓                                  | 14" Radial | Painted Steel |
| 4600 lb.                  | S                         | M                           | 19'-0"   | 84.5"  | ✓                    | ✓                                  | 13" Radial | Molded w/Step |
| 4600 lb.                  | L                         | M                           | 20'-6"   | 84.5"  | ✓                    | ✓                                  | 13" Radial | Molded w/Step |
| 5000 lb.                  | S                         | M                           | 18'-9"   | 84.5"  | ✓                    | ✓                                  | 14" Radial | Painted Steel |
| 5000 lb.                  | L                         | M                           | 20'-2"   | 84.5"  | ✓                    | ✓                                  | 14" Radial | Painted Steel |

### Standard Models 5500 - 8000 lb.

| Maximum Carrying Capacity | Frame Length & Width Code | Standard Tongue Length Code | Measure Your Boat's Length Bow Eye to Transom <sup>†</sup> | Measure Your Boat's Width at Chine Beam <sup>‡</sup> | Disc Brakes Standard | Fully Grounded Sealed LED Lighting | Tires      | Fender Style  |
|---------------------------|---------------------------|-----------------------------|--|--|----------------------|------------------------------------|------------|---------------|
| 5500 lb.                  | S                         | M                           | 18'-9"   | 84.5"  | ✓                    | ✓                                  | 14" Radial | Painted Steel |
| 5500 lb.                  | L                         | M                           | 20'-2"   | 84.5"  | ✓                    | ✓                                  | 14" Radial | Painted Steel |
| 5800 lb.                  |                           |                             | 21'-0"   | 84.5"  | ✓                    | ✓                                  | 14" Radial | Aluminum      |
| 6800 lb.                  |                           |                             | 21'-0"   | 84.5"  | ✓                    | ✓                                  | 15" Radial | Aluminum      |
| 8000 lb.                  | L                         |                             | 23'-3"   | 83"  | ✓                    | ✓                                  | 15" Radial | Aluminum      |

### Inboard Models 3300 - 5500 lb.

| Maximum Carrying Capacity | Frame Length & Width Code | Standard Tongue Length Code | Measure Your Boat's Length Bow Eye to Transom <sup>†</sup> | Measure Your Boat's Width at Chine Beam <sup>‡</sup> | Disc Brakes Standard | Fully Grounded Sealed LED Lighting | Tires      | Fender Style  |
|---------------------------|---------------------------|-----------------------------|--|--|----------------------|------------------------------------|------------|---------------|
| 3300 lb.                  |                           | L                           | 18'-7"   | 78.5"  | ✓                    | ✓                                  | 15" Radial | Poly Metal    |
| 4000 lb.                  |                           | L                           | 20'-1"   | 78.5"  | ✓                    | ✓                                  | 14" Radial | Painted Steel |
| 5500 lb.                  | L                         | L                           | 22'-2"   | 84.5"  | ✓                    | ✓                                  | 14" Radial | Painted Steel |

### Aluminium Models 3000 - 15,000 lb.

| Maximum Carrying Capacity | Measure Your Boat's Length Bow Eye to Transom <sup>†</sup> | Measure Your Boat's Width at Chine Beam <sup>‡</sup> | Disc Brakes Standard | Fully Grounded Sealed LED Lighting | Tires      | Fender Style  |
|---------------------------|--|--|----------------------|------------------------------------|------------|---------------|
| 3000 lb.                  | 16'-7"   | 85.5   | ✓                    | ✓                                  | 14" Radial | Molded w/Step |
| 4000 lb.                  | 16'-7"   | 85   | ✓                    | ✓                                  | 14" Radial | Molded w/Step |
| 4600 lb.                  | 16'-7"   | 84.5   | ✓                    | ✓                                  | 14" Radial | Molded w/Step |
| 6000 lb.                  | 18'-2"   | 84.5   | ✓                    | ✓                                  | 14" Radial | Molded w/Step |
| 7000 lb.                  | 20'-11"  | 84.5   | ✓                    | ✓                                  | 15" Radial | Molded w/Step |
| 8200 lb.                  | 23'-10"  | 83.5   | ✓                    | ✓                                  | 15" Radial | Aluminum      |
| 9500 lb.                  | 26'-6"   | 83   | ✓                    | ✓                                  | 16" Radial | Aluminum      |
| 15,000 lb.                | 26'-6"   | 81   | ✓                    | ✓                                  | 16" Radial | Aluminum      |



<sup>†</sup> BOW EYE TO TRANSON



<sup>‡</sup> CHINE BEAM

\* Detailed specifications for individual models may be found on Trailer Model Spec Sheets in PartSmart ([shorelandr.com/parts/PartSmart.htm](http://shorelandr.com/parts/PartSmart.htm)). Models and specifications are subject to change. Recommended carrying capacity is based on the shipping weight of the trailer with standard equipment. Adding optional equipment may decrease the trailer's carrying capacity. Your ShoreLand'r dealer can recommend the specific model that meets your needs.

### Pontoon Models 1500 - 6700 lb.

| Maximum Carrying Capacity | Maximum Boat Length | Bunk Width on Tube Center, Min - Max | Single or Tandem Axle | Tires      | Disc Brakes Standard | Fully Grounded Sealed LED Lighting |
|---------------------------|---------------------|--------------------------------------|-----------------------|------------|----------------------|------------------------------------|
| 1500 lb.                  | 14 ft.              | 12" - 58"                            | Single                | 12" Bias   |                      |                                    |
| 2000 lb.                  | 14 ft.              | 12" - 58"                            | Single                | 10" Bias   |                      | ✓                                  |
| 2000 lb.                  | 17 ft.              | 12" - 76"                            | Single                | 10" Bias   |                      | ✓                                  |
| 2200 lb.                  | 19 ft.              | 67" - 82"                            | Single                | 10" Bias   | optional             | ✓                                  |
| 2200 lb.                  | 19 ft.              | 67" - 82"                            | Single                | 13" Radial | optional             | ✓                                  |
| 2200 lb.                  | 21 ft.              | 67" - 82"                            | Single                | 10" Bias   | optional             | ✓                                  |
| 2200 lb.                  | 21 ft.              | 67" - 82"                            | Single                | 13" Radial | optional             | ✓                                  |
| 2500 lb.                  | 19 ft.              | 67" - 82"                            | Single                | 13" Radial | ✓                    | ✓                                  |
| 2500 lb.                  | 21 ft.              | 67" - 82"                            | Single                | 13" Radial | ✓                    | ✓                                  |
| 2500 lb.                  | 23 ft.              | 67" - 82"                            | Single                | 13" Radial | ✓                    | ✓                                  |
| 2700 lb.                  | 21 ft.              | 67" - 82"                            | Single                | 14" Radial | ✓                    | ✓                                  |
| 2700 lb.                  | 23 ft.              | 67" - 82"                            | Single                | 14" Radial | ✓                    | ✓                                  |
| 4700 lb.                  | 21 ft.              | 67" - 82"                            | Tandem                | 10" Bias   | ✓                    | ✓                                  |
| 4700 lb.                  | 21 ft.              | 67" - 82"                            | Tandem                | 14" Radial | ✓                    | ✓                                  |
| 4700 lb.                  | 23 ft.              | 67" - 82"                            | Tandem                | 10" Bias   | ✓                    | ✓                                  |
| 4700 lb.                  | 23 ft.              | 67" - 82"                            | Tandem                | 14" Radial | ✓                    | ✓                                  |
| 4700 lb.                  | 25 ft.              | 67" - 82"                            | Tandem                | 10" Bias   | ✓                    | ✓                                  |
| 4700 lb.                  | 28 ft.              | 67" - 82"                            | Tandem                | 10" Bias   | ✓                    | ✓                                  |
| 5000 lb.                  | 25 ft.              | 67" - 82"                            | Tandem                | 13" Radial | ✓                    | ✓                                  |
| 5000 lb.                  | 28 ft.              | 67" - 82"                            | Tandem                | 13" Radial | ✓                    | ✓                                  |
| 5500 lb.                  | 25 ft.              | 67" - 82"                            | Tandem                | 13" Radial | ✓                    | ✓                                  |
| 5500 lb.                  | 28 ft.              | 67" - 82"                            | Tandem                | 13" Radial | ✓                    | ✓                                  |
| 5800 lb.                  | 29 ft.              | 67" - 82"                            | Tandem                | 14" Radial | ✓                    | ✓                                  |
| 6700 lb.                  | 25 ft.              | 67" - 82"                            | Tandem                | 15" Radial | ✓                    | ✓                                  |
| 6700 lb.                  | 29 ft.              | 67" - 82"                            | Tandem                | 15" Radial | ✓                    | ✓                                  |

### PWC Models

| Model   | Trailer Style | Carrying Capacity | Short Tongue | Long Tongue  | Overall Width | Between Fenders | Bunk Length | Tire Size     | Crank Winch | Fully Grounded Sealed LED Lighting |
|---------|---------------|-------------------|--------------|--------------|---------------|-----------------|-------------|---------------|-------------|------------------------------------|
| SLB10TS | Single        | 1200 lb. (544Kg)  | 186" (4.72M) | n/a          | 59" (1.50M)   | 46" (1.17M)     | 72" (1.83M) | 4.80X12-B     | ✓           | ✓                                  |
| PWC12S  | Single        | 1200 lb. (544Kg)  | 147" (3.73M) | 171" (4.34M) | 59.5" (1.50M) | 46" (1.17M)     | 60" (1.52M) | 4.80X12-B     | ✓           | ✓                                  |
| PWC12L  | Single        | 1200 lb. (544Kg)  | 159" (4.04M) | 182" (4.62M) | 59.5" (1.50M) | 46" (1.17M)     | 72" (1.83M) | 4.80X12-B     | ✓           | ✓                                  |
| PWC14L  | Single        | 1400 lb. (635Kg)  | 159" (4.04M) | 182" (4.62M) | 59.5" (1.50M) | 46" (1.17M)     | 72" (1.83M) | 5.30X12-C     | ✓           | ✓                                  |
| PWC2213 | Double        | 2200 lb. (998Kg)  | 186" (4.72M) | 186" (4.72M) | 100" (2.54M)  | 84.5" (2.15M)   | 84" (2.13M) | ST175/80R13-C | ✓           | ✓                                  |
| PWC2410 | Double        | 2400 lb. (1089Kg) | 186" (4.72M) | 186" (4.72M) | 100" (2.54M)  | 84.5" (2.15M)   | 84" (2.13M) | 20.5X8.0-10E  | ✓           | ✓                                  |
| PWC2413 | Double        | 2400 lb. (1089Kg) | 186" (4.72M) | 186" (4.72M) | 100" (2.54M)  | 84.5" (2.15M)   | 84" (2.13M) | ST185/80R13-C | ✓           | ✓                                  |



### THE KEY TO SHORELAND'R MODEL NUMBERS

Model numbers provide details about the trailer's capacity and other characteristics. For example: **SLB40TBLW** = a ShoreLand'r Bunk Trailer with 4000 lb. carrying capacity, tandem axles with brakes standard on one axle, and a long-wide frame.

**SL**

SL = ShoreLand'r

**B**

B = Bunk  
R = Roller  
V = V-frame bunk  
XR = Extra roller

**40**

MAX. CAPACITY  
(in 100s of lb.)

**T**

T = Tandem/Tri Axle  
N = Narrow  
TS = Tongue Short  
TM = Tongue Medium  
TL = Tongue Long  
K = Custom Steel Fender

**B**

B = Brakes 1 Axle  
BB = Brakes 2 Axles

**LW**

S = Short  
L = Long  
SW = Short Wide  
LW = Long Wide  
XLW = Ext Long Wide  
AL = Aluminum



# Discover more with ShoreLand'r...

*It's not just the end product that makes a great brand. It's about having great people and the proper tools to support them. We take great pride in our team, partners, and customers worldwide.*



## ShoreLand'r Dealer Network

From the United States to Canada, our network of authorized dealers is readily available to help you build the ShoreLand'r trailer your watercraft needs!

Visit [ShoreLandr.com](http://ShoreLandr.com) to find a dealer near you!



**FIND YOUR LOCAL SHORELAND'R DEALER TODAY!**

## Online Resources

Whether you are looking for product info and photos, specifications, trailering tips, or dealer locations, ShoreLandr.com has a solution to fit your needs. Visit our website today to discover the ShoreLand'r difference.

