4x6 - 8.5x20

ISSIOT

STANDARD FEATURES

- > All Aluminum Construction
- > 16" 0/C Wall & Roof Studs
- > 24" 0/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > V-Nose Construction
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030 Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent

STANDARD SPECIFICATIONS

4x6 - 5x10

GGINS TAYLOR REAL ES

- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 5/8" Water Resistant Decking (4 & 5 Wides)
- > Single Barn Door (4 Wides Only)
- > Double Barn Doors (5 Wides)
- > 24" Stoneguard
- > 2000# Center Jack
- > Safety Chains
- > 2" Coupler
- > Limited Lifetime Warranty

Missiói

TRAILER MODEL	Cargo 4x6	Cargo 5x8	Cargo 5x10
Model Number	MEC4x6-IF	MEC5x8-IF	MEC5x10-IF
Box (WxLxH)	50"x6'x60"	60"x8'x66"	60"x10'x66"
Interior (WxLxH)	47"x5'10"x58"	57"x7'10"x64"	57"x9'10"x64"
Overall (WxLxH)	72"x10'x72"	82"x12'8"x78"	82"x14'8"x78"
Deck Height	12"	13"	13"
Hitch Height	11"	12"	12"
Rear Door Opening (WxH)	42"x54"	52"x60"	52"x60"
Axle(s) - Qty/Rating	1-2200# Idler	1-3500# Idler	1-3500# Idler
Wheels	13" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	175/80R13	205/75R15	205/75R15
GVWR	2200#	2990#	2990#
Curb Weight	650#	875#	950#
Payload	1550#	2115#	2040#
V-Nose	24"	28"	28"
Coupler Rating/Ball Size	3500# / 2"	3500# / 2"	3500# / 2"
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Add 3", 6", or 9" to Box Height	Upgrade to 15" Silver Mod
Upgrade to 16" O/C Floor Studs	Upgrade to 13" Aluminum
EXTERIOR	Upgrade to 15" Aluminum Wheels
Two Tone Color w/ 6" Anodized Divider	Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Upgrade to 36" Stoneguard	Spare 15" Aluminum Wheel w/ 205/75R15 Tire
RAMP OPTIONS	Spare 13" Silver Mod Wheel w/ 175/80R13 Tire
Upgrade to Rear Ramp Door w/ Spring Assist & Starter Flap	Spare 13" Aluminum Wheel w/ 175/80R13 Tire
Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate	Bolt-On Spare Tire Carrier (Tongue-Mounted)
DOORS/WINDOWS/VENTS	TIE DOWN OPTIONS
32"x58" Side Access Door w/ Paddle Handle & Piano Hinge	5000# Recessed Heavy Duty D-Ring w/ Backing Plate
12V LIGHTING & ELECTRICAL OPTIONS	Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate



Champagne

Recessed LED "Puck" Light Package



4x6 - 8.5x20 CONTINUED

6x10 - 6x12 TA

STANDARD FEATURES

- > All Aluminum Construction
- > 16" 0/C Wall & Roof Studs
- > 24" 0/C Floor Crossmembers
- > 2"x3" Subframe Tubing > 24" Stoneguard
- > Exterior LED Lighting > Smooth .030 Bonded Side Panels

> Dexter Torsion Ride Axles

- > One-Piece Aluminum Roof
 - > Roof Vent

- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 2000# Center Jack

- > Safety Chains
- > 32"x66" Side Door
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	Cargo 6x10	Cargo 6X12 SA	Cargo 6X12 TA
Model Number	MEC6x10-IF	MEC6x12SA-IF	MEC6x12TA-IF
Box (WxLxH)	72"x10'x78"	72"x12'x78"	72"x12'x78"
Interior (WxLxH)	69"x9'10"x76"	69"x11'10"x76"	69"x11'10"x76"
Overall (WxLxH)	94"x15'7"x90"	94"x17'7"x90"	94"x19'7"x90"
Deck Height	13"	13"	13"
Hitch Height	12"	12"	12"
Rear Door Opening (WxH)	64"x72"	64"x72"	64"x72"
Axle(s) - Qty/Rating	1-3500# Idler	1-3500# Idler	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	7000#
Curb Weight	1120#	1300#	1450#
Payload	1870#	1690#	5550#
V-Nose	38-1/2"	38-1/2"	38-1/2"
Coupler Rating/Ball Size	8000# / 2"	8000# / 2"	8000# / 2"
Power Connection	4-Way Flat	4-Way Flat	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION	TIRE/WHEEL ASSEMBLIES & ACCESSORIES	
Add 3", 6", or 9" to Box Height	Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silver Mod Radial)	
Upgrade to 16" O/C Floor Studs		
EXTERIOR	Spare 15" Silver Mod Wheel w/ 205/75R15 Tire	
Two Tone Color w/ 6" Anodized Divider	Spare 15" Aluminum Wheel w/ 205/75R15 Tire	
Upgrade to 36" Stoneguard	Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)	
INTERIOR	TIE DOWN OPTIONS	
Upgrade to White Vinyl Backed Luan Walls w/ Divider	5000# Recessed Heavy Duty D-Ring w/ Backing Plate	
White Vinyl Backed Luan Ceiling	Stainless Steel 6000# Recessed Swivel D-Ring w/ Backing	
AXLE OPTIONS	Plate	
Upgrade to 1-3K Torsion Braked Axle	12V LIGHTING & ELECTRICAL OPTIONS	
RAMP OPTIONS	LED Scare Light (Porch Light) w/ 12V Wall Switch	
Upgrade to Rear Ramp Door w/ Spring Assist & Starter Flap	Upgrade to 12" LED Slimline Tail/Turn/Stop Lights	
DOORS/WINDOWS/VENTS	Recessed LED "Puck" Light Package	
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door		




Orange

Victory Red













4x6 - 8.5x20 CONTINUED

7x12 TA - 7x20

STANDARD FEATURES

- > All Aluminum Construction
- > 16" 0.C Wall & Roof Studs
- > 24" 0/C Floor Crossmembers
- > 2"x5" Subframe Tubing > 24" Stoneguard
- > Exterior LED Lighting > Smooth .030 Bonded Side Panels

> Dexter Torsion Ride Axles

- > One-Piece Aluminum Roof
- > Roof Vent

- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 2000# Center Jack

- > Safety Chains
- > A-Frame Coupler
- > 32"x66" Side Door
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	Cargo 7x12 TA	Cargo 7x14	Cargo 7x16	Cargo 7x18	Cargo 7x20
Model Number	MEC7X12TA-IF	MEC7x14-IF	MEC7x16-IF	MEC7x18-IF	MEC7x20-IF
Box (WxLxH)	84"x12'x78"	84"x14'x78"	84"x16'x78"	84"x18'x78"	84"x20'x78"
Interior (WxLxH)	81"x11'10"x76"	81"x13'10"x76"	81"x15'10"x76"	81"x17'10"x76"	81"x19'10"x76"
Overall (WxLxH)	102"x17'10"x90"	102"x19'10"x90"	102"x21'10"x90"	102"x23'10"x90"	102"x23'10"x90"
Deck Height	13"	13"	13"	13"	13"
Hitch Height	12"	12"	12"	12"	12"
Rear Door Opening (WxH)	76"x72"	76"x72"	76"x72"	76"x72"	76"x72"
Axle(s) - Qty/Rating	2-3500# Braked				
Wheels	15" Silver Mod				
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1450#	1750#	1900#	2075#	2275#
Payload	5550#	5250#	5100#	4925#	4725#
V-Nose	60"	60"	60"	60"	60"
Coupler Rating/Ball Size	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"
Power Connection	7-Way Round				

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Add 3", 6", or 9" to Box Height	Upgrade to 15" Aluminum Wheels
Upgrade to 16" O/C Floor Studs	Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
EXTERIOR	Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Two Tone Color w/ 6" Anodized Divider	Interior Elevated Spare Tire Mount (Diamond Plate; Interi
Upgrade to 36" Stoneguard	Wall)
INTERIOR	TIE DOWN OPTIONS
Upgrade to White Vinyl Backed Luan Walls w/ Divider	5000# Recessed Heavy Duty D-Ring w/ Backing Plate
White Vinyl Backed Luan Ceiling	Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate
AXLE OPTIONS	12V LIGHTING & ELECTRICAL OPTIONS
Upgrade to 2-5K Torsion Braked Axles & FRAME	LED Scare Light (Porch Light) w/ 12V Wall Switch
** Includes Axle Carrier Upgrade and 16" O/C Floor Stud	Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
Upgrade, & Upgrade to 15" 225 6-lug tires **	Recessed LED "Puck" Light Package
RAMP OPTIONS	DOORS/WINDOWS/VENTS
Rear Stowable Ramp Kit, Extrusion to Hook Ramps, Add (2) Extra Strap Hinges to Each Barn Door, Ramp Lock Extrusion	Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door
Upgrade to Rear Ramp Door w/ Spring Assist & Starter Flap	





Crystal White



Champagne

Brandywine



4x6 - 8.5x20 CONTINUED

7.5x12 - 7.5x20

STANDARD FEATURES

- > All Aluminum Construction
- > 16" 0/C Wall & Roof Studs
- > 24" 0/C Floor Crossmembers
- > 2"x5" Subframe Tubing > 32"x66" Side Door
- > Dexter Torsion Ride Axles > Exterior LED Lighting
- > Smooth .030 Bonded Side Panels > One-Piece Aluminum Roof
- > Roof Vent

- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 24" Stoneguard

- > 2000# Center Jack
- > Safety Chains
- > A-Frame Coupler
- > Limited Lifetime Warranty
- > Roof Vent

STANDARD SPECIFICATIONS

TRAILER MODEL	Cargo 7.5x12 TA	Cargo 7.5x14	Cargo 7.5x16	Cargo 7.5x18	Cargo 7.5x20
Model Number	MEC7.5X12-IF	MEC7.5x14-IF	MEC7.5x16-IF	MEC7.5x18-IF	MEC7.5x20-IF
Box (WxLxH)	90"x12'x78"	90"x14'x78"	90"x16'x78"	90"x18'x78"	90"x20'x78"
Interior (WxLxH)	87"x 1'10"x76"	87"x13'10"x76"	87"x15'10"x76"	87"x17'10"x76"	87"x19'10"x76"
Overall (WxLxH)	102"x17'10"x90"	102"x19'10"x90"	102"x21'10"x90"	102"x23'10"x90"	102"x23'10"x90"
Deck Height	13"	13"	13"	13"	13"
Hitch Height	12"	12"	12"	12"	12"
Rear Door Opening (WxH)	80"x72"	80"x72"	80"x72"	80"x72"	80"x72"
Axle(s) - Qty/Rating	2-3500# Braked				
Wheels	15" Silver Mod				
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1450#	1750#	1900#	2075#	2275#
Payload	5550#	5250#	5100#	4925#	4725#
V-Nose	60"	60"	60"	60"	60"
Coupler Rating/Ball Size	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"
Power Connection	7-Way Round				

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Add 3", 6", or 9" to Box Height	Upgrade to 15" Aluminum Wheels
Upgrade to 16" O/C Floor Studs	Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
EXTERIOR	Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Two Tone Color w/ 6" Anodized Divider	Interior Elevated Spare Tire Mount (Diamond Plate; Inter
Upgrade to 36" Stoneguard	Wall)
INTERIOR	TIE DOWN OPTIONS
Upgrade to White Vinyl Backed Luan Walls w/ Divider	5000# Recessed Heavy Duty D-Ring w/ Backing Plate
White Vinyl Backed Luan Ceiling	Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate
AXLE OPTIONS	12V LIGHTING & ELECTRICAL OPTIONS
Upgrade to 2-5K Torsion Braked Axles & FRAME	LED Scare Light (Porch Light) w/ 12V Wall Switch
** Includes Axle Carrier Upgrade and 16" O/C Floor Stud	Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
Upgrade, & Upgrade to 15" 225 6-lug tires **	Recessed LED "Puck" Light Package
RAMP OPTIONS	DOORS/WINDOWS/VENTS
Rear Stowable Ramp Kit, Extrusion to Hook Ramps, Add (2) Extra Strap Hinges to Each Barn Door, Ramp Lock Extrusion	Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door
Upgrade to Rear Ramp Door w/ Spring Assist & Starter Flap	





Indigo Blue

Orange



Victory Red Champagne

Brandywine

COLOR OPTIONS



50", 60", 72", 84", and 90" WIDE CONTINUED

8.5x12 - 8.5x20

STANDARD FEATURES

- > All Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x5" Subframe Tubing> A-Frame Tongue
- > 2000# Center Jack> Safety Chains
- > 3/8" Water Resistant Walls

> Dexter Torsion Ride Axles

- > Double Barn Doors
- > One-Piece Aluminum Roof
- > Smooth .030 Bonded Side Panels
- > Polished Aluminum Fenders
- > 32"x66" Side Door
- > Roof Vent

- > 24" Stoneguard
- Exterior LED Lighting
- > 3/4" Water Resistant Decking
- $\,>\,$ (3) Interior LED Dome Lights w/ Switch
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS 8.5 WIDE

TRAILER MODEL	Cargo 8.5x12	Cargo 8.5x14	Cargo 8.5x16	Cargo 8.5x18	Cargo 8.5x20
Model Number	MEC8.5X12-IF	MEC8.5X14-IF	MEC8.5X16-IF	MEC8.5X18-IF	MEC8.5X20-IF
Box (WxLxH)	99"x12'x78"	99"x14'x78"	99"x16'x78"	99"x18'x78"	99"x20'x78"
Interior (WxLxH)	96"x11'10"x76"	96"x13'10"x76"	96"x15'10"x76"	96"x17'10"x76"	96"x19'10"x76"
Overall (WxLxH)	102"x18'8"x92"	102"x20'8"x92"	102"x22'8"x92"	102"x24'8"x92"	102"x26'8"x92"
Deck Height	15"	15"	15"	15"	15"
Hitch Height	14"	14"	14"	14"	14"
Rear Door Opening (WxH)	89"x72"	89"x72"	89"x72"	89"x72"	89"x72"
Axle(s) - Qty/Rating	2-3500# Braked				
Wheels	15" Silver Mods				
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1850#	1950#	2050#	2275#	2475#
Payload	5150#	5050#	4950#	4725#	4525#
V-Nose	53"	53"	53"	53"	53"
Coupler Rating/Ball Size	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"
Power Connection	7-Way Round				

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION	TIRE/WHEEL ASSEMBLIES & ACCESSORIES	
Add 3", 6", or 9" to Box Height	Upgrade to 15" Aluminum Wheels	
Upgrade to 16" O/C Floor Studs	Spare 15" Silver Mod Wheel w/ 205/75R15 Tire	
EXTERIOR	Spare 15" Aluminum Wheel w/ 205/75R15 Tire	
Two Tone Color w/ 6" Anodized Divider	Interior Elevated Spare Tire Mount (Diamond Plate; Interior	
Upgrade to 36" Stoneguard	Wall)	
INTERIOR	TIE DOWN OPTIONS	
Upgrade to White Vinyl Backed Luan Walls w/ Divider	5000# Recessed Heavy Duty D-Ring w/ Backing Plate	
White Vinyl Backed Luan Ceiling	Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate	
AXLE OPTIONS	12V LIGHTING & ELECTRICAL OPTIONS	
Upgrade to 2-5K Torsion Braked Axles & FRAME	LED Scare Light (Porch Light) w/ 12V Wall Switch	
** Includes Axle Carrier Upgrade and 16" O/C Floor Stud	Upgrade to 12" LED Slimline Tail/Turn/Stop Lights	
Upgrade, & Upgrade to 15" 225 6-lug tires **	Recessed LED "Puck" Light Package	
RAMP OPTIONS	DOORS/WINDOWS/VENTS	
Upgrade to Rear Ramp Door w/ Spring Assist & Starter Flap (From Barn Door)	Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door	

COLOR OPTIONS







Victory Red

Windstar Silver

Penske Yellow



Penske Ye

Orange



Champagne







ENCLOSED CARGO POPULAR OPTIONS

CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS	CONSTRUCTION OPTIONS (CONTINUED)
Flat Front Construction	Upgrade to Triple Tube Tongue (Enclosed Cargo)
Cast Polished Corners for Flat Front	Upgrade to 2-5/16" A-Frame Coupler (From 2" A-Frame Coupler)
Upgrade to Radius Roof Construction (Up to 30') (Sloped V-Nose, Cast Corners, & Rear	Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Canopies are not available with this option)	Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)
2' Round Nose w/ Anodize Nose Cone	Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)
Add Slope in V-Nose	Upgrade to 5000# Center-Mount Wheel Jack (From 1500# Wheel Jack or 2000# Center
3" Extra Height	Jack) Upgrade to 16" O/C Floor Crossmembers
6" Extra Height	Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
9" Extra Height	Upgrade Wall Studs to 2"x2", PBF
12" Extra Height	Upgrade to .080 Wall Studs
15" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp)	Upgrade Ceiling Studs to 2"x2", PBF
18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)	Walk On Roof (Reinforced; PBF)
21" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp)	Heavy Duty Winch Mount (Winch Not Included)
24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)	8' Platform Roof w/ Ladder & Rail Kit
Height Decrease 6"	10' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)
Height Decrease 12"	12' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)
Additional Length in 2' Intervals (6 wide)	14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
Additional Length in 2' Intervals (7 wide)	16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
Additional Length in 2' Intervals (7.5 wide)	18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks)
Additional Length in 2' Intervals (8.5 wide)	20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks)
Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF) (Cargo Models going to 12K	Ladder to Roof (Outside V-Nose)
GVWR Axles +)	Upgrade to Roller on Rear Ladder Rack
Add Beavertail w/ Extra High Door (6-Wide +, 16' +)	Ladder Racks
Reverse Beavertail Construction on (6-Wide +)	Rear Canopy Loading Light System - 2013 Version (Not available w/ Radius Roof)
12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade	Rear Canopy Loading Light System - 2020 Version (Not available w/ Radius Roof)
16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or	

DOORS, RAMPS, & COMPARTMENTS

Larger)

DOORS, RAMPS, & COMPARTMENTS	DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
26"x58" Side Access Door w/ Paddle Handle and Piano Hinge	48"x72" Split Side Access Door(s)
32"x58" Side Access Door w/ Paddle Handle and Piano Hinge	Upgrade to 48"x72" Split Side Access Door(s) (from 32"x72" Side Access Door)
32"x66" Side Access Door w/ Paddle Handle and Piano Hinge	Upgrade to 78"-Tall Side Access Door (From 72" (SAD) (Excludes Radius RV Door)
32"x72" Side Access Door w/ Paddle Handle and Piano Hinge	Upgrade to Rear Ramp Door w/ Spring Assist & Starter Flap (From Barn Door)
32"x72" Radius RV Door w/ Screen (Window Optional)	Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp)
Upgrade to 32"x72" Side Access Door w/ Paddle Handle and Piano Hinge (From 66")	Diamond Plate Transition Flap (Ramp to Box)
Upgrade to Dexter 32"x72" Radius Door **Trailer must have 32"x72" Piano Hinged	Aluminum Starter Flap to Rear Ramp
Door already**	Barn Doors on Side of Trailer (74"W x 72"H)
Upgrade to 32"x72" Radius RV Door w/ Screen (Window Optional) (From stand. 32"x72" Side Access Door)	Ramp Door w/ Spring Assist on Side of Trailer (74"W x 72"H)
Upgrade to 36" Wide Side Access Door (from 32")	Generator Door (30"x30") w/ Salem Vent & Paddle Handle (Lockable)
Upgrade to 48" Wide Side Access Door (from 32")	Generator Door (36"x36") w/ Salem Vent & Paddle Handle (Lockable)



DOORS, RAMPS, & COMPARTMENTS CONTINUED

DOORS, RAMPS, & COMPARTMENTS	DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Generator Compartment (30"Hx30"Wx24"D) (Door Optional)	Aluminum Pull-Out Step
Generator Compartment (36"Hx36"Wx24"D) (Door Optional)	Aluminum Loop Step Stationary
Slide Out Generator Tray	Rear Full Length Step Across Rear of Trailer (12" Deep with Expanded Aluminum on
Upgrade to Insulated Generator Compartment (Requires Generator Compartment)	Top) (Barn Doors only)
Propane Compartment (30"H x 30"W x 24") w/ Vented Non Locking Door	Aluminum Grab Handle For Side Access Door
Propane Compartment (36"H x 36"W x 24") w/ Vented Non Locking Door	Keyed Locking Hasps for Rear Ramp
Fuel Door w/ Paddle Handle 14"x14"	Upgrade to L-Latches "Freezer latches" (Per Ramp, Replaces Locking Bars) (Premium Models w/ CH grade Rear Ramp only)
Fuel Door w/ Paddle Handle 24"x24"	Locking Bar for Side Access Door
Concession Door 4'x4'	Keyed Locking Hasps for Side Door Locking Bar
Concession Door 4'x6'	Upgrade to Full Piano Hinge For Rear Ramp
Concession Door 4'x8'	Upgrade to Full Piano Hinge For Side Access Door
Escape Door 4'x4' - DRIVERSIDE OVER WHEEL WELL	Rear Door Air Curtain
Hatch Door 30"x30"	Pull Down Screen for Rear Door Opening
RV-Style Pull-Out Step (Steel)	Pop Out Tent Bed (60"H x 80"L Rough Opening)
Aluminum Fold Down Step	Keyless Entry System (For Side Access Door)
Powder Coated Aluminum Flip Down Step	Rear Stowable Ramp Kit (2) 26"x6' Ramps (Extrusion to Hook Ramps, Ramps to Stow
	Interior of Barn Doors, (4) Extra Strap Hinges)

EXTERIOR OPTIONS

EXTERIOR OPTIONS	EXTERIOR OPTIONS (CONTINUED)
.040 Skin Upgrade (Black, White, & Silver Only)	Upgrade to 48" Stone Guard from 24"
.050 Skin Upgrade (Black & White Only)	Two-Tone Color Package - No Anodized Divider
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)	Two-Tone Color w/ 6" Anodized Divider
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)	Two-Tone Color w/ 12" Anodized Divider
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)	Two-Tone Color w/ 24" Anodized Divider
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)	Upgrade to Anodized Nose Cone
Upgrade to Larger 7" Bottom Trim (PBF)	Add Red & White DOT Tape to Trailer (PLF) ** must have on any trailer over 10,000lb GVWR **
Upgrade to 36" Stone Guard from 24"	Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)

INTERIOR OPTIONS

INTERIOR OPTIONS	INTERIOR OPTIONS (CONTINUED)
White .030 Aluminum Side Walls, Bonded	3/4" Foam Insulation (Side Walls; PBF)
White .030 Aluminum Side Walls, Screwed	3/4" Foam Insulation - Ceiling (Require Ceiling liner)
White .030 Aluminum Ceiling, Bonded	2" Foam Insulation (Ceiling Only; PBF)
White .030 Aluminum Ceiling, Screwed	.030 Aluminum Cove (All Colors)
White Vinyl Backed Luan (Ceiling Only; PBF)	Anodized Roof Coves
Upgrade to 3/8" Plywood Walls (From 3/8" Water Resistant) **May Extend Lead Time**	Anodized Spring Cover
Upgrade to White Vinyl Faced Luan Walls (From 3/8" Water Resistant)	Diamond Plate Spring Cover
Upgrade to White Vinyl Backed 3/8" Plywood (From 3/8" Water Resistant; PBF)	.030" Aluminum Spring Assist Cover for 4/5-Wide Rear Ramp Door
Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF)	.030" Aluminum Spring Assist Cover for Rear Ramp Door
Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF)	Partition Wall w/ 32" Access Door
Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)	Diamond Plate Kickplate (6")



INTERIOR OPTIONS CONTINUED

INTERIOR OPTIONS	INTERIOR OPTIONS (CONTINUED)
Diamond Plate Kick Plate (12")	Extruded Aluminum Kick Plate (6")
Diamond Plate Kickplate (24")	Carpet on Walls (Charcoal only, 3' Up on Walls, Calculate 4' for V)
Water Resistant Kick Plate (12")	Upgrade to Black TPO Coin Walls (3' Up Wall, Count 4' V-Nose; PLF)

FLOORING

FLOORING
Upgrade to 3/4" Water Resistant Decking (From 5/8" Water Resistant Decking) (PBF)
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)
Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF)
Additional Layer of 3/4" Water Resistant Decking
Upgrade to Extruded Aluminum Floor (Charge for Ramp and V-Nose; PLF)
Aluminum Diamond Plate Floor Overlay (.045") (PLF)
Upgrade to Black Marble Vinyl Flooring (PLF)
Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)
TIRE/WHEEL ASSEMBLIES & ACCESSORIES
TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)
Upgrade to 15" Cilver Med (Dedie), From 12" Cilver Med Wheeley Indudes Fonder

Upgrade to 15" Silver Mod (Radial; From 13" Silver Mod Wheels; Includes Fender
Upgrade)

Upgrade to 15" 225 Silver Mod Wheels (Radial; From 15" 205 Silver Mod Radial)

Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)

Upgrade to 15" BLACK Aluminum (Radial; From 15" Silver Mod Radial Wheels)

Upgrade to 15" Flat Black Mod (Radial; From 15" Silver Mod Radial Wheels) **SPECIAL ORDER** Upgrade to 15" Galvanized (Radial; From 15" Silver Mod Radial Wheels)

Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)

Upgrade to 15" 225 BLACK Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)

Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels) **SPECIAL ORDER**

Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial) Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)

Upgrade to 16" BLACK Aluminum Wheels (Radial; From 15" 225 Aluminum)

Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)

Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)

Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)

Upgrade to Black Aluminum Rims from Aluminum (Same Size)

Spare 13" Silver Mod Wheel w/ 175/80R13 Tire

Spare 13" Aluminum Wheel w/ 175/80R13 Tire

FLOORING (CONTINUED)
Painted Epoxy Floor Covering (PBF)
Upgrade to Rubber Coin Flooring (Black; PLF)
Upgrade to TPO Coin Flooring (Black)
Upgrade to Extruded Aluminum Floor from Rubber TPO Floor [Charge for Ramp and V-Nose; include Starter Flap (if added to order)] (PLF)
Upgrade to Charcoal Carpet Flooring (PLF)
Upgrade to 3/4" Foam Insulated Floor
Aluminum Diamond Plate Runner (12" Single Row; .056") (PLF)

Aluminum Diamond Plate Runner (12" Double Rows; .056") (PLF)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Spare 13" Galvanized Wheel w/ 175/80R13 Tire
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Spare 15" Black Aluminum Wheel w/ 205/75R15 Tire
Spare 15" Galvanized Wheel w/ 205/75R15 Tire
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (5-Lug)
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (5-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire
Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
Spare 16" Aluminum Wheel w/ 235/80R16 Tire
Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire
Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating)
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)
Spare Tire Mount (Interior; Floor Level)
Deluxe Recessed Spare Tire Well (Diamond Plate w/ Hatch Cover)



AXLES

AXLES	AXLES (CONTINUED)
Upgrade to 1-3K Torsion Braked Axle (From 1-3K Torsion Idler) ** Trailer Must Have at	Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)
Least 12" E-Rated Tires **	Spread Axle Upgrade (w/ Individual Fenders) (7 & 7.5 Wide Trailers)
Upgrade to 2-3K Torsion Braked Axles (From 1-3K Torsion Idler)	Spread Axle Upgrade (w/ Tapered Fender Skirting) (8 Wide Models)
Upgrade to 2-5K Torsion Braked Axles & FRAME (From 2-3K Braked; Enclosed Models) ** Includes Axle Carrier	Upgrade to Surge Brakes (from compatible brake size)
Upgrade and 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6lug tires **	Upgrade to Zero Degree Axle(s)
Upgrade to 2-6k Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire	Upgrade to 22.5 Degree Down Axle(s)
Upgrade) (2x8 Frame Upgrade Required)	Upgrade to 45 Degree Down Axle(s)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade) (2x8 Frame Upgrade Required)	Upgrade to Galvanized Axle (Torsion) (minimum 4 week lead time)

TIE-DOWNS

TIE-DOWNS	TIE-DOWNS (CONTINUED)
Light Duty Surface-Mounted D-Ring (Installed)	E-Track Surface Mounted (Wall)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)	E-Track HD Recessed w/ Backing Plate (Floor)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)	E-Track HD Recessed w/ Backing Plate (Walls)
Heavy-Duty Recessed 5000# D-Rings w/ Backing Plate	E-Track (Aluminum) Surface Mounted (Wall)
Heavy-Duty Recessed 6000# Swivel D-Rings w/ Backing Plate (Zinc)	E-Track (Aluminum) HD Recessed w/ Backing Plate (Floor)
Heavy-Duty Recessed 6000# Swivel D-Rings w/ Backing Plate (Stainless Steel)	E-Track (Aluminum) HD Recessed w/ Backing Plate (Walls)
Recessed Flip-Up Motorcycle Wheel Chock w/ (4) Surface-Mounted D-Rings	Airline Track (Aluminum) Surface Mounted (Floor)
Recessed Flip-Up Motorcycle Wheel Chock w/ (4) Recessed Heavy Duty D-Rings	Airline Track (Aluminum) Surface Mounted (Wall)
Recessed Flip-Up Motorcycle Wheel Chock	Airline Track (Recessed in Floor; Aluminum, PLF)
Tandem Flip-Up Motorcycle Wheel Chocks w/ (8) Surface-Mounted D-Rings	Airline Track (Recessed in Wall; Aluminum, PLF)
Tandem Flip-Up Motorcycle Wheel Chocks w/ (8) Heavy Duty D-Rings	Recessed Slide Track (Track Only; D-Rings Sold Separately)
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)	Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings
Stainless Steel Tube Style Wheel Chock	Powder Coated Slide Track Upgrade (upgrade to existing slide track) (PBF)
E-Track Surface Mounted (Floor)	

12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL	12V LIGHTING & ELECTRICAL (CONTINUED)
Add LED Backup Lights (Pair; Installed)	Angled Back Up Lights (Mounts on side of trailer)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)	Upgrade to 12V Electric Pedestal Jack w/ Battery & Box installed
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)	12V Power Jack (Cigarette Lighter Plug)
Upgrade to Additional LED Marker Lights Bullets	Upgrade to LED Economy Dome Light 460 Lumen (From Incandescent Dome Light)
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)	Additional 12V LED Dome Light (460 lumens)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)	12 Volt Wall Switch
(2) 12V LED Load Lights (Double Lights w/ Single Switch, 950 Lumen)	12 Volt Wall Switch (3-Way)
12V LED Load Light (Single Light w/ Switch, 950 Lumen)	Upgrade to 12 Volt (3-Way) Wall Switch
Recessed LED Exterior Load Light Package (For side of trailer) (1 Light w/ Switch, 950	LED Puck Light Package (Includes 8 recessed lights & wall switch) (requires ceiling liner)
lumens, & Housing)	Additional Recessed LED "Puck" Light
12V LED Porch Light w/ Wall Switch	LED "Puck" Light Cabinet PKG (Under OH Cabinet) (2) Round LED Flush Mount Dome
K60 LED Exterior Scene Light Package: One 12V wall switch with (2) K60 Scene Lights	Lights (1) 12V Wall Switch 18" 12V LED Light (requires ceiling liner)
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)	Upgrade Interior Dome Light to 12V 18" LED Light



12V LIGHTING & ELECTRICAL (CONTINUED)

Upgrade to Permaseal Wire Connectors

12V LIGHTING & ELECTRICAL CONTINUED

12V LIGHTING & ELECTRICAL

Upgrade to (3) 18" 12V LED Light (From (2) 4' LED Wrap Around) (Requires Ceiling)

Trickle Charger for Battery

Deep Cycle Marine Battery & Box (Wired)

LED Interior Strip Light w/ Housing Package (Per Foot, Per Section)

Cold Weather HD Arctic Flex 7-Way Wire Harness

Upgrade to 7-Way Plug w/ Junction Box (From 4-way Plug)

110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL

110V Package #1: (Includes (1) 15 AMP Motorbase Plug, (1) Wall switch, (1) Receptacle, (1) 4' LED Wraparound Light (no additions available w/ this package)

110V Package #2: (Includes -30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) GFI Wall Receptacle (2) 4' LED Wraparound Lights

110V Power Package #3: (30A) (1) 30 Amp Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' Led Wrap Around Lights, (1) Brace and Wire Stub for A/C Unit

110V Power Package #4: (1) 15 Amp Motorbase Plug, (2) Wall Receptacle

110V Power Package #5: Includes (1) 60A Breaker Panel w/ 60A Converter and 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights, 12v Deep Cycle Battery & Box

15A Motor Base Plug

30A Motor Base Plug (Replaces Shoreline; 110V Package Required)

30A Power Converter (110V Pkg #2)

30A Power Cord 25' Long (For Motorbase Plug)

30A Generator Line Switch

CABINETS

CABINETS	CABINETS (CONTINUED)
V-Nose Base Cabinet, 2 Door (50" & 60" Wide Models)	V-Nose Overhead Cabinet, 2 Door (90" Wide Models)
V-Nose Base Cabinet, 2 Door (80" Wide Models)	V-Nose Overhead Cabinet, 2 Door (99" Wide Models) (56"W x 19"D x 19"H)
V-Nose Base Cabinet, 4 Door (80" Wide Models)	V-Nose Overhead Cabinet, 2 Door (99" Wide Models) (72"W x 19"D x 19"H) **Special
V-Nose Base Cabinet 2-Door (84" Wide Models) (78"W x 22"D x 37"H)	Option Cabinet** 4' Straight Wall Base Cabinet, 2 Door (48"W x 24"D x 37"H)
V-Nose Base Cabinet 4-Door (84" Wide Models) (74"W x 31"D x 37"H)	5' Straight Wall Base Cabinet, 2 Door
V-Nose Base Cabinet, 2 Door (90" Wide Models)	6' Straight Wall Base Cabinet, 2 Door (72"W x 24"D x 37"H)
V-Nose Base Cabinet, 2 Door (99" Wide Models) (83"W x 30"D x 37"H)	8' Straight Wall Base Cabinet, 2 Door (96"W x 24"D x 37"H)
V-Nose Base Cabinet, 4 Door (99" Wide Models) (83"W x 30"D x 37"H)	8' Straight Wall Base Cabinet, 4 Door
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide	Upgrade Base Cabinet to 28" L-Shape Extension
Models)	8' Flat Front 4 Door Base Cabinet
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (90", & 99" Wide Models)	Add 4" Depth to 8' Flat Front 4 Door Base Cabinet (24" Deep)
V-Nose Overhead Cabinet, 2 Door (50" & 60" Wide Models)	Overhead Cabinet 1 Flip-Up Door (48"W x13"D x 18"H)
V-Nose Overhead Cabinet, 2 Door (80" Wide Models)	Overhead Cabinet 2 Door (48"W x13"D x 18"H)
V-Nose Overhead Cabinet, 2 Door (84" Wide Models)	Overhead Cabinet [Premium, 1 Flip-Up Door (48"W x 13"D x 18"H)

Lights w/ Clear Lens) Upgrade to Premium Light Package (LED Strip Lights w/ No Backup Lights, Marker Lights w/ Clear Lenses) Wireless Backup Camera System w/ 7" LCD Screen Add LED 6" Oval Alternating Elashing Safety Lights (Orange) w/ Exterior Toggle Switch

Upgrade Premium Light Package (LED Strip Lights w/ Integrated Backup Lights, Marker

Add LED 6" Oval Alternating Flashing Safety Lights (Orange) w/ Exterior Toggle Switch (Pair) (hard wired into auxiliary) (7-way plug required)

110V LIGHTING & ELECTRICAL (CONTINUED)

Upgrade to 50 Amp Breaker Box (Requires 110V Pkg #2)

50A Power Cord 25' Long (For Motorbase Plug)

60A Power Converter (110 Package Required)

110 Volt Wall Receptacle (Installed; Requires 110V Pkg)

110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2)

110 Volt Wall Switch (3-Way; Requires 110V Pkg #2)

GFI Wall Receptacle (Exterior) (Requires 30A Package)

4' LED Wraparound Light (Requires 110V Pkg)

GFI Wall Receptacle (Interior) (Requires 30A Package)

500W Swing-Mount Quartz Light

13,500 BTU Roof Mounted Air Conditioner (Requires 110 #2)

Heat Strip for A/C Unit

Brace and Stub Wire for Future AC Installation (Requires 110V Pkg #2) (12Gauge Wire and 20A Breaker)

Heater; Electric; CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)



CABINETS CONTINUED

CABINETS	CABINETS (CONTINUED)		
Overhead Cabinet 1 Door (62"W x 12"D x 18"H)	96" Overhead Split Cabinet w/ Center Shelf [Premium, 2 Flip-Up Door (96"W x 18"D x 18"H)		
Deluxe Overhead Cabinet 4 Door (72"W x 13"D x 18"H)	36" Wide Wardrobe.(Single Full-Height Door, 1 Shelf, Clothes Rod) (36"W x 24"D x 76"H) Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)		
Deluxe Overhead Cabinet 4 Door (96"W x 13"D x 18"H)			
Overhead Cabinet 2 Flip-Up Door (96"W x 13"D x 18"H)			
8' Flat Front 4 Door Overhead Cabinet	Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)		
Add 8" Depth to 8' Flat Front 4 Door Overhead Cabinet (24" Deep)	Clothes Rod for Overhead Cabinets (48" Cabinets only)		
Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide	4' Coat Rack Package (47' Slide Track w/ (6) Adjustable Hooks)		
Models)	18" Shelving w/ Angled Gussets (PLF, Per Tier)		
Wheel Well Cabinet 2 Door w/ Shelving (72"W x 6 3/4"D x 62"H)	Upgrade to Formica Countertop (Base Cabinet Sold Separately)		
Premium 50" Helmet Cabinet w/ Hooks	Standard Tool Crib Package - (1) 72x24 Horizontal Access Door (Over Fender, w/		
24" Wardrobe Cabinet (Single, Full-Height Door, (1) Shelf, (1) Clothes Rod) [24"W x 24"D x 72"H]	Retainer Chains), (2) 38x22 Vertical Access Doors (Ahead/Behind Fender), Adjustable Shelf Brackets in Vertical Cabinets, 3/8" Water Resistant Liner (Interior & Exterior of Box Frame), 19"D x 42"H x 128"L Box Frame Inside Trailer, Hinged Lid (3 Sections)		
AWNINGS			

AWNINGS (CONTINUED)

Door Roller for Awning

VENTS & WINDOWS (CONTINUED)

Roller Option if installed over Side Access Door)

Door Roller Option if installed over Side Access Door)

Door Roller Option if installed over Side Access Door)

Two-Way Directional Salem Vent Kit (Aluminum; Pair) 18"x24" Horizontal Radius Sliding Window w/ Screen 18"x24" Vertical Radius Sliding Window w/ Screen 24"x36" Radius Sliding Window w/ Screen) 24"x36" Egress Sliding Window (Tinted w/ Screen)

20' CareFree Travl'r Acrylic Fabric and Alumauguard "ELECTRIC" Awning (Requires Door

21' CareFree Travl'r Acrylic Fabric and Alumauguard "ELECTRIC" Awning (Requires

21' CareFree Travl'r Acrylic Fabric and Alumauguard "ELECTRIC" Awning (Requires

AWNINGS

AWNINGS

12' CareFree Fiesta Acrylic Fabric and Alumauguard Awning (Requires Door Roller Option if installed over Side Access Door)

16' CareFree Travl'r Acrylic Fabric and Alumauguard "ELECTRIC" Awning (Requires Door Roller Option if installed over Side Access Door)

16' CareFree Fiesta Acrylic Fabric and Alumauguard Awning (Requires Door Roller Option if installed over Side Access Door)

18' CareFree Travl'r Acrylic Fabric and Alumauguard "ELECTRIC" Awning (Requires Door Roller Option if installed over Side Access Door)

VENTS & WINDOWS

VENTS & WINDOWS
14"x14" Manual Roof Vent
12V Power Roof Vent
110V Power Roof Vent (Requires 30A Package)
Fantastic Fan/Vent (Dometic 22-0462) (Requires 30A Package) Maxx-Air Roof Vent Cove
Directional Salem Vent Kit (Plastic; Pair)

MISC. OPTIONS & ACCESSORIES

MISC. OPTIONS & ACCESSORIES	MISC. OPTIONS & ACCESSORIES (CONTINUED)	
old-Down Sofa/Sleeper	Premium 36" Fold-Up Work Bench w/ Integrated Tool Storage Premium Cup Holder	
Fold-Down Bunk Beds	Premium (2) Race Fuel Holder	
Happi Jac Bed System w/ (1) Queen Size Mattress	Basic Stereo Package - Includes (4) Boss Speakers Stabilizer Jacks	
Fold-Down Dinette/Sleeper	Premium (3) Race Fuel Holder	
Fold Down Bench (12"x48") Type: Work or Sitting	Bogey/Caster Wheels (Installed; Pair)	
Fold-Down Padded Bench (48"L) Vertical Design	Scissor Jacks (Camper Style; Pair)	
Premium 50" Fold-Up Padded Bench	Upgrade to Wheel on 2000# Center Jack	

POWDER COATING OPTIONS

POWDER COATING OPTIONS

Exterior Powder Coat Package (Cargo/Car Haulers) - Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim



RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes), AR 2.0 (All Sizes), WR 2.0 (All Sizes), FA 2.0 (All Sizes), LANDSCAPE (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes), AR 2.0 (Optional, All Sizes), WR 2.0 (Optional, All Sizes), FA 2.0 (Optional, All Sizes), LANDSCAPE (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps -14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps -14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV (83-Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV (88-Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	MU-SLINGSHOT	1500#
Open Car Hauler 2.0 (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0-10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow (Rear-Stow)	MFS	750#
Sport Deck (Rear-Stow, Telescoping)	MSD	1000#
Enclosed Cargo (4, 5, 6-Wide)	(All Sizes)	1500#
Enclosed Cargo (7, 7.5-Wide)	(All Sizes)	1500#
Enclosed Cargo (8.5-Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle (7-Wide)	(All Sizes)	1500#
Enclosed Car Hauler (8.5-Wide)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, REAR)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, SIDE, Optional)	(All Sizes)	1200#
Enclosed Snowmobile (7, 7.5, 101-Wide, REAR)	(All Sizes)	1500#
Enclosed Snowmobile (7, 7.5, 101-Wide, FRONT)	(All Sizes)	1200#
Enclosed Snowmobile (Crossover REAR)	(All Sizes)	1500#





TONGUE EXTENSION BY MODEL

Enclosed Cargo (4, 5-Wide)	N/A	FRAME UPGRADE REQUIRED,CONSULT ENGINEERING	N/A	N/A
Enclosed Cargo (6, 7, 7.5-Wide)	12"	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **	
Enclosed Cargo (8.5-Wide, Premium)	12" (16" w/ UPGRADE)	MIN 6" FRAME FOR16" Tongue extension, Upgrade may be required	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Motorcycle (7-Wide)	12"	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **	
Enclosed Car Hauler (8.5-Wide, Premium)	16"	TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **	
Enclosed Car Hauler - All Sports (8.5-Wide)	N/A	EXTENDED TONGUEINCOMPATIBLE WITHFRONT RAMP	N/A	N/A
Enclosed Snowmobile (7, 7.5-Wide)	N/A	EXTENDED Tongueincompatible Withfront Ramp	N/A	N/A
Enclosed Snowmobile (101-Wide)	10"	REQUIRES 3x5 TONGUE UPGRADEW/ STRAIGHT-PULL COUPLER	TBD	TBD
ATV (83-Wide, Side-Stow)	(All Sizes)	1200# (PAIR)	1200# (PAIR)	1200# (PAIR)

