

ENCLOSED MOTORCYCLE

TRAILERS



12' & 14'

STANDARD FEATURES

- > All-Aluminum Construction
- > Integrated Frame
- > 16" O/C Wall and Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > Dexter Torsion Ride Axles
- > 2000# Center Jack
- > V-Nose Construction
- > Rear Ramp w/ Spring Assist w/ Flap
- > 32"x58" Side Access Door w/ Paddle Handle
- > Roof Vent
- > 24" Stoneguard
- > Elevated Spare Tire Mount
- > Rear Stabilizer Jacks (2)
- > Safety Chains
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > White Luan Backed Vinyl Walls
- > (3) LED Dome Lights w/ Wall Switch
- > Tandem Motorcycle Wheel Chocks w/ 8 Surface Mount D-Rings
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 7X12 Enclosed Motorcycle Trailer | 7X14 Enclosed Motorcycle Trailer |
|--------------------------|----------------------------------|----------------------------------|
| Model Number | MEM7X12LP-IF | MEM7X14LP-IF |
| Box (WxLxH) | 84"x12"x72" | 84"x14"x72" |
| Interior (WxLxH) | 81"x11'10"x70" | 81"x11'10"x70" |
| Overall (WxLxH) | 102"x18'4"x85" | 102"x20'2"x85" |
| Deck Height | 13" | 13" |
| Hitch Height | 12" | 12" |
| Rear Door Opening | 74"x66" | 74"x66" |
| Axle(s) - Qty/Rating | 2-3500# Braked | 2-3500# Braked |
| Wheels | 15" Aluminum | 15" Aluminum |
| Tires | 205/75R15 | 205/75R15 |
| GVWR | 6000# | 6000# |
| Curb Weight | 1525# | 1700# |
| Payload | 4475# | 4300# |
| V-Nose | 60" | 60" |
| Coupler Rating/Ball Size | 8000# / 2" | 8000# / 2" |
| Power Connection | 7-Way Round | 7-Way Round |

12' & 14' *continued*

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

| CONSTRUCTION OPTIONS |
|--|
| Add 3" to Box Height (PBF) |
| Add 6" to Box Height (PBF) |
| Add 9" to Box Height (PBF) |
| Upgrade to Cast Corner Construction w/ Anodized Radius Wrap |
| TIRE/WHEEL ASSEMBLIES & ACCESSORIES |
| Spare 15" Silver Mod Wheel w/ 205/75R15 Tire |
| Spare 15" Aluminum Wheel w/ 205/75R15 Tire |
| Spare Tire Mount (Diamond Plate; Exterior Wall) |
| Deluxe Recessed Spare Tire Well (Diamond Plate w/ Hatch Cover) |
| TIE DOWN OPTIONS |
| Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate |
| Airline Track (Recessed in Floor; Aluminum, PLF) |
| Aluminum E-Track Surface-Mounted on Walls (PLF) |

| FLOORING OPTIONS |
|---|
| Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF) |
| Upgrade to TPO Coin Flooring (Black, PLF) |
| Upgrade to Extruded Aluminum Floor (Charge for Ramp & V-Nose; PLF) |
| CABINET OPTIONS |
| V-Nose Overhead 2 Door for 84" Wide Trailer |
| V-Nose Base Cabinet 2-Door for 84" Wide Trailer |
| 12V LIGHTING & ELECTRICAL OPTIONS |
| Upgrade to Arctic Flex 7-Way Plug |
| Upgrade to 12V Electric Pedestal Jack w/ Battery & Box |
| LED Scare Light (Porch Light) w/ 12V Wall Switch |
| Recessed LED "Puck" Light Package (Interior): (8) Round LED Flush Mount Dome Lights (1) 12V Wall Switch |

COLOR OPTIONS

| | | |
|---|---|---|
|  |  |  |
| Windstar Silver | Flat Black | Crystal White |
|  |  |  |
| Indigo Blue | Penske Yellow | Forest Green |
|  |  |  |
| Orange | Charcoal | Pewter Metallic |
|  |  |  |
| Victory Red | Champagne | Brandywine |



RAMP CAPACITY BY MODEL

| Ramp Type | Applicable Models | Capacity |
|---|---|--------------|
| Utility Trailer Rear Ramp (Fold-Down) | SSR (All Sizes), AR 2.0 (All Sizes), WR 2.0 (All Sizes), FA 2.0 (All Sizes), LANDSCAPE (LS) 2.0 (All Sizes) | 750# |
| Utility Trailer Rear Ramp (Fold-Down, Bi-Fold) | SSR (Optional, All Sizes), AR 2.0 (Optional, All Sizes), WR 2.0 (Optional, All Sizes), FA 2.0 (Optional, All Sizes), LANDSCAPE (LS) 2.0 (Optional, All Sizes) | 750# |
| Deckover Equipment Trailer Ramps (Stow) | (All Sizes) | 4000# (PAIR) |
| Deckover Equipment Trailer Ramps -14K (Fold-Down) | (All Sizes) | 5000# (PAIR) |
| Patriot Ramps (Fold-Down) | (All Sizes) | 4000# (PAIR) |
| Patriot Ramps -14K (Fold-Down) | (All Sizes) | 5000# (PAIR) |
| Dump Trailers (Side-Stow, Optional) | (All Sizes) | 4000# (PAIR) |
| ATV (83-Wide, Side-Stow) | (All Sizes) | 1200# (PAIR) |
| ATV (88-Wide, Side-Stow) | (All Sizes) | 750# (PAIR) |
| Open Motorcycle (Rear-Stow) | (All Sizes) | 1200# |
| Slingshot Rear Ramp (Fold-Down, Bi-Fold) | MU-SLINGSHOT | 1500# |
| Open Car Hauler 2.0 (Stow) | (All Sizes) | 4000# (PAIR) |
| Open Car Hauler 2.0-10K (Stow) | (All Sizes) | 4000# (PAIR) |
| Open Car Hauler Standard (Stow) | (All Sizes) | 4000# (PAIR) |
| Open Snow (Rear-Stow) | MFS | 750# |
| Sport Deck (Rear-Stow, Telescoping) | MSD | 1000# |
| Enclosed Cargo (4, 5, 6-Wide) | (All Sizes) | 1500# |
| Enclosed Cargo (7, 7.5-Wide) | (All Sizes) | 1500# |
| Enclosed Cargo (8.5-Wide, Premium) | (All Sizes) | 1500# |
| Enclosed Motorcycle (7-Wide) | (All Sizes) | 1500# |
| Enclosed Car Hauler (8.5-Wide) | (All Sizes) | 4000# |
| Enclosed Gooseneck (8.5-Wide, REAR) | (All Sizes) | 4000# |
| Enclosed Gooseneck (8.5-Wide, SIDE, Optional) | (All Sizes) | 1200# |
| Enclosed Snowmobile (7, 7.5, 101-Wide, REAR) | (All Sizes) | 1500# |
| Enclosed Snowmobile (7, 7.5, 101-Wide, FRONT) | (All Sizes) | 1200# |
| Enclosed Snowmobile (Crossover REAR) | (All Sizes) | 1500# |



TONGUE EXTENSION BY MODEL

| Enclosed Cargo (4, 5-Wide) | N/A | FRAME UPGRADE REQUIRED,CONSULT ENGINEERING | N/A | N/A |
|---|----------------------|---|---|---|
| Enclosed Cargo (6, 7, 7.5-Wide) | 12" | TONGUE12EXT | 12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** | |
| Enclosed Cargo (8.5-Wide, Premium) | 12" (16" w/ UPGRADE) | MIN 6" FRAME FOR16" TONGUE EXTENSION, UPGRADE MAY BE REQUIRED | TONGUE12EXT | 12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** |
| Enclosed Motorcycle (7-Wide) | 12" | TONGUE12EXT | 12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** | |
| Enclosed Car Hauler (8.5-Wide, Premium) | 16" | TONGUE16EXTCH | 16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** | |
| Enclosed Car Hauler - All Sports (8.5-Wide) | N/A | EXTENDED TONGUEINCOMPATIBLE WITHFRONT RAMP | N/A | N/A |
| Enclosed Snowmobile (7, 7.5-Wide) | N/A | EXTENDED TONGUEINCOMPATIBLE WITHFRONT RAMP | N/A | N/A |
| Enclosed Snowmobile (101-Wide) | 10" | REQUIRES 3x5 TONGUE UPGRADEw/ STRAIGHT-PULL COUPLER | TBD | TBD |
| ATV (83-Wide, Side-Stow) | (All Sizes) | 1200# (PAIR) | 1200# (PAIR) | 1200# (PAIR) |