# **ENCLOSED** PINNACLE

STACKER CAR HAULERS



> 6' Straight Base Cabinet, 6' Overhead Cabinet, & 24" Wardrobe Cabinet

> Front Style: Flat Front w/ Cast Corners > 2"x8" Integrated Frame

Frame Design

**STANDARD FEATURES** > All-Aluminum Construction, Integrated

- > 16" O/C Floor, Wall & Roof Studs
- > Hidden Beavertail Construction
- > Screwless .050 Bonded Sides
- One Piece Aluminum Roof >
- > Smooth Aluminum Fenders
- > Dexter Torsion Ride Axles
- > Spread Axle Design
- > 24" Stoneguard
- > Safety Chains
- > 5000lb Center Wheel Jack

- (black trim, exterior skin color match) > 110 Package #5 - {(1) 60A Breaker Panel w/ Converter and Motorbase Plug, (2) 3-Way Wall Switches, (1) GFI Wall Receptacle, (1) Standard Wall Receptacle, (1) USB Receptacle, (2) 4' Wrap Around LED Lights}
- .080 Wall Studs >
- 36"x78" Side Access Door >
- > Aluminum Pull-Out Step
- Roof Vent (Reinforced w/ Stub Wire > for Future A/C)

20' & 24'

- > HD Rear Ramp w/ Spring Assist
- > Premium Aluminum Ramp Hinges
- > Freezer Latch System for Rear Ramp
- > 2020 Rear Canopy (Spoiler System) w/ LED Load Lights
- 7" Base Rail & 3" Top Rail Trim >
- > Drop Down Rear Corners Jacks (Pair)
- (2) K60 LED Scene Lights (Curbside >
- > (2) K60 LED Scene Lights (Rear)
- > LED Porch Light Over Side Access Door
- > Premium Exterior Light Package (Integrated Slim Brake and Backup Lights &
- Clear Lense Marker Lights)
- > 6'x8' Elite Escape Door Includes Re-

movable Fender & Butterfly Latch System

- > Extruded Kickpanel (BLACK)
- > Interior Cove Trim (BLACK)
- > (4) HD 5000# Recessed D-Rings (Floor)
  - > (4) HD 6000# Recessed Swivel D-Rings (Lift)
  - > Rubber TPO Decking (Box & Ramp)
  - > .030 Bonded Walls and Ceiling (WHITE Skin)
  - > (20) Interior LED Puck Lights
  - > 14' Titan Lift Split Rail Design 6000# Capacity
  - > 6' Loft (78" from Floor) (4' on 20')
  - > Limited Lifetime Warranty

#### STANDARD SPECIFICATIONS

| TRAILER MODEL            | 8.5x20 Pinnacle Stacker | 8.5x24 Pinnacle Stacker |
|--------------------------|-------------------------|-------------------------|
| Model Number             | MCH8.5X20-PPSST         | MCH8.5X24-PPSST         |
| Box (WxLxH)              | 99"x 20'x132"           | 99"x24'x132"            |
| Interior (WxLxH)         | 96"x19'10"x130"         | 96"x23'10"x130"         |
| Overall (WxLxH)          | 102"x24'x153"           | 102"x28'x130"           |
| Deck Height              | 21.5"                   | 21.5"                   |
| Hitch Height             | 19"                     | 19"                     |
| Rear Door Opening (WxH)  | 89"x93"                 | 89"x93"                 |
| Axle(s) - Qty/Rating     | 2-6000# Braked          | 2-6000# Braked          |
| Wheels                   | 16" Aluminum            | 16" Aluminum            |
| Tires                    | 235/80R16               | 235/80R16               |
| GVWR                     | 12,000#                 | 12,000#                 |
| Curb Weight              | TBD                     | TBD                     |
| Payload                  | TBD                     | TBD                     |
| Coupler Rating/Ball Size | 15000# / 2-5/16"        | 15000# / 2-5/16"        |
| Power Connection         | 7-Way Round             | 7-Way Round             |



## **ENCLOSED PINNACLE**

STACKER CAR HAULERS CONTINUED

#### 20' & 24' continued

#### OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

| CONSTRUCTION   |
|--|
| Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)                               |
| EXTERIOR   |
| Two-Tone Color Package w/ 6" Anodized Divider                                    |
| Two-Tone Color Package - No Anodized Divider                                     |
| AXLE OPTIONS   |
| Upgrade to 2-7K Torsion Braked Axles (From 2-6K Torsion Braked; Enclosed Models) |
| TIRE/WHEEL ASSEMBLIES & ACCESSORIES  |
| Spare 16" Silver Mod Wheel w/ 235/80R16 Tire                                     |
| Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating)             |
| Spare 16" Aluminum Wheel w/ 235/80R16 Tire                                       |

Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)

| DOOR/WINDOW/VENT OPTIONS  |
|---|
| Upgrade to 6' Extruded Aluminum Ramp Extension (Car<br>Hauler Models) |
| Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate                    |
| ELOORING OPTIONS  |

Upgrade to Extruded Aluminum Decking from Rubber TPO Decking

Airline Track (Recessed in Floor; Aluminum, PLF)

#### **CABINET OPTIONS**

Generator Cabinet Package - Includes 28" L-Shape Extension, 30"x30" Generator Box, 30"x30" Generator Door w/ Salem Vent (moves 24" Wardrobe Closet to C/S)



**COLOR OPTIONS** 

Victory Red

Brandywine





CAR HAULER & GOOSENECK POPULAR OPTIONS

## **CONSTRUCTION OPTIONS**

| CONSTRUCTION OPTIONS  | CONSTRUCTION OPTIONS (CONTINUED)   |
|---|--|
| Upgrade to 48" V-Nose (From Flat Front w/ Cast Corners)   | Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)                                      |
| Add Slope in V-Nose   | Upgrade to Electric Landing Gear (Gooseneck Models Only)   |
| Cast Polished Corners for Flat Front  | Upgrade to Big Foot Hydraulic Landing Gear (Gooseneck Models Only; Single Leg)                   |
| Upgrade to Radius Roof Construction (Up to 30') (Sloped V-Nose, Cast Corners, & Rear                  | Upgrade to 8K Big Foot Hydraulic Jack (Bumper Pull; Flat Front Models Only)                      |
| Canopies are not available with this option)  | Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)   |
| 2' Round Nose w/ Anodize Nose Cone  | Upgrade to Trussed Roof System (Not compatible w/ Radius)  |
| 3" Extra Height   | Upgrade to .080 Wall Studs   |
| 6" Extra Height   | Upgrade Wall Studs to 2"x2", PBF   |
| 9" Extra Height   | Upgrade Ceiling Studs to 2"x2", PBF  |
| 12" Extra Height  | Walk On Roof (Reinforced; PBF)   |
| 15" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp)                                   | Heavy Duty Winch Mount (Winch Not Included)  |
| 18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)                     | 8' Platform Roof w/ Ladder & Rail Kit  |
| 21" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp)                                   | 14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)   |
| 24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)                     | 16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)   |
| Height Decrease 6"  | 18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks)   |
| Height Decrease 12"   | 20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks)   |
| Additional Length in 2' Intervals (8.5 wide)  | Ladder to Roof (Outside V-Nose)  |
| Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF)  | Upgrade to Roller on Rear Ladder Rack  |
| Reverse Beavertail Construction on (7' wides & Up)  | Ladder Racks   |
| 12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame) Includes Center<br>Beam Upgrade    | Rear Canopy Loading Light System - 2013 Version (Not available w/ Radius Roof)                   |
| 16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger)            | Rear Canopy Loading Light System - 2020 Version (Not available w/ Radius Roof)                   |
| Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler  | 32"x72" Radius RV Door w/ Screen (Window Optional)   |
| Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)  | Upgrade to Dexter 32"x72" Radius Door **Trailer must have 32"x72" Piano Hinged<br>Door already** |
| 1011 Februard Jan Street (Februard and Ander Februard with Other Fill Februard) to she days Operation |  |

12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade

## **DOORS, RAMPS, & COMPARTMENTS**

| DOORS, RAMPS, & COMPARTMENTS  | DOORS, RAMPS, & COMPARTMENTS (CONTINUED)   |
|---|--|
| Upgrade to 32"x72" Radius RV Door w/ Screen (Window Optional) (From stand.<br>32"x72" Side Access Door) Upgrade to 36" Wide Side Access Door (from 32") | Add (2) 2x4 Wingstock Stringers to Rear Ramp (CH Grade Only) (Maximum Weight Capacity - 5000#) |
| Upgrade to 48" Wide Side Access Door (from 32")   | Generator Door (30"x30") w/ Salem Vent & Paddle Handle (Lockable)                              |
| 48"x72" Split Side Access Door(s)   | Generator Door (36"x36") w/ Salem Vent & Paddle Handle (Lockable)                              |
| Upgrade to 48"x72" Split Side Access Door(s) (from 32"x72" Side Access Door)  | Generator Compartment (30"Hx30"Wx24"D) (Door Optional)   |
| Upgrade to 78"-Tall Side Access Door (From 72" (SAD) (Excludes Radius RV Door)  | Generator Compartment (36"Hx36"Wx24"D) (Door Optional)   |
| Double Barn Doors (Replaces Standard Rear Ramp) Double Barn Doors (Replaces Stan-   | Slide Out Generator Tray   |
| dard Rear Ramp) ** THIS WILL DELETE BEAVERTAIL IF TRAILER COMES WITH ONE **   | Upgrade to Insulated Generator Compartment (Requires Generator Compartment)                    |
| Barn Doors on Side of Trailer (74"W x 72" H)  | Under Gooseneck Generator Compartment w/ Door & Vent (33"W x 20"H x 22"D)                      |
| Ramp Door w/ Spring Assist on Side of Trailer (74"W x 72" H)  | Under Gooseneck Storage Compartment w/ Flip-Up Door (60"W x 28"H x 24"D)                       |
| Upgrade to X-Wide 95" Rear Opening (Rear Ramp Only)   | Propane Compartment (30"H x 30"W x 24") w/ Vented Non Locking Door                             |
| Diamond Plate Transition Flap (Ramp to Box)   | Propane Compartment (36"H x 36"W x 24") w/ Vented Non Locking Door                             |
| Aluminum Starter Flap to Rear Ramp  | Fuel Door w/ Paddle Handle 14"x14"   |
| 32"x72" Side Access Door w/ Paddle Handle and Piano Hinge   |  |



## DOORS, RAMPS, & COMPARTMENTS CONTINUED

| DOORS, RAMPS, & COMPARTMENTS  | DOORS, RAMPS, & COMPARTMENTS (CONTINUED)  |
|---|---|
| Fuel Door w/ Paddle Handle 24"x24"  | Upgrade to L-Latches "Freezer latches" (Per Ramp, Replaces Locking Bars) (Premium           |
| Concession Door 4'x4'   | Models w/ CH grade  |
| Concession Door 4'x6'   | Rear Ramp only)   |
| Concession Door 4'x8'   | Upgrade to Premium Aluminum Ramp Hinges (SET, From S/S Strap Hinges) (Premium CH/GN Models) |
| Escape Door 4'x4' - DRIVERSIDE OVER WHEEL WELL  | Upgrade to Full Piano Hinge For Rear Ramp   |
| Elite Escape Door (6'W x 8'L Fold Up Door w/ Removable Fender) **Extends to 9'L<br>when adding Spread Axle Upgrade** Hatch Door 30"x30" | Locking Bar for Side Access Door  |
| RV-Style Pull-Out Step (Steel)  | Keyed Locking Hasps for Side Door Locking Bar   |
| Aluminum Fold Down Step   | Upgrade to Full Piano Hinge For Side Access Door  |
| Powder Coated Aluminum Flip Down Step   | Rear Door Air Curtain   |
| Upgrade to Powder Coated Aluminum Flip Down Step (from standard step)   | Pull Down Screen for Rear Door Opening  |
| Aluminum Pull-Out Step  | Pop Out Tent Bed (60"H x 80"L Rough Opening)  |
| Aluminum Loop Step Stationary   | Keyless Entry System (For Side Access Door)   |
| Rear Full Length Step Across Rear of Trailer (12" Deep with Expanded Aluminum on  | Upgrade to 6' Extruded Aluminum Bi-Fold Ramp Extension (Car Hauler Models)                  |
| Top) (Barn Doors only) Aluminum Grab Handle For Side Access Door  | Rear Stowable Ramp Kit (2) 26"x6' Ramps (Extrusion to Hook Ramps, Ramps to Stow             |
| Keyed Locking Hasps for Rear Ramp   | Interior of Barn Doors, (4) Extra Strap Hinges)   |

## **EXTERIOR OPTIONS**

| EXTERIOR OPTIONS   | EXTERIOR OPTIONS (CONTINUED)  |
|--|---|
| .040 Skin Upgrade (Black, White, & Silver Only)          | Two-Tone Color Package - No Anodized Divider  |
| .050 Skin Upgrade (Black & White Only)                   | Two-Tone Color w/ 6" Anodized Divider   |
| Anodized Aluminum Side & Rear Trim Panel (12"; PBF)      | Two-Tone Color w/ 12" Anodized Divider  |
| Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF) | Two-Tone Color w/ 24" Anodized Divider  |
| Anodized Aluminum Side & Rear Trim Panel (24"; PBF)      | Upgrade to Anodized Nose Cone   |
| Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF) | Add Red & White DOT Tape to Trailer (PLF) ** must have on any trailer over 10,000lb |
| Upgrade to Larger 7" Bottom Trim (PBF)                   | GWR **  |
| Upgrade to 36" Stone Guard from 24"                      | Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)                     |
| Upgrade to 48" Stone Guard from 24"                      |   |

## **INTERIOR OPTIONS**

| INTERIOR OPTIONS   | INTERIOR OPTIONS (CONTINUED)  |
|--|---|
| White .030 Aluminum Side Walls, Bonded   | Anodized Roof Coves   |
| White .030 Aluminum Side Walls, Screwed  | Anodized Spring Cover   |
| White .030 Aluminum Ceiling, Bonded  | Diamond Plate Spring Cover  |
| White .030 Aluminum Ceiling, Screwed   | Drive Over Fender Kit (Heavy Duty; 3/16" Mill Finish Aluminum) (Car Hauler) |
| White Vinyl Backed Luan (Ceiling Only; PBF)  | Drive Over Fender Kit (Sloped w/ Ski Guides; .090 Mill Finish) (Car Hauler) |
| Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF) | 2" Foam Insulation (Ceiling Only; PBF)                                      |
| Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF)         | Upgrade to 2" Foam Insulation (Ceiling Only; PBF)                           |
| Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)                                | .030" Aluminum Spring Assist Cover for Rear Ramp Door                       |
| 3/4" Foam Insulation (Side Walls; PBF)   | Partition Wall w/ 32" Access Door   |
| 3/4" Foam Insulation - Ceiling (Require Ceiling liner)                             | Diamond Plate Kickplate (6")  |
| .030 Aluminum Cove (All Colors)  | Diamond Plate Kick Plate (12")  |



### **INTERIOR OPTIONS** CONTINUED

#### INTERIOR OPTIONS

Water Resistant Kick Plate (12")

Extruded Aluminum Kick Plate (6")

#### FLOORING

#### FLOORING

| Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking) |
|--|
| Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF)         |
| Additional Layer of 3/4" Water Resistant Decking                             |
| Upgrade to Extruded Aluminum Floor (Charge for Ramp and V-Nose; PLF)         |
| Aluminum Diamond Plate Floor Overlay (.045") (PLF)                           |
| Upgrade to Black Marble Vinyl Flooring (PLF)                                 |
| Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)                  |
|  |

#### TIRE/WHEEL ASSEMBLIES & ACCESSORIES

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES  |
|--|
| Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)                            |
| Upgrade to 15" 225 BLACK Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)                      |
| Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels)<br>**SPECIAL ORDER** |
| Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)                              |
| Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)   |
| Upgrade to 16" BLACK Aluminum Wheels (Radial; From 15" 225 Aluminum)                                   |
| Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)                          |
| Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)                                    |
| Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)                              |
| Upgrade to 17.5" Aluminum Wheels (Radial; From 16" Aluminum Rims)                                      |
| Upgrade to 17.5" Aluminum Wheels (Radial; From 16" Silver Mods)  |
| Upgrade to 17.5" Aluminum Wheels (Radial; From 17.5" Silver Mod Wheels)                                |
| Upgrade to Black Aluminum Rims from Aluminum (Same Size)   |
| Height Decrease 6"   |

#### INTERIOR OPTIONS (CONTINUED)

Carpet on Walls (Charcoal only, 3' Up on Walls, Calculate 4' for V)

Upgrade to Black TPO Coin Walls (3' Up Wall, Count 4' V-Nose; PLF)

| FLOORING (CONTINUED)   |
|--|
| Painted Epoxy Floor Covering (PBF)   |
| Upgrade to Rubber Coin Flooring (Black; PLF)   |
| Upgrade to TPO Coin Flooring (Black)   |
| Upgrade to Extruded Aluminum Floor from Rubber TPO Floor (Charge for Ramp and V-Nose; PLF) Upgrade to Charcoal Carpet Flooring (PLF) |
| Upgrade to 3/4" Foam Insulated Floor   |
| Aluminum Diamond Plate Runner (12" Single Row; .056" ) (PLF)   |
| Aluminum Diamond Plate Runner (12" Double Rows; .056") (PLF)   |

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)                      |
|--|
| Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)                 |
| Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire                     |
| Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating) |
| Spare 17.5" Silver Mod Wheel w/ 215/75R17.5 Tire                     |
| Spare 17.5" Aluminum Wheel w/ 215/75R17.5 Tire                       |
| Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)    |
| Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)                   |
| Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire                     |
| Spare 16" Silver Mod Wheel w/ 235/80R16 Tire                         |
| Spare 16" Aluminum Wheel w/ 235/80R16 Tire                           |
| Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)    |
| Spare Tire Mount (Interior; Floor Level)                             |
| Deluxe Recessed Spare Tire Well (Diamond Plate w/ Hatch Cover)       |
| Deluxe 8' Tire Rack (Foldable)                                       |
| Integrated Heavy Duty Tire Rack                                      |

### AXLES

| AXLES   | AXLES (CONTINUED)                                    |
|---|--|
| Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked)   | Upgrade to 3-5K Torsion B                            |
| Upgrade to 2-5K Torsion Braked Axles & Subframe (From 2-3K Torsion Braked Axles)<br>** Includes Axle Carrier Upgrade From 2"x5" to 2"x6" ** | Upgrade to 2-7K Torsion E<br>(2x8 Frame Upgrade Requ |
| Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade) (2x8 Frame Upgrade Required)                     | Upgrade to 2-8k Torsion E<br>Tire Upgrade)           |
| Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade)  | Upgrade to 3-7K Torsion E                            |
| (2x8 Frame Upgrade Required)  | Upgrade to 2-7K Torsion E                            |
| Upgrade to 2-8k Torsion Braked Axles (From 2-5K Braked; Includes 215/75R/17.5 Tire<br>Upgrade) (2x8 Frame Upgrade Required)                 | Upgrade to 3-6K Torsion E                            |
| Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles)  | Upgrade to 3-7K Torsion E                            |
|   |  |

| AXLES (CONTINUED)  |  |
|--|--|
| Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked) (2x8 Frame Upgrade Required                                |  |
| Upgrade to 2-7K Torsion Braked Axles (From 2-6K Braked; Includes 16" Tire Upgrade)<br>(2x8 Frame Upgrade Required) |  |
| Upgrade to 2-8k Torsion Braked Axles (From 2-7K Braked; Includes 215/75R/17.5<br>Tire Upgrade)                     |  |
| Upgrade to 3-7K Torsion Braked Axles (From 2-7K Braked)  |  |
| Upgrade to 2-7K Torsion Braked Axles (From 3-5K Braked)  |  |
| Upgrade to 3-6K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)                                 |  |
| Upgrade to 3-7K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)                                 |  |



## **AXLES** CONTINUED

| AXLES   | AXLES (CONTINUED)   |
|---|---|
| Upgrade to 3-8k Torsion Braked Axles (From 3-5K Braked; Includes 215/75R/17.5 | Upgrade to Zero Degree Axle(s)                                  |
| Tire Upgrade)   | Upgrade to 22.5 Degree Down Axle(s)                             |
| Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)             | Upgrade to 45 Degree Down Axle(s)                               |
| Spread Axle Upgrade (w/ Tapered Fender Skirting) (8 Wide Models)              | Upgrade to Galvanized Axle (Torsion) (minimum 4 week lead time) |
| Upgrade to Surge Braking System (this option excludes Gooseneck Models)       |   |
|   |   |
| TIE-DOWNS   |   |

| TIE-DOWNS   | TIE-DOWNS (CONTINUED)   |
|---|---|
| Light Duty Surface-Mounted D-Ring (Installed)   | Recessed Flip-Up Motorcycle Wheel Chock                                   |
| Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)                           | Tandem Flip-Up Motorcycle Wheel Chocks w/ (8) Surface-Mounted D-Rings     |
| Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)                    | Tandem Flip-Up Motorcycle Wheel Chocks w/ (8) Heavy Duty D-Rings          |
| Heavy-Duty Recessed 5000# D-Rings w/ Backing Plate  | E-Track HD Recessed w/ Backing Plate (Walls)                              |
| Heavy-Duty Recessed 6000# Swivel D-Rings w/ Backing Plate(Zinc)                           | E-Track (Aluminum) Surface Mounted (Wall)                                 |
| Heavy-Duty Recessed 6000# Swivel D-Rings w/ Backing Plate (Stainless Steel)               | E-Track (Aluminum) HD Recessed w/ Backing Plate (Floor)                   |
| Upgrade to Stainless Steel 6000# Recessed Swivel D-Rings (From 5000# Recessed             | E-Track (Aluminum) HD Recessed w/ Backing Plate (Walls)                   |
| Heavy Duty D-Ring w/ Backing Plate; Installed)  | Airline Track (Aluminum) Surface Mounted (Floor)                          |
| Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed) | Airline Track (Aluminum) Surface Mounted (Wall)                           |
| Stainless Steel Tube Style Wheel Chock  | Airline Track (Recessed in Floor; Aluminum, PLF)                          |
| E-Track Surface Mounted (Floor)   | Airline Track (Recessed in Wall; Aluminum, PLF)                           |
| E-Track Surface Mounted (Wall)  | Recessed Slide Track (Track Only; D-Rings Sold Separately)                |
| E-Track HD Recessed w/ Backing Plate (Floor)  | Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings                      |
| Recessed Flip-Up Motorcycle Wheel Chock w/ (4) Surface-Mounted D-Rings                    | Powder Coated Slide Track Upgrade (upgrade to existing slide track) (PBF) |
| Recessed Flip-Up Motorcycle Wheel Chock w/ (4) Recessed Heavy Duty D-Rings                |   |

## **12V LIGHTING & ELECTRICAL**

| 12V LIGHTING & ELECTRICAL   | 12V LIGHTING & ELECTRICAL (CONTINUED)  |
|---|--|
| Add LED Backup Lights (Pair; Installed)   | Upgrade to LED Economy Dome Light 460 Lumen (From Incandescent Dome Light)                                     |
| Additional LED Stop/Turn/Tail Lights (Pair; Installed)  | Additional 12V LED Dome Light (460 lumens)   |
| Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)  | 12 Volt Wall Switch  |
| Upgrade to Additional LED Marker Lights Bullets   | 12 Volt Wall Switch (3-Way)  |
| Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)                              | Upgrade to 12 Volt (3-Way) Wall Switch   |
| Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)                                   | LED Puck Light Package (Includes 8 recessed lights & wall switch ) (requires ceiling                           |
| (2) 12V LED Load Lights (Double Lights w/ Single Switch, 950 Lumen)                                       | liner)   |
| 12V LED Load Light (Single Light w/ Switch, 950 Lumen)  | Additional Recessed LED "Puck" Light   |
| Recessed LED Exterior Load Light Package (For side of trailer) (1 Light w/ Switch, 950 lumens, & Housing) | LED "Puck" Light Cabinet PKG (Under OH Cabinet), (2) Round LED Flush Mount Dome<br>Lights, (1) 12V Wall Switch |
| 12V LED Porch Light w/ Wall Switch  | 18" 12V LED Light (requires ceiling liner)   |
| K60 LED Exterior Scene Light Package: One 12V wall switch with (2) K60 Scene Lights                       | Upgrade to Permaseal Wire Connectors   |
| Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)   | Upgrade Premium Light Package (LED Strip Lights w/ Integrated Backup Lights, Marker Lights w/ Clear Lens)      |
| Angled Back Up Lights (Mounts on side of trailer)   | Upgrade to Premium Light Package (LED Strip Lights w/ No Backup Lights, Marker                                 |
| Upgrade to 12V Electric Pedestal Jack w/ Battery & Box installed  | Lights w/ Clear Lenses)  |
| 12V Power Jack (Cigarette Lighter Plug)   | Upgrade Interior Dome Light to 12V 18" LED Light   |



## **12V LIGHTING & ELECTRICAL** CONTINUED

#### **12V LIGHTING & ELECTRICAL**

Upgrade to (3) 18" 12V LED Light (From (2) 4' LED Wrap Around) (Requires Ceiling)

- Trickle Charger for Battery
- Deep Cycle Marine Battery & Box (Wired)
- LED Interior Strip Light w/ Housing Package (Per Foot, Per Section)

## **110V LIGHTING & ELECTRICAL**

#### 110V LIGHTING & ELECTRICAL

110V Package #1: (Includes (1) 15 AMP Motorbase Plug, (1) Wall switch, (1) Receptacle, (1) 4' LED Wraparound Light (no additions available w/ this package)

110V Package #2: (Includes -30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) GFI Wall Receptacle (2) 4' LED Wraparound Lights

110V Power Package #3: (30A) (1) 30 Amp Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle,(4) 4' Led Wrap Around Lights, (1) Brace and Wire Stub for A/C Unit

110V Power Package #4: (1) 15 Amp Motorbase Plug, (2) Wall Receptacle

110V Power Package #5: Includes (1) 60A Breaker Panel w/ 60A Converter and 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights, 12v Deep Cycle Battery & Box

15A Motor Base Plug

30A Motor Base Plug (Replaces Shoreline; 110V Package Required)

30A Power Converter (110V Pkg #2)

30A Power Cord 25' Long (For Motorbase Plug)

**30A Generator Line Switch** 

Upgrade to 50 Amp Breaker Box (Requires 110V Pkg #2)

## CABINETS

#### CABINETS V-Nose Base Cabinet, 2 Door (99" Wide Models) (83"W x 30"D x 37"H) V-Nose Base Cabinet, 4 Door (99" Wide Models) (83"W x 30"D x 37"H) Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models) Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (90", & 99" Wide Models) Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models) Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (90" & 99" Wide Models) V-Nose Overhead Cabinet, 2 Door (99" Wide Models) (56"W x 19"D x 19"H) V-Nose Overhead Cabinet, 2 Door (99" Wide Models) (72"W x 19"D x 19"H) \*\*Special Option Cabinet\*\* 4' Straight Wall Base Cabinet, 2 Door (48"W x 24"D x 37"H) 5' Straight Wall Base Cabinet, 2 Door 6' Straight Wall Base Cabinet, 2 Door (72"W x 24"D x 37"H) 8' Straight Wall Base Cabinet, 2 Door (96"W x 24"D x 37"H) 8' Straight Wall Base Cabinet, 4 Door Upgrade Base Cabinet to 28" L-Shape Extension 8' Flat Front 4 Door Base Cabinet Premium 50" Helmet Cabinet w/ Hooks

| 12V LIGHTING & ELECTRICAL (CONTINUED)  |
|--|
| Cold Weather HD Arctic Flex 7-Way Wire Harness   |
| Wireless Backup Camera System w/ 7" LCD Screen   |
| Add LED 6" Oval Alternating Flashing Safety Lights (Orange) w/ Exterior Toggle Switch (Pair) (hard wired into auxiliary) (7-way plug required) |
|  |
|  |
| 110V LIGHTING & ELECTRICAL (CONTINUED)   |
| 50A Power Cord 25' Long (For Motorbase Plug)   |
| 60A Power Converter (110 Package Required)   |
| 110 Volt Wall Receptacle (Installed; Requires 110V Pkg)  |
| 110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2)  |
| 110 Volt Wall Switch (3-Way; Requires 110V Pkg #2)   |
| GFI Wall Receptacle (Interior) (Requires 30A Package)  |
| GFI Wall Receptacle (Exterior) (Requires 30A Package)  |
| 4' LED Wraparound Light (Requires 110V Pkg)  |
| 500W Swing-Mount Quartz Light  |
| 13,500 BTU Roof Mounted Air Conditioner (Requires 110 #2)  |
| Heat Strip for A/C Unit  |
| Brace and Stub Wire for Future AC Installation (Requires 110V Pkg #2) (12Gauge Wire and 20A Breaker)   |
| Heater; Electric; CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)  |

Powder Coated Slide Track Upgrade (upgrade to existing slide track) (PBF)

Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings

| CABINETS (CONTINUED)  |
|---|
| Add 4" Depth to 8' Flat Front 4 Door Base Cabinet (24" Deep)  |
| Overhead Cabinet 1 Flip-Up Door (48"W x13"D x 18"H)   |
| Overhead Cabinet 2 Door (48"W x13"D x 18"H)   |
| Overhead Cabinet [Premium, 1 Flip-Up Door (48"W x 13"D x 18"H)  |
| 48" Economy Overhead Cabinet (Furnace) 1 Door Flip Up Style, 48" Long (Furnace not included) Overhead Cabinet 1 Door (62"W x 12"D x 18"H)       |
| 60" Deluxe Overhead Cabinet (Furnace) 1 Door Flip Up Style, 60" Long (Furnace not included) Deluxe Overhead Cabinet 4 Door (72"W x 13"D x 18"H) |
| Deluxe Overhead Cabinet 4 Door (96"W x 13"D x 18"H)   |
| Overhead Cabinet 2 Flip-Up Door (96"W x 13"D x 18"H)  |
| 8' Flat Front 4 Door Overhead Cabinet   |
| Add 8" Depth to 8' Flat Front 4 Door Overhead Cabinet (24" Deep)  |
| Wheel Well Cabinet 2 Door w/ Shelving (72"W x 6 3/4"D x 62"H)   |
| 96" Overhead Split Cabinet w/ Center Shelf [Premium, 2 Flip-Up Door (96"W x 18"D x 18"H)  |
| Dramium FOII Halmat Ockington (Haaka  |



## CABINETS CONTINUED

| Vertical Corner Duct (Requires Furnace Package) Add Heat Duct (PLF) Clothes Rod for Overhead Cabinets (48" Cabinets only)   |
|---|
|   |
| Clothes Rod for Overhead Cabinets (48" Cabinets only)   |
|   |
| 18" Shelving w/ Angled Gussets (PLF, Per Tier)  |
| Upgrade to Formica Countertop (Base Cabinet Sold Separately)  |
| 4' Coat Rack Package (47' Slide Track w/ (6) Adjustable Hooks)  |
| Standard Tool Crib Package - (1) 72x24 Horizontal Access Door (Over Fender, w/<br>Retainer Chains), (2) 38x22 Vertical Access Doors (Ahead/Behind Fender), Adjustable     |
| Shelf Brackets in Vertical Cabinets, 3/8" Water Resistant Liner (Interior & Exterior of Box Frame), 19"D x 42"H x 128"L Box Frame Inside Trailer, Hinged Lid (3 Sections) |
|   |

AWNINGS (CONTINUED)

Door Roller for Awning

Door Roller Option if installed over Side Access Door)

Door Roller Option if installed over Side Access Door)

Door Roller Option if installed over Side Access Door)

20' CareFree Travl'r Acrylic Fabric and Alumauguard "ELECTRIC" Awning (Requires

21' CareFree Travl'r Acrylic Fabric and Alumauguard "ELECTRIC" Awning (Requires

21' CareFree Travl'r Acrylic Fabric and Alumauguard "ELECTRIC" Awning (Requires

#### AWNINGS

#### AWNINGS

12' CareFree Fiesta Acrylic Fabric and Alumauguard Awning (Requires Door Roller Option if installed over Side Access Door)

16' CareFree Travl'r Acrylic Fabric and Alumauguard "ELECTRIC" Awning (Requires Door Roller Option if installed over Side Access Door)

16' CareFree Fiesta Acrylic Fabric and Alumauguard Awning (Requires Door Roller Option if installed over Side Access Door)

18' CareFree Travl'r Acrylic Fabric and Alumauguard "ELECTRIC" Awning (Requires Door Roller Option if installed over Side Access Door)

## **VENTS & WINDOWS**

| VENTS & WINDOWS  | VENTS & WINDOWS (CONTINUED)                         |
|--|---|
| 14"x14" Manual Roof Vent   | Two-Way Directional Salem Vent Kit (Aluminum; Pair) |
| 12V Power Roof Vent  | 18"x24" Horizontal Radius Sliding Window w/ Screen  |
| 110V Power Roof Vent (Requires 30A Package)  | 18"x24" Vertical Radius Sliding Window w/ Screen    |
| Fantastic Fan/Vent (Dometic 22-0462) (Requires 30A Package) Maxx-Air Roof Vent Cover | 24"x36" Radius Sliding Window w/ Screen             |
| Directional Salem Vent Kit (Plastic; Pair)   | 24"x36" Egress Sliding Window (Tinted w/ Screen)    |

## **MISC. OPTIONS & ACCESSORIES**

| MISC. OPTIONS & ACCESSORIES  | MISC. OPTIONS & ACCESSORIES (CONTINUED)  |  |
|--|--|--|
| Fold-Down Sofa/Sleeper   | 30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Contro                  |  |
| Fold-Down Bunk Beds  | Panel w/ Gauge (Requires Marine Grade Battery)   |  |
| Happi Jac Bed System w/ (1) Queen Size Mattress                              | 20# Propane Tank w/ Regulator (Tongue-mounted Holder Included)                                       |  |
| Fold-Down Dinette/Sleeper  | Tandem 20# Propane Tanks w/ Holder & LP Regulator  |  |
| Fold Down Bench (12"x48") Type: Work or Sitting                              | Upgrade to Tandem 20# Propane Tanks w/ Holder & LP Regulator (From 1-20lb)                           |  |
| Fold-Down Padded Bench (48"L) Vertical Design                                | 30# Propane Tank w/ Regulator (Propane Compartment Required)   |  |
| Premium 50" Fold-Up Padded Bench   | Upgrade to 30# Propane Tank from 20# Propane Tank w/ Heavy Duty Mount                                |  |
| Premium 36" Fold-Up Work Bench w/ Integrated Tool Storage Premium Cup Holder | Upgrade to (2) 30# Propane Tank from (1) 20# Propane Tank w/ Heavy Duty Mount<br>Car Haulers Only ** |  |
| Premium (2) Race Fuel Holder   | Upgrade to Underslung Propane Tank (Requires Package Including Standard Propan                       |  |
| Premium (3) Race Fuel Holder   | Tank)  |  |
| Basic Stereo Package - Includes (4) Boss Speakers                            | Stabilizer Jacks (Interior Rear; Drop Down) ( Installed; Pair)                                       |  |
| Stairs to the Gooseneck Area (24"W x 32"D)                                   | Bogey/Caster Wheels (Installed; Pair)  |  |



## MISC. OPTIONS & ACCESSORIES CONTINUED

| MISC. OPTIONS & ACCESSORIE | S |
|----------------------------|---|
|----------------------------|---|

Stabilizer Jacks

Scissor Jacks (Camper Style; Pair)

Add Exterior Marine Grade Speakers to Stereo System (Pair)

Add 3-Bay Stainless Steel Sink (Sink Package Required)

### SPECIAL PACKAGES

#### SPECIAL PACKAGES

Midnight Package (Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24")

Exterior Powder Coat Package (Cargo/Car Haulers): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

Exterior Powder Coat Package (Goosenecks): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

Basic Heater Package - Car Hauler Models (Includes: 20# Propane Tank (Tongue Mounted), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet)

Basic Heater Package - Gooseneck Models (Includes: (2) 30# Propane Tank w/ Compartment (Under Goose), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 96" Furnace Cabinet w/ Integrated Boot Box)

#### MISC. OPTIONS & ACCESSORIES (CONTINUED)

2-Burner Propane Range (Installed In Cabinet Top) (Base Cabinet and Propane Tank Required) 5.0 Cu.Ft. Refrigerator (Recessed in Cabinet) (110V Package w/ 12V Battery or Propane

w/ Safety Kit and 12V Battery Required) 24" WD X 26" LG (in cabinet)

1100W Microwave (1.2 Cu.Ft.; Recessed in Cabinet)

#### SPECIAL PACKAGES (CONTINUED)

Basic Sink Package (Does Not Include Cabinet; Propane or 110V Power Package Required) (Includes: Stainless Steel Sink, 6 Gallon Water Heater, 20 Gallon Fresh Water Tank, 20 Gallon Grey Water Tank)

Custom Sink Package (Does Not Include Cabinet; Propane or 110V Power Package Required) (Includes: Stainless Steel Sink, 6 Gallon Water Heater, 38 Gallon Fresh Water Tank, (2) 23 Gallon Grey Water Tanks)

Kicker Stereo Package (Includes (6) Speakers, AMP & Subwoofer, with Clairion Face Unit w/ Bluetooth Capabilities.)

Mid-Level Stereo Package (Includes (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/ CD Player w/ Bluetooth, Battery Sold Separately)





# RAMP CAPACITY BY MODEL

| Ramp Type   | Applicable Models  | Capacity     |
|---|--|--------------|
| Utility Trailer Rear Ramp (Fold-Down)             | SSR (All Sizes), AR 2.0 (All Sizes), WR 2.0 (All Sizes), FA 2.0 (All Sizes),<br>LANDSCAPE (LS) 2.0 (All Sizes)   | 750#         |
| Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)    | SSR (Optional, All Sizes), AR 2.0 (Optional, All Sizes), WR 2.0 (Optional, All Sizes),<br>FA 2.0 (Optional, All Sizes), LANDSCAPE (LS) 2.0 (Optional, All Sizes) | 750#         |
| Deckover Equipment Trailer Ramps (Stow)           | (All Sizes)  | 4000# (PAIR) |
| Deckover Equipment Trailer Ramps -14K (Fold-Down) | (All Sizes)  | 5000# (PAIR) |
| Patriot Ramps (Fold-Down)                         | (All Sizes)  | 4000# (PAIR) |
| Patriot Ramps -14K (Fold-Down)                    | (All Sizes)  | 5000# (PAIR) |
| Dump Trailers (Side-Stow, Optional)               | (All Sizes)  | 4000# (PAIR) |
| ATV (83-Wide, Side-Stow)                          | (All Sizes)  | 1200# (PAIR) |
| ATV (88-Wide, Side-Stow)                          | (All Sizes)  | 750# (PAIR)  |
| Open Motorcycle (Rear-Stow)                       | (All Sizes)  | 1200#        |
| Slingshot Rear Ramp (Fold-Down, Bi-Fold)          | MU-SLINGSHOT   | 1500#        |
| Open Car Hauler 2.0 (Stow)                        | (All Sizes)  | 4000# (PAIR) |
| Open Car Hauler 2.0-10K (Stow)                    | (All Sizes)  | 4000# (PAIR) |
| Open Car Hauler Standard (Stow)                   | (All Sizes)  | 4000# (PAIR) |
| Open Snow (Rear-Stow)                             | MFS  | 750#         |
| Sport Deck (Rear-Stow, Telescoping)               | MSD  | 1000#        |
| Enclosed Cargo (4, 5, 6-Wide)                     | (All Sizes)  | 1500#        |
| Enclosed Cargo (7, 7.5-Wide)                      | (All Sizes)  | 1500#        |
| Enclosed Cargo (8.5-Wide, Premium)                | (All Sizes)  | 1500#        |
| Enclosed Motorcycle (7-Wide)                      | (All Sizes)  | 1500#        |
| Enclosed Car Hauler (8.5-Wide)                    | (All Sizes)  | 4000#        |
| Enclosed Gooseneck (8.5-Wide, REAR)               | (All Sizes)  | 4000#        |
| Enclosed Gooseneck (8.5-Wide, SIDE, Optional)     | (All Sizes)  | 1200#        |
| Enclosed Snowmobile (7, 7.5, 101-Wide, REAR)      | (All Sizes)  | 1500#        |
| Enclosed Snowmobile (7, 7.5, 101-Wide, FRONT)     | (All Sizes)  | 1200#        |
| Enclosed Snowmobile (Crossover REAR)              | (All Sizes)  | 1500#        |





# TONGUE EXTENSION BY MODEL

| Enclosed Cargo (4, 5-Wide)                  | N/A                     | FRAME UPGRADE<br>REQUIRED,CONSULT<br>ENGINEERING                    | N/A  | N/A  |
|---|-------------------------|---|--|--|
| Enclosed Cargo (6, 7, 7.5-Wide)             | 12"                     | TONGUE12EXT   | 12" Extended Tongue (For 3k<br>Tandem Axle Enclosed with<br>2"x5" Frame) Includes Center<br>Beam Upgrade** CANNOT DO<br>WITH ALL SPORTS OR SNOW<br>TRAILERS ** |  |
| Enclosed Cargo (8.5-Wide, Premium)          | 12" (16" w/<br>UPGRADE) | MIN 6" FRAME FOR16"<br>Tongue extension,<br>Upgrade may be required | TONGUE12EXT  | 12" Extended Tongue (For 3k Tandem<br>Axle Enclosed with 2"x5" Frame) Includes<br>Center Beam Upgrade** CANNOT DO WITH<br>ALL SPORTS OR SNOW TRAILERS ** |
| Enclosed Motorcycle (7-Wide)                | 12"                     | TONGUE12EXT   | 12" Extended Tongue (For 3k<br>Tandem Axle Enclosed with<br>2"x5" Frame) Includes Center<br>Beam Upgrade** CANNOT DO<br>WITH ALL SPORTS OR SNOW<br>TRAILERS ** |  |
| Enclosed Car Hauler (8.5-Wide, Premium)     | 16"                     | TONGUE16EXTCH   | 16" Extended Tongue (For<br>5k Tandem Axle Enclosed;<br>Trailer Must have 2"x6" Frame<br>or Larger) ** CANNOT DO<br>WITH ALL SPORTS OR SNOW<br>TRAILERS **     |  |
| Enclosed Car Hauler - All Sports (8.5-Wide) | N/A                     | EXTENDED<br>TONGUEINCOMPATIBLE<br>WITHFRONT RAMP                    | N/A  | N/A  |
| Enclosed Snowmobile (7, 7.5-Wide)           | N/A                     | EXTENDED<br>Tongueincompatible<br>Withfront Ramp                    | N/A  | N/A  |
| Enclosed Snowmobile (101-Wide)              | 10"                     | REQUIRES 3x5 TONGUE<br>UPGRADEW/ STRAIGHT-PULL<br>COUPLER           | TBD  | TBD  |
| ATV (83-Wide, Side-Stow)                    | (All Sizes)             | 1200# (PAIR)  | 1200# (PAIR)   | 1200# (PAIR)   |

