

OPEN UTILITY

AR 2.0

8', 10', 12', 14'



54" x 8' - 66" x 10'

STANDARD FEATURES

- > All-Aluminum Construction
- > 24" O/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > Triple Tube Box Tube Tongue
- > 6000# Coupler w/ 2" Ball
- > Dexter Torsion Idler Axle
- > EASY Removable Aluminum
- > Extruded Aluminum Decking
- > Adjustable Track for Perimeter EASY INSTALL Options
- > Integrated Rear Ramp with Beveled Edge
- > Exterior LED Lighting
- > Adjustable Interior Track for EASY INSTALL Tie Downs
- > Adjustable Perimeter Track for EASY INSTALL Options
- > Limited 5 Year Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	54X8 2.0 AR	54X10 2.0 AR	60X8 2.0 AR	60X10 2.0 AR	66X10 2.0 AR
Model Number	MU54X8AR-2.0	MU54x10AR-2.0	MU60x8AR-2.0	MU60x10AR-2.0	MU66X10AR-2.0
Deck (WxL)	50"x96"	50"x119"	56"x96"	56"x119"	62"x119"
Overall (WxL)	76"x150"	76"x173"	82"x150"	82"x173"	88"x173"
Deck Height	16"	16"	16"	16"	16"
Hitch Height	13"	13"	13"	13"	13"
Axle(s) - Qty/Rating	1-2200#	1-2200#	1-2200#	1-2200#	1-2200#
Wheels	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum
Tires	175/80R13	175/80R14	175/80R15	175/80R16	175/80R17
GVWR	2200#	2200#	2200#	2200#	2200#
Curb Weight	408#	458#	498#	542#	582#
Payload	1792#	1742#	1702#	1658#	1618#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

RAMP OPTIONS
Bi-Fold Ramp Upgrade
JACKS & JACK ACCESSORIES
1200# Wheel Jack
1500# Wheel Jack
RAIL KIT OPTIONS (2.0) MODELS
EASY INSTALL 10" Solid Rail Kit for 54x8 (AR 2.0)
EASY INSTALL 10" Solid Rail Kit for 54x10 (AR 2.0)
EASY INSTALL 10" Solid Rail Kit for 60x8 (AR 2.0)
EASY INSTALL 10" Solid Rail Kit for 60x10 (AR 2.0)
EASY INSTALL 10" Solid Rail Kit for 66x10 (AR 2.0)
EASY INSTALL 14" Slatted Rail Kit for 54x8 (AR 2.0)
EASY INSTALL 14" Slatted Rail Kit for 54x10 (AR 2.0)
EASY INSTALL 14" Slatted Rail Kit for 60x8 (AR 2.0)
EASY INSTALL 14" Slatted Rail Kit for 60x10 (AR 2.0)
EASY INSTALL 14" Slatted Rail Kit for 66x10 (AR 2.0)
EASY INSTALL 2"x2" Removable Rail Kit (AR 2.0) (PBF)

EASY INSTALL/ADJUST OPTIONS
EASY INSTALL/ADJUST SPARE TIRE MOUNT (FOR AR OR FA 2.0)
EASY INSTALL/ADJUST STAKE POCKET KIT (AR OR FA 2.0) Includes (4) Stake Pockets w/ Hardware
EASY INSTALL/ADJUST D-RING KIT (FOR AR OR FA 2.0) - Includes (4) 2,000lb D-Rings & Hardware
EASY INSTALL/ADJUST D-RING (FOR AR OR FA 2.0)
EASY INSTALL/ADJUST DROP DOWN STABILIZER JACKS (PAIR) (FOR AR OR FA 2.0)
EASY INSTALL/ADJUST COOLER TRAY (FOR AR 2.0)
EASY INSTALL/ADJUST TOOL RACK (FOR AR 2.0)
TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Spare 13" Aluminum Wheel w/ 175/80R13 Tire
Spare 14" Aluminum Wheel w/ 205/75R14 Tire
Downgrade to Silver Mods From Aluminum Rims
Upgrade to 14" Aluminum (Radial Ply; From 13" Aluminum; Open Trailers)
Upgrade to 15" Aluminum (Radial Ply; From 13" Aluminum; Open Trailers)
FLOORING OPTIONS
Upgrade to 5/4" Pressure Treated Decking Boards (From Extruded Aluminum; PBF)

72"x10' - 80"x14'

STANDARD FEATURES

- > All-Aluminum Construction
- > 24" O/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > Triple Tube Box Tube Tongue
- > 6000# Coupler w/ 2" Ball
- > Dexter Torsion Idler Axle
- > EASY Removable Aluminum
- > Extruded Aluminum Decking
- > Adjustable Track for Perimeter EASY INSTALL Options
- > Integrated Rear Ramp with Beveled Edge
- > Exterior LED Lighting
- > Adjustable Interior Track for EASY INSTALL Tie Downs
- > Adjustable Perimeter Track for EASY INSTALL Options
- > Limited 5 Year Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	72X10 2.0 AR	72X12 2.0 AR	80X12 2.0 AR	80X14 2.0 AR
Model Number	MU72x10AR-2.0	MU72x12AR-2.0	MU80x12AR-2.0	MU80x14AR-2.0
Deck (WxL)	68"x119"	68"x146"	76"x146"	76"x169"
Overall (WxL)	94"x173"	94"x200"	102"x200"	102"x223"
Deck Height	17"	17"	17"	17"
Hitch Height	14"	14"	14"	14"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
Tires	205/75R14	205/75R15	205/75R16	205/75R17
GVWR	2990#	2990#	2990#	2990#
Curb Weight	667#	697#	730#	862#
Payload	2323#	2293#	2260#	2128#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

RAMP OPTIONS	EASY INSTALL/ADJUST OPTIONS
Bi-Fold Ramp Upgrade	EASY INSTALL/ADJUST SPARE TIRE MOUNT (FOR AR OR FA 2.0)
JACKS & JACK ACCESSORIES	EASY INSTALL/ADJUST STAKE POCKET KIT (AR OR FA 2.0) Includes (4) Stake Pockets w/ Hardware
1200# Wheel Jack	EASY INSTALL/ADJUST D-RING KIT (FOR AR OR FA 2.0) - Includes (4) 2,000lb D-Rings and Hardware
1500# Wheel Jack	EASY INSTALL/ADJUST D-RING (FOR AR OR FA 2.0)
RAIL KIT OPTIONS (2.0) MODELS	EASY INSTALL/ADJUST DROP DOWN STABILIZER JACKS (PAIR) (FOR AR OR FA 2.0)
EASY INSTALL 10" Solid Rail Kit for 72x10 (AR 2.0)	EASY INSTALL/ADJUST COOLER TRAY (FOR AR 2.0)
EASY INSTALL 10" Solid Rail Kit for 72x12 (AR 2.0)	EASY INSTALL/ADJUST TOOL RACK (FOR AR 2.0)
EASY INSTALL 10" Solid Rail Kit for 80x12 (AR 2.0)	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
EASY INSTALL 10" Solid Rail Kit for 80x14 (AR 2.0)	Spare 14" Aluminum Wheel w/ 205/75R14 Tire
EASY INSTALL 14" Solid Rail Kit for 72x10 (AR 2.0)	Downgrade to Silver Mods From Aluminum Rims
EASY INSTALL 14" Solid Rail Kit for 72x12 (AR 2.0)	Upgrade to 15" Aluminum (Radial Ply; From 14" Aluminum Wheels; Open Trailers)
EASY INSTALL 14" Solid Rail Kit for 80x12 (AR 2.0)	FLOORING OPTIONS
EASY INSTALL 14" Solid Rail Kit for 80x14 (AR 2.0)	Upgrade to 5/4" Pressure Treated Decking Boards (From Extruded Aluminum; PBF)
EASY INSTALL 2"x2" Removable Rail Kit (AR 2.0) (PBF)	
EASY INSTALL Side Stow ATV Ramps w/ 10" Solid Side Rail Kit (12') for (AR 2.0)	
EASY INSTALL Side Stow ATV Ramps w/ 10" Solid Side Rail Kit (14') for (AR 2.0)	



RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes), AR 2.0 (All Sizes), WR 2.0 (All Sizes), FA 2.0 (All Sizes), LANDSCAPE (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes), AR 2.0 (Optional, All Sizes), WR 2.0 (Optional, All Sizes), FA 2.0 (Optional, All Sizes), LANDSCAPE (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps -14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps -14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV (83-Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV (88-Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	MU-SLINGSHOT	1500#
Open Car Hauler 2.0 (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0-10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow (Rear-Stow)	MFS	750#
Sport Deck (Rear-Stow, Telescoping)	MSD	1000#
Enclosed Cargo (4, 5, 6-Wide)	(All Sizes)	1500#
Enclosed Cargo (7, 7.5-Wide)	(All Sizes)	1500#
Enclosed Cargo (8.5-Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle (7-Wide)	(All Sizes)	1500#
Enclosed Car Hauler (8.5-Wide)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, REAR)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, SIDE, Optional)	(All Sizes)	1200#
Enclosed Snowmobile (7, 7.5, 101-Wide, REAR)	(All Sizes)	1500#
Enclosed Snowmobile (7, 7.5, 101-Wide, FRONT)	(All Sizes)	1200#
Enclosed Snowmobile (Crossover REAR)	(All Sizes)	1500#