

# ENDURANCE

## Key Features:

- Lifetime limited hull warranty
- Twin engine offshore bracket with welded Bomar hatch
- Dodger roof line profile with windshield visor with gutter drains
- Aluminum self-bailing deck includes fish box & floor grip non-skid surface
- Full pilot house with enlarged v-berth, Alaskan bulkhead, level offset aisleway, heavy-duty sliding door, & cabin windows
- Boarding ladder with welded grab handle
- One color painted side stripe to waterline with clear coat
- Cabin exterior, aft deck, cabin interior, & cuddy trunk - marble stone zolatone
- Three suspension seats with severe duty chassis at helm on boxes
- Electronics box, full over-head electronics box above helm from port to starboard
- Enclosed v-berth storage with locking doors, upholstered headliner & marine carpet. Includes: v-berth sleeper cushions
- Rear cowl storage
- Wash down pump
- Triple bank battery system (Dual HD cranking marine batteries & single house battery with selector switch and ACR)
- Bilge pump with auto-float

**Life is better in a North River**



## Experience Luxury and Innovation

Experience the redefined boating experience of the Endurance. Enjoy a smoother ride, expanded cabin space, and larger fuel/fish hold options. With a 49° hull entry, 20° deadrise, .250 transom, and 28" interior side height, it sets a new standard of excellence.

Endurance	2800EXL	3000EXL	3200EXL	3400EXL
Length Overall	32'7"	34'7"	36'7"	38'7"
Centerline Length	28'	30'	32'	34'
Cabin Length/Height	108"/78"	108"/78"	108"/78"	108"/78"
Cockpit Length/Width	97"/105"	121"/105"	145"/105"	169"/105"
Beam	9'10"	9'10"	9'10"	9'10"
Bottom	.250	.250	.250	.250
Sides	42" x .190	42" x .190	42" x .190	42" x .190
Fuel Capacity - Gallons	170	190	200	310
Dry Weight - lbs	6,500	7,100	7,700	8,200
Person Capacity	8	8	10	10
Person Wt. Capacity	1,480	1,480	1,850	1,850
Max Wt. Capacity on water (Persons, Motors & Gear) - lbs	8,586	8,964	9,705	10,300
Max Horsepower	600	900	900	1,350

### Boat on Trailer Dimensions - Average values\*

Highest Fixed Point	11' 10"	11' 10"	11' 10"	11' 10"
Length Overall Coupler to Main Engine	38'	40'	42'	44'

\*Make of trailer will affect actual values.



## Endurance

- ☐ 28' x 9' 10" Endurance 2800EXL
- ☐ 30' x 9' 10" Endurance 3000EXL
- ☐ 32' x 9' 10" Endurance 3200EXL
- ☐ 34' x 9' 10" Endurance 3400EXL



## Fabrication

- ☐ 1026 - Endurance Aft station helm, console only
- ☐ 1026A - Endurance Aft station helm, twin engine
- ☐ 1045 - Plano storage inside console
- ☐ 1050 - Beaching plate
- ☐ 1101 - Toe kick, welded
- ☐ 1103 - Crab pot protector (Starboard only)
- ☐ 1220 - Bracket, welded swim deck kicker (Port)
- ☐ 1270 - Brackets, welded down rigger (Pair at FWD stern rail)
- ☐ 1300 - Inside Passage bulkhead with footrest riser & extended sleeper cushion. (Port only)  
Curtain replaces V-berth doors & bulkhead.
- ☐ 1455 - Cabin aft overhang, extended to 36" center length
- ☐ 1500 - Door, walk thru bow (Cuddy & V-berth eliminated)
- ☐ 1530 - Door, side boarding (Port)
- ☐ 1542 - Trim lip, aluminum at rear cowling
- ☐ 1545 - Door, transom boarding (Starboard)
- ☐ 1621A - Rear cowling storage box, single with shoe box lid
- ☐ 1622A - Rear cowling storage box, two with shoe box lids
- ☐ 1761A - Fish boxes, side mounted floor w/ Whale Gulper pumps (QTY 2)
- ☐ 1800 - Ladder, roof top (Port or Starboard)
- ☐ 1820 - Fold out steps, roof top access (QTY 2)
- ☐ 2121 - Rails, welded 6" full wrap stern rails (Fore or aft of transom cowling)
- ☐ 2165C - Rod holder (QTY 3) welded to net holder (QTY 1) (Port and Starboard)
- ☐ 2200 - Rub Rails, (1 Port & 1 Starboard)
- ☐ 2200B - Rub rails, upper & lower (2 Port & 2 Starboard)
- ☐ 2220A - Rod holders, welded to fore side of roof top rod holder assembly (QTY 6)
- ☐ 2225 - Rose bud cleats, welded aft deck (QTY 4)
- ☐ 2255 - Storage rack, roof top
- ☐ 2260 - Mechanical scupper drains (Exch. ball drains)
- ☐ 2285 - Insulate fish box sides and bottom (Per fish box option)
- ☐ 2600 - Frontier davit, at AKBH thru aft cabin overhang  
Includes: fabrication of davit, enclosure and paint (Dealer supplied winch / hauler)
- ☐ 2600B - Frontier davit, at AKBH thru aft cabin overhang  
Includes: fabrication of davit, enclosure and paint (Factory supplied Electro-Dyne winch / hauler)
- ☐ 2610 - Dinghy Hoist / Davit with winch #EMD2000SSRP (Thru aft cabin overhang)  
NOTE: Aft station option required.
- ☐ EZ4 - Rebel EZ4 drum anchor winch, free fall
- ☐ EZ5 - Rebel EZ5 drum anchor winch, free fall
- ☐ EZ-A - Drum anchor winch welded foredeck provisions (Dealer supplied winch)
- ☐ SK-2 - SeaSeakeeper 2, installed in floor fish hold (Shore power option required)
- ☐ SK-3 - SeaSeakeeper 3, installed in floor fish hold (Shore power option required)

## Upholstery

- ☐ 580 - Seat, flip up with snap on cushions (Each) (Aft deck)
- ☐ 625 - Swivels, installed on helm seats (Port & Starboard)
- ☐ 710 - Seat, Ocean Master

See Dealer For Additional Options



**Paint Colors**

- ☐ 4060 - Color matched Zolatone (Cabin, gunwales & aft deck)
- ☐ 4115 - One color full side paint to chine
- ☐ 4135 - Two color side paint to chine

**Outfitting**

- ☐ 3002 - Anchor windlass, Lofrans LION 1000 1/4" horizontal gypsy
- ☐ 3002A - Foot switches for Lofrans LION 1000 windlass
- ☐ 3150A - Aerate, rear cowling storage box (Port)
- ☐ 3175 - Heater / defroster, Wallas Viking (7' & 9' cabin)
- ☐ 3180 - Heater / defroster, Wallas Spartan (11' cabin)
- ☐ 3220 - Light, LED rear deck (QTY 1)
- ☐ 3230 - Light, LED courtesy at aisle way (QTY 4)
- ☐ 3240 - Switch panel, additional eight switch panel
- ☐ 3245 - Bow thruster, Side Power SE40/125s single prop 88lb thrust - Includes: Joystick, GRP 27 Battery & 1 Bank charging system (Requires shore power)
- ☐ 3247 - Bow thruster, flat panel thruster control (second station)
- ☐ 3249 - Bow thruster, 10'6" beam models - please call for price
- ☐ 3382 - Dual USB-A/C combo charger (Each) (Portside)
- ☐ 3400B - Pump, Whale Gulper pump for in-floor fish box (Twin engine)
- ☐ 3431 - Alarm, high water
- ☐ 3435 - Pump, bilge, second 2200 GPH bilge pump
- ☐ 3441 - Refrigerator, drawer Isotherm Cruise 65 SS, 2.3 Cu Ft., AC/DC (Requires 24" cabinet)
- ☐ 3443 - Refrigerator, drawer Isotherm Cruise 130 SS w/Freezer, 4.6 Cu Ft., AC/DC  
NOTE: Requires 24" cabinet and cannot have sink or stove above unit
- ☐ 3444 - Refrigerator, drawer Isotherm Cruise 85 SS, 3.0 Cu. Ft., AC/DC (Requires 24" cabinet)
- ☐ 3600 - Shore power for 3 batteries with 3 bank charging system
- ☐ 3610 - Shore power and upgrade to 4 batteries with 4 bank charging system
- ☐ 3630 - Shore power, Freedom XC Pro Marine 3000w Inverter w/ 4 batteries & 4 bank charging system
- ☐ 3690 - Sink, large, w/ faucet & 10 gallon tank (Requires 24" cabinet)
- ☐ 3691 - Sink, small, w/ faucet & 10 gallon tank (Requires 12" cabinet)
- ☐ 3695 - Water tank, 18 gallon upgrade (Exch. 10 gallon tank)
- ☐ 3720B - Spotlight, Go Light Stryker with remote
- ☐ 3750 - Stove, Wallas Nordic Dt diesel with blower lid for cabin heat (Requires 24" cabinet)
- ☐ 3751 - Diesel tank, 5 gal. aluminum tank w/ external fill & dash fuel gauge
- ☐ 3770 - Toilet, flushing centered inside cuddy
- ☐ 3820 - Water test, pre dealer delivery
- ☐ 3825 - Windshield wiper washer system
- ☐ 3830A - Fresh water system, wash down & 18 gallon tank
- ☐ 3830B - Fresh water system with sink & faucet, wash down & 18 gallon tank
- ☐ 3840 - Hot fresh water shower system, w/ S600EW heater, 30 gallon tank & drain sump
- ☐ 3845 - Head drain, with Attwood sump pump (Requires stand up head)

**Steering**

- ☐ HS 2 - Hydraulic steering system, twin main engine
- ☐ HS YXC2 - Hydraulic steering system main helm, Yamaha XC twin engine

**See Dealer For Additional Options**







### Cabin Layouts - Choose a Port & Starboard Layout Option

- ☐ 9' CABIN
- ☐ CL E20A - (1) Storage seat box (60") w/cushion and back rest (Aft of helm)
- ☐ CL E20G - (1) Galley cabinet (36") & (1) Stand up flushing toilet (24") Aisle facing
- ☐ 9' CABIN PORT (Includes offset aisle way upgrade)
- ☐ CL E45I-P - (1) Dinette with fixed bench seats and back rests (24" Table & footrest)
- ☐ 11' CABIN (Includes 11' length upgrade)
- ☐ CL E50G - (1) Galley cabinet (60") & (1) Stand up flushing toilet (24") Aisle facing
- ☐ CL E50H - (1) Galley cabinet (48") & (1) Stand up flushing toilet (36") Forward facing
- ☐ 11' CABIN PORT (Includes 11' length & offset aisle way upgrade)
- ☐ CL E60I-P - (1) Dinette with fixed bench seats and back rests (48" Table & footrest)


CL E20A




CL E20G




CL E45I-P




CL E50G



CL E50H



CL E60I-P



See Dealer For Additional Options





### Fuel and Fish Hold

- ☐ 120G-40FB28 - 120 Gallon fuel tank & 40" Fish hold (2800EXL with 9' cabin only)
- ☐ 120G-40FB30 - 120 Gallon fuel tank & 40" Fish hold (3000EXL with 11' cabin only)
- ☐ 140G-36FB28 - 140 Gallon fuel tank & 36" Fish hold (2800EXL with 9' cabin only)
- ☐ 140G-36FB30 - 140 Gallon fuel tank & 36" Fish hold (3000EXL with 11' cabin only)
- ☐ 170G-24FB28 - 170 Gallon fuel tank & 24" Fish hold (2800EXL with 9' cabin only)
- ☐ 170G-24FB30 - 170 Gallon fuel tank & 24" Fish hold (3000EXL with 11' cabin only)
- ☐ 190G-40FB30 - 190 Gallon fuel tank & 40" Fish hold (3000EXL with 9' cabin only)
- ☐ 190G-40FB32 - 190 Gallon fuel tank & 40" Fish hold (3200EXL with 11' cabin only)
- ☐ 200G-36FB32 - 200 Gallon fuel tank & 36" Fish hold (3200EXL with 11' cabin only)
- ☐ 200G-40FB32 - 200 Gallon fuel tank & 40" Fish hold (3200EXL with 9' cabin only)
- ☐ 255G-40FB34 - 255 Gallon fuel tank & 40" Fish hold (3400EXL with 11' cabin only)
- ☐ 275G-36FB34 - 275 Gallon fuel tank & 36" Fish hold (3400EXL with 11' cabin only)
- ☐ 310G-24FB34 - 310 Gallon fuel tank & 24" Fish hold (3400EXL with 11' cabin only)
- ☐ 200G-36FB30 - 200 Gallon fuel tank & 36" Fish hold (3000EXL with 9' cabin only)
- ☐ 240G-24FB30 - 240 Gallon fuel tank & 24" Fish hold (3000EXL with 9' cabin only)
- ☐ 240G-24FB32 - 240 Gallon fuel tank & 24" Fish hold (3200EXL with 11' cabin only)
- ☐ 255G-0FB28 - 255 Gallon fuel tank & DELETE Fish hold (2800EXL with 9' cabin only)
- ☐ 255G-0FB30 - 255 Gallon fuel tank & DELETE Fish hold (3000EXL with 11' cabin only)
- ☐ 340G-36FB34 - 340 Gallon fuel tank & 36" Fish hold (3400EXL with 9' cabin only)
- ☐ 340G-24FB34 - 340 Gallon fuel tank & 24" Fish hold (3400EXL with 9' cabin only)
- ☐ 275G-36FB32 - 275 Gallon fuel tank & 36" Fish hold (3200EXL with 9' cabin only)
- ☐ 310G-24FB32 - 310 Gallon fuel tank & 24" Fish hold (3200EXL with 9' cabin only)
- ☐ 340G-0FB30 - 340 Gallon fuel tank & DELETE Fish hold (3000EXL with 9' cabin only)
- ☐ 340G-0FB32 - 340 Gallon fuel tank & DELETE Fish hold (3200EXL with 11' cabin only)
- ☐ 415G-0FB32 - 415 Gallon fuel tank & DELETE Fish hold (3200EXL with 9' cabin only)
- ☐ 415G-0FB34 - 415 Gallon fuel tank & DELETE Fish hold (3400EXL with 9' or 11' cabin only)



**See Dealer For Additional Options**

**Trailer & Outboard Engine Options - Dealer to provide pricing for appropriate equipment found within the 2025MY Dealer Sales Book**

Prices subject to change. Photos include items that may not be standard features or options. Options may not be available on all models.